

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 27-Jul-2007 Revision Date 21-Sep-2023 Revision Number 12

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product Description: <u>Diethylamine</u>

Cat No.: 149450000; 149450010; 149450025; 149450050; 149452500; 149450100

**Synonyms** N-Ethylethanamine; N,N-Diethylamine

 Index No
 612-003-00-X

 CAS No
 109-89-7

 EC No
 203-716-3

 Molecular Formula
 C4 H11 N

REACH registration number 01-2119475610-41

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use**Laboratory chemicals.

Sector of use SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

Product category PC21 - Laboratory chemicals

**Process categories** PROC15 - Use as a laboratory reagent

**Environmental release category** ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)

Uses advised against No Information available

# 1.3. Details of the supplier of the safety data sheet

Company

UK entity/business name

Fisher Scientific UK Bishop Meadow Road,

Loughborough, Leicestershire LE11 5RG, United Kingdom

EU entity/business name

Thermo Fisher Scientific

Janssen Pharmaceuticalaan 3a, 2440 Geel, Belgium

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

# **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

Diethylamine Revision Date 21-Sep-2023

Flammable liquids Category 2 (H225)

# **Health hazards**

Acute oral toxicity

Acute dermal toxicity

Acute Inhalation Toxicity - Vapors

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Specific target organ toxicity - (single exposure)

Category 4 (H302)

Category 4 (H332)

Category 1 A (H314)

Category 1 (H318)

Category 3 (H335)

#### **Environmental hazards**

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

#### 2.2. Label elements



Signal Word

**Danger** 

# **Hazard Statements**

H225 - Highly flammable liquid and vapor

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H335 - May cause respiratory irritation

H302 + H332 - Harmful if swallowed or if inhaled

#### **Precautionary Statements**

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

#### 2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

Toxicity to Soil Dwelling Organisms

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1. Substances

| Component    | CAS No   | EC No             | Weight % | CLP Classification - According to<br>GB-CLP Regulations UK SI 2019/720 and<br>UK SI 2020/1567   |
|--------------|----------|-------------------|----------|---|
| Diethylamine | 109-89-7 | EEC No. 203-716-3 | >95      | Flam. Liq. 2 (H225) Acute Tox. 4 (H302) Acute Tox. 3 (H311) Acute Tox. 4 (H332) Skin Corr. 1A (H314) Eye Dam. 1 (H318) STOT SE 3 (H335) |

| Component    | Specific concentration limits (SCL's) | M-Factor | Component notes |
|--------------|---------------------------------------|----------|-----------------|
| Diethylamine | STOT SE 3 (H335) :: C>=1%             | -        | -               |

| REACH registration number | 01-2119475610-41 |
|---------------------------|------------------|
|---------------------------|------------------|

Full text of Hazard Statements: see section 16

# **SECTION 4: FIRST AID MEASURES**

## 4.1. Description of first aid measures

**General Advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

**Inhalation** If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim

ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh

air. Immediate medical attention is required.

**Self-Protection of the First Aider** Remove all sources of ignition.

# 4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated

#### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood

Revision Date 21-Sep-2023

pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

# **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

Water mist may be used to cool closed containers. CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

#### Extinguishing media which must not be used for safety reasons

No information available.

#### 5.2. Special hazards arising from the substance or mixture

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

#### **Hazardous Combustion Products**

Thermal decomposition can lead to release of irritating gases and vapors, Carbon monoxide (CO), Nitrogen oxides (NOx), Carbon dioxide (CO<sub>2</sub>).

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges. Refer to protective measures listed in Sections 7 and 8

# 6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

#### 6.3. Methods and material for containment and cleaning up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7: HANDLING AND STORAGE**

# 7.1. Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

# Diethylamine SAFETT DATA SHEE

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Keep away from heat, sparks and flame. Flammables area.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany) Class 3

#### 7.3. Specific end use(s)

Use in laboratories

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

#### **Exposure limits**

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

| Component    | The United Kingdom                | European Union                     | Ireland                           |
|--------------|-----------------------------------|------------------------------------|-----------------------------------|
| Diethylamine | STEL: 10 ppm 15 min               | TWA: 5 ppm (8hr)                   | TWA: 5 ppm 8 hr.                  |
|              | STEL: 30 mg/m <sup>3</sup> 15 min | TWA: 15 mg/m <sup>3</sup> (8hr)    | TWA: 15 mg/m <sup>3</sup> 8 hr.   |
|              | TWA: 5 ppm 8 hr                   | STEL: 10 ppm (15min)               | STEL: 10 ppm 15 min               |
|              | TWA: 15 mg/m <sup>3</sup> 8 hr    | STEL: 30 mg/m <sup>3</sup> (15min) | STEL: 30 mg/m <sup>3</sup> 15 min |

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

#### **Predicted No Effect Concentration (PNEC)**

See values below.

#### 8.2. Exposure controls

# **Engineering Measures**

Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Diethylamine Revision Date 21-Sep-2023

Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

| Glove material | Breakthrough time | Glove thickness | EU standard | Glove comments        |
|----------------|-------------------|-----------------|-------------|-----------------------|
| Nitrile rubber | See manufacturers | -               | EN 374      | (minimum requirement) |
| Neoprene       | recommendations   |                 |             |                       |
| Natural rubber |                   |                 |             |                       |
| PVC            |                   |                 |             |                       |

Skin and body protection Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to

EN14387

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

141

When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls** Prevent product from entering drains.

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Physical State Liquid

Appearance Colorless Odor Fishv

Odor ThresholdNo data availableMelting Point/Range-50 °C / -58 °FSoftening PointNo data available

**Boiling Point/Range** 55 - °C / 131 - 136.4 °F

Flammability (liquid) Highly flammable On basis of test data

Flammability (solid,gas) Not applicable Liquid

Explosion Limits Lower 1.7

**Upper** 10.1

Flash Point -23 °C / -9.4 °F Method - No information available

**Autoignition Temperature** 312 °C / 593.6 °F **Decomposition Temperature** No data available

**pH** 12.0

Viscosity No data available

Diethylamine Revision Date 21-Sep-2023

Water Solubility Soluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

log Pow Component Diethylamine 0.58

Vapor Pressure 250 mbar @ 20 °C

**Density / Specific Gravity** 0.710

Not applicable **Bulk Density** Liquid **Vapor Density** No data available (Air = 1.0)

**Particle characteristics** Not applicable (liquid)

9.2. Other information

**Molecular Formula** C4 H11 N **Molecular Weight** 73.13 **VOC Content(%)** 100

**Explosive Properties** Vapors may form explosive mixtures with air

# **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity None known, based on information available

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

No information available. **Hazardous Polymerization Hazardous Reactions** None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition.

10.5. Incompatible materials

Acids. Strong oxidizing agents.

10.6. Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and vapors. Carbon

monoxide (CO). Nitrogen oxides (NOx). Carbon dioxide (CO2).

# **SECTION 11: TOXICOLOGICAL INFORMATION**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## **Product Information**

(a) acute toxicity;

Oral No data available **Dermal** No data available Inhalation No data available

| Component    | LD50 Oral         | LD50 Dermal               | LC50 Inhalation      |
|--------------|-------------------|---------------------------|----------------------|
| Diethylamine | 540 mg/kg ( Rat ) | LD50 = 582 mg/kg (Rabbit) | 17.3 mg/L/4h ( Rat ) |
|              |                   |                           | 4000 ppm/4h ( Rat )  |

Diethylamine SAFEIT DATA SHEE

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

RespiratoryNo data availableSkinNo data available

(e) germ cell mutagenicity; No data available

Not mutagenic in AMES Test

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

Results / Target organs Respiratory system.

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; Based on available data, the classification criteria are not met

Symptoms / effects,both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

delayed

tiredness, nausea and vomiting. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated.

#### 11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

# **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

Ecotoxicity effects Contains a substance which is:. Harmful to aquatic organisms. The product contains

following substances which are hazardous for the environment.

| Component    | Freshwater Fish                   | Water Flea            | Freshwater Algae                  |
|--------------|-----------------------------------|-----------------------|-----------------------------------|
| Diethylamine | LC50: 100 - 180 mg/L, 96h         | EC50: = 100 mg/L, 48h | EC50: = 20 mg/L, 96h              |
|              | semi-static (Poecilia reticulata) | (Daphnia magna)       | (Pseudokirchneriella subcapitata) |
|              | LC50: = 25 mg/L, 96h              |                       |                                   |
|              | (Oncorhynchus mykiss)             |                       |                                   |
|              | LC50: = 855 mg/L, 96h             |                       |                                   |
|              | flow-through (Pimephales          |                       |                                   |
|              | promelas)                         |                       |                                   |

ACR14945

#### Diethylamine Revision Date 21-Sep-2023

| Component    | Microtox                | M-Factor |
|--------------|-------------------------|----------|
| Diethylamine | EC50 = 21.8 mg/L 15 min |          |
|              | EC50 = 24.8 mg/L 30 min |          |
|              | EC50 = 27.2 mg/L 15 min |          |
|              | EC50 = 35.0 mg/L 5 min  |          |
|              | EC50 = 47 mg/L 17 h     |          |

12.2. Persistence and degradability Readily biodegradable

**Persistence** 

Persistence is unlikely, based on information available.

Degradation in sewage treatment plant

water treatment plants.

12.3. Bioaccumulative potential

Bioaccumulation is unlikely

|   | Component    | log Pow | Bioconcentration factor (BCF) |
|---|--------------|---------|-------------------------------|
| ĺ | Diethylamine | 0.58    | No data available             |

The product contains volatile organic compounds (VOC) which will evaporate easily from all 12.4. Mobility in soil

surfaces Will likely be mobile in the environment due to its volatility. Disperses rapidly in

Contains substances known to be hazardous to the environment or not degradable in waste

air

12.5. Results of PBT and vPvB

assessment

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent

and very bioaccumulative (vPvB).

12.6. Endocrine disrupting

properties

**Endocrine Disruptor Information** 

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects **Persistent Organic Pollutant** 

**Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point. Empty containers

retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and

empty container away from heat and sources of ignition.

According to the European Waste Catalog, Waste Codes are not product specific, but **European Waste Catalogue (EWC)** 

application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic

organisms. Solutions with high pH-value must be neutralized before discharge.

Diethylamine

Revision Date 21-Sep-2023

# **SECTION 14: TRANSPORT INFORMATION**

#### IMDG/IMO

**14.1. UN number** UN1154

14.2. UN proper shipping name DIETHYLAMINE

14.3. Transport hazard class(es)3Subsidiary Hazard Class814.4. Packing groupII

#### ADR

**14.1. UN number** UN1154

14.2. UN proper shipping name DIETHYLAMINE

14.3. Transport hazard class(es)3Subsidiary Hazard Class814.4. Packing groupII

#### IATA

**14.1. UN number** UN1154

14.2. UN proper shipping name DIETHYLAMINE

14.3. Transport hazard class(es)3Subsidiary Hazard Class814.4. Packing groupII

14.5. Environmental hazards No hazards identified

**14.6. Special precautions for user** No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

# **SECTION 15: REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **International Inventories**

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component    | CAS No   | EINECS    | ELINCS  | NLP     | IECSC | TCSI | KECL     | ENCS  | ISHL  |
|--------------|----------|-----------|---------|---------|-------|------|----------|-------|-------|
| Diethylamine | 109-89-7 | 203-716-3 | -       | 1       | Х     | Χ    | KE-13688 | Χ     | Χ     |
|              |          |           |         |         |       |      |          |       |       |
| Component    | CASNo    | TCCA      | TCCA In | vontory | DGI   | NDGI | AICC     | NZIAC | DICCS |

| Component    | CAS No   | TSCA | TSCA Inventory<br>notification -<br>Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|--------------|----------|------|---|-----|------|------|-------|-------|
| Diethylamine | 109-89-7 | X    | ACTIVE  | X   | -    | X    | Х     | Х     |

**Legend:** X - Listed '-' - Not Listed **KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

# Authorisation/Restrictions according to EU REACH

| Component | CAS No | REACH (1907/2006) -      | REACH (1907/2006) -       | REACH Regulation (EC    |
|-----------|--------|--------------------------|---------------------------|-------------------------|
|           |        | Annex XIV - Substances   | Annex XVII - Restrictions | 1907/2006) article 59 - |
|           |        | Subject to Authorization | on Certain Dangerous      | Candidate List of       |
|           |        |                          | Substances                | Substances of Very High |

#### Diethylamine

|              |          |   |                           | Concern (SVHC) |
|--------------|----------|---|---------------------------|----------------|
| Diethylamine | 109-89-7 | - | Use restricted. See item  | -              |
|              |          |   | 75.                       |                |
|              |          |   | (see link for restriction |                |
|              |          |   | details)                  |                |

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

#### Seveso III Directive (2012/18/EC)

| Component    | CAS No   | Seveso III Directive (2012/18/EC) - Seveso III Directive (2012/18/EC) - |   |
|--------------|----------|---|---|
|              |          | Qualifying Quantities for Major Accident                                | Qualifying Quantities for Safety Report |
|              |          | Notification  | Requirements                            |
| Diethylamine | 109-89-7 | Not applicable  | Not applicable                          |

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

# **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification See table for values

| Component    | Germany - Water Classification (AwSV) | Germany - TA-Luft Class                 |
|--------------|---------------------------------------|---|
| Diethylamine | WGK1                                  | Class I: 20 mg/m3 (Massenkonzentration) |

| Component    | France - INRS (Tables of occupational diseases)               |  |
|--------------|---|--|
| Diethylamine | Tableaux des maladies professionnelles (TMP) - RG 49,RG 49bis |  |

### 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

# **SECTION 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H311 - Toxic in contact with skin

H332 - Harmful if inhaled

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

ACR14945

Diethylamine Revision Date 21-Sep-2023

H335 - May cause respiratory irritation

#### Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

VOC - (Volatile Organic Compound)

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Shins

ATE - Acute Toxicity Estimate

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hvaiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

**Creation Date** 27-Jul-2007 **Revision Date** 21-Sep-2023 **Revision Summary** Not applicable.

# This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**