

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 10-Dec-2007

Revision Date 22-Sep-2023

**Revision Number** 8

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product Description:	4-Fluoroaniline
Cat No. :	119290000; 119291000; 119295000; 119290250
Synonyms	1-Amino-4-fluorobenzene; 4-Fluorobenzeneamine.
CAS No	371-40-4
EC No	206-735-5
Molecular Formula	C6 H6 F N

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

#### 1.3. Details of the supplier of the safety data sheet

Company

**UK entity/business name** Fisher Scientific UK Bishop Meadow Road, Loughborough, Leicestershire LE11 5RG, United Kingdom

#### EU entity/business name Thermo Fisher Scientific

Janssen Pharmaceuticalaan 3a, 2440 Geel, Belgium

E-mail address

begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

#### Physical hazards

Based on available data, the classification criteria are not met

#### Health hazards

#### 4-Fluoroaniline

Revision Date 22-Sep-2023

Acute oral toxicity
Skin Corrosion/Irritation
Serious Eye Damage/Eye Irritation
Specific target organ toxicity - (repeated exposure)

#### **Environmental hazards**

Acute aquatic toxicity Chronic aquatic toxicity

Full text of Hazard Statements: see section 16

Category 4 (H302) Category 1 B (H314) Category 1 (H318) Category 2 (H373)

Category 1 (H400) Category 1 (H410)



Signal Word

Danger

#### **Hazard Statements**

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H373 - May cause damage to organs through prolonged or repeated exposure

H410 - Very toxic to aquatic life with long lasting effects

Combustible liquid

#### **Precautionary Statements**

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

#### 2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
4-Fluoroaniline	371-40-4	EEC No. 206-735-5	>95	Acute Tox. 4 (H302) Skin Corr. 1B (H314) Eye Dam. 1 (H318)

#### 4-Fluoroaniline

#### Revision Date 22-Sep-2023

	STOT RE 2 (H373) Aquatic Acute 1 (H400) Aquatic Acute 1 (H410)
--	--

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
4-Fluoroaniline	-	1	-

#### Full text of Hazard Statements: see section 16

## **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.
Ingestion	Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately.
Inhalation	If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately.
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.
4.2. Most important symptoms and	effects, both acute and delayed
	Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting
4.3. Indication of any immediate me	edical attention and special treatment needed
Notes to Physician	Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

#### 5.1. Extinguishing media

#### Suitable Extinguishing Media

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.

#### Extinguishing media which must not be used for safety reasons

No information available.

#### 4-Fluoroaniline

#### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Combustible material. Containers may explode when heated. Do not allow run-off from fire-fighting to enter drains or water courses.

#### Hazardous Combustion Products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2), Ammonia, Gaseous hydrogen fluoride (HF).

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

#### 6.3. Methods and material for containment and cleaning up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Remove all sources of ignition.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

#### **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition.

#### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and flame. Keep away from oxidizing agents. Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

#### Technical Rules for Hazardous Substances (TRGS) 510 Class 8A Storage Class (LGK) (Germany)

ACR11929

#### 4-Fluoroaniline

#### 7.3. Specific end use(s)

Use in laboratories

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

#### **Exposure limits**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

No information available

#### Predicted No Effect Concentration (PNEC)

No information available.

#### 8.2. Exposure controls

#### Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equip Eye Protection		(European standard	I - EN 166)	
Hand Protection	Protectiv	e gloves		
Glove material Natural rubber Nitrile rubber Neoprene PVC	Breakthrough time See manufacturers recommendations	Glove thickness	EU standard EN 374	Glove comments (minimum requirement)

Skin and body protection

Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
	To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced <b>Recommended Filter type:</b> Organic gases and vapours filter Type A Brown conforming to EN14387
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. <b>Recommended half mask:-</b> Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141 When RPE is used a face piece Fit Test should be conducted
Environmental exposure controls	Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

Physical State	Liquid	
Appearance Odor Odor Threshold Melting Point/Range Softening Point Boiling Point/Range Flammability (liquid) Flammability (solid,gas) Explosion Limits	light orange No information available No data available -1.9 °C / 28.6 °F No data available 187 °C / 368.6 °F Combustible liquid Not applicable No data available	@ 760 mmHg On basis of test data Liquid
Flash Point Autoignition Temperature Decomposition Temperature pH Viscosity Water Solubility Solubility in other solvents Partition Coefficient (n-octanol/wat Component 4-Fluoroaniline	<b>log Pow</b> 1.15	Method - No information available
Vapor Pressure Density / Specific Gravity Bulk Density Vapor Density Particle characteristics 9.2. Other information	No data available 1.157 Not applicable No data available Not applicable (liquid)	Liquid (Air = 1.0)
Molecular Formula Molecular Weight Explosive Properties	C6 H6 F N 111.12 explosive air/vapour mixtures possibl	e

## **SECTION 10: STABILITY AND REACTIVITY**

4-Fluoroaniline

10.1. Reactivity	None known, based on information available
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous react	tions
Hazardous Polymerization Hazardous Reactions	No information available. None under normal processing.
10.4. Conditions to avoid	Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.
10.5. Incompatible materials	Acids. Strong oxidizing agents. Acid anhydrides. Acid chlorides. Chloroformates. Strong bases.

#### 10.6. Hazardous decomposition products

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Ammonia. Gaseous hydrogen fluoride (HF).

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Product Information**

(a) acute toxicity;

Oral	Category 4
Dermal	No data available
Inhalation	No data available

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
4-Fluoroaniline	LD50 = 417 mg/kg (Rat)	-	-

- (b) skin corrosion/irritation; Category 1 B
- (c) serious eye damage/irritation; Category 1
- (d) respiratory or skin sensitization;<br/>Respiratory<br/>SkinNo data available<br/>No data available(e) germ cell mutagenicity;No data available(f) carcinogenicity;No data available<br/>There are no known carcinogenic chemicals in this product

No data available

(g) reproductive toxicity;

(h) STOT-single exposure;	No data available
(i) STOT-repeated exposure;	Category 2
Target Organs	Blood, Hematopoietic System.
(j) aspiration hazard;	No data available
Other Adverse Effects	The toxicological properties have not been fully investigated.
Symptoms / effects,both acute and delayed	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.
11.2. Information on other hazards	

## **Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

### SECTION 12: ECOLOGICAL INFORMATION

## <u>12.1. Toxicity</u>

4-Fluoroaniline

**Ecotoxicity effects** 

The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae
4-Fluoroaniline	LC50: 14.4 - 19.9 mg/L, 96h flow-through (Pimephales promelas)		

Component	Microtox	M-Factor
4-Fluoroaniline		1

#### 12.2. Persistence and degradability

PersistenceSoluble in water, Persistence is unlikely, based on information available.Degradation in sewage<br/>treatment plantContains substances known to be hazardous to the environment or not degradable in waste<br/>water treatment plants.

#### 12.3. Bioaccumulative potential

Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
4-Fluoroaniline	1.15	No data available

 12.4. Mobility in soil
 The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

 12.5. Results of PBT and vPvB
 Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB).

## 12.6. Endocrine disrupting properties

#### 4-Fluoroaniline

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

<u>12.7. Other adverse effects</u>	
Persistent Organic Pollutant	This product does not contain any known or suspected substance
Ozone Depletion Potential	This product does not contain any known or suspected substance

## **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Waste from Residues/Unused Products	Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. Should not be released into the environment.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point.
European Waste Catalogue (EWC)	According to the European Waste Catalog, Waste Codes are not product specific, but application specific.
Other Information	Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Do not let this chemical enter the environment.

## **SECTION 14: TRANSPORT INFORMATION**

#### IMDG/IMO

<u>14.1. UN number</u> 14.2. UN proper shipping name 14.3. Transport hazard class(es) 14.4. Packing group	UN2941 Fluoroanilines 6.1 III
ADR	
<u>14.1. UN number</u> 14.2. UN proper shipping name 14.3. Transport hazard class(es) 14.4. Packing group	UN2941 Fluoroanilines 6.1 III
IATA	
<u>14.1. UN number</u> 14.2. UN proper shipping name 14.3. Transport hazard class(es) 14.4. Packing group	UN2941 Fluoroanilines 6.1 III
14.5. Environmental hazards	Dangerous for the environment Product is a marine pollutant according to the criteria set by IMDG/IMO
14.6. Special precautions for user	No special precautions required.
14.7. Maritime transport in bulk according to IMO instruments	Not applicable, packaged goods

#### **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

4-Fluoroaniline

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
4-Fluoroaniline	371-40-4	206-735-5	-	-	Х	Х	KE-17003	Х	Х
Component	CAS No	TSCA	notific	ventory ation - Inactive	DSL	NDSL	AICS	NZIoC	PICCS

ACTIVE

Х

Х

Х

Х

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Х

371-40-4

#### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
4-Fluoroaniline	371-40-4	-	Use restricted. See item 75. (see link for restriction details)	-

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

#### Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Seveso III Directive (2012/18/EC)	
		Qualifying Quantities for Major Accident Qualifying Quantities for Saf	
		Notification	Requirements
4-Fluoroaniline	371-40-4	Not applicable	Not applicable

## Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

#### Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

#### National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

#### WGK Classification

See table for values

#### Revision Date 22-Sep-2023

#### 4-Fluoroaniline

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
4-Fluoroaniline	WGK1	

#### 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

#### **SECTION 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

#### Legend

**CAS** - Chemical Abstracts Service TSCA - United States Toxic Substances Control Act Section 8(b) Inventory EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances Substances List PICCS - Philippines Inventory of Chemicals and Chemical Substances ENCS - Japanese Existing and New Chemical Substances **IECSC** - Chinese Inventory of Existing Chemical Substances AICS - Australian Inventory of Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances NZIOC - New Zealand Inventory of Chemicals WEL - Workplace Exposure Limit TWA - Time Weighted Average ACGIH - American Conference of Governmental Industrial Hygienists IARC - International Agency for Research on Cancer **DNEL** - Derived No Effect Level Predicted No Effect Concentration (PNEC) **RPE** - Respiratory Protective Equipment LD50 - Lethal Dose 50% LC50 - Lethal Concentration 50% EC50 - Effective Concentration 50% **NOEC** - No Observed Effect Concentration POW - Partition coefficient Octanol:Water PBT - Persistent, Bioaccumulative, Toxic vPvB - very Persistent, very Bioaccumulative ICAO/IATA - International Civil Aviation Organization/International Air

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code OECD - Organisation for Economic Co-operation and Development BCF - Bioconcentration factor

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Ships

Transport Association

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

MARPOL - International Convention for the Prevention of Pollution from

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers. Chemical incident response training.

4-Fluoroaniline

Creation Date Revision Date Revision Summary 10-Dec-2007 22-Sep-2023 Not applicable.

# This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

. Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## End of Safety Data Sheet