

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 20-Aug-2009 Revision Date 19-Oct-2023 Revision Number 10

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product Description: <u>1,2-Dimethoxyethane</u>

Cat No.: D/3280/PB05, D/3280/PB08, D/3280/PB17

**Synonyms** Monoglyme; 1,2-Dimethoxyethane

 Index No
 603-031-00-3

 CAS No
 110-71-4

 EC No
 203-794-9

 Molecular Formula
 C4 H10 O2

REACH registration number 01-2119485981-24

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.

Sector of use SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

Product category PC21 - Laboratory chemicals

**Process categories** PROC15 - Use as a laboratory reagent

**Environmental release category** ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)

Uses advised against No Information available

# 1.3. Details of the supplier of the safety data sheet

Company

UK entity/business name

Fisher Scientific UK

Bishop Meadow Road, Loughborough, Leicestershire LE11 5RG, United Kingdom

**EU entity/business name** Thermo Fisher Scientific

Janssen Pharmaceuticalaan 3a

2440 Geel, Belgium

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

Tel: 01509 231166

Chemtrec US: (800) 424-9300 Chemtrec EU: 001-703-527-3887

# **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

#### 1,2-Dimethoxyethane Revision Date 19-Oct-2023

**Physical hazards** 

Flammable liquids Category 2 (H225)

**Health hazards** 

Acute Inhalation Toxicity - Vapors

Skin Corrosion/Irritation

Reproductive Toxicity

Category 4 (H332)

Category 2 (H315)

Category 1B (H360FD)

**Environmental hazards** 

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

# 2.2. Label elements



Signal Word

**Danger** 

### **Hazard Statements**

H225 - Highly flammable liquid and vapor

H332 - Harmful if inhaled

H315 - Causes skin irritation

H360FD - May damage fertility. May damage the unborn child

EUH019 - May form explosive peroxides

## **Precautionary Statements**

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

#### Additional EU labelling

Restricted to professional users

#### 2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

This product does not contain any known or suspected endocrine disruptors

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

# 3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - According to

#### 1,2-Dimethoxyethane

Revision Date 19-Oct-2023

				GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Ethylene glycol dimethyl ether	110-71-4	EEC No. 203-794-9	>95	Flam. Liq. 2 (H225) Acute Tox. 4 (H332) Repr. 1B (H360FD) Skin Irrit. 2 (H315) [EUH019]

REACH registration number 01-2119485981-24

Full text of Hazard Statements: see section 16

# **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Eye Contact**Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

**Inhalation** Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the

substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. If

not breathing, give artificial respiration.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like

headache, dizziness, tiredness, nausea and vomiting

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

### **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

# Extinguishing media which must not be used for safety reasons

No information available.

#### 5.2. Special hazards arising from the substance or mixture

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of

# 1,2-Dimethoxyethane Revision Date 19-Oct-2023

ignition and flash back.

#### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO2).

### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

# 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

#### 6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

# 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance. Do not breathe mist/vapors/spray. If peroxide formation is suspected, do not open or move container. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Containers should be dated when opened and tested periodically for the presence of peroxides. Should crystals form in a peroxidizable liquid, peroxidation may have occurred and the product should be considered extremely dangerous. In this instance, the container should only be opened remotely by professionals. Keep away from heat, sparks and flame.

Technical Rules for Hazardous Substances (TRGS) 510 Class 3 Storage Class (LGK) (Germany)

# 7.3. Specific end use(s)

Page 4/12

# 1,2-Dimethoxyethane

Use in laboratories

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

## **Exposure limits**

List source(s):

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

Workers; See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Ethylene glycol dimethyl ether				DNEL = 1.1mg/kg
110-71-4 ( >95 )				bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Ethylene glycol dimethyl ether 110-71-4 ( >95 )				$DNEL = 3.1 mg/m^3$

# **Predicted No Effect Concentration (PNEC)**

See values below.

Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
		sediment		sewage treatment	
Ethylene glycol dimethyl	PNEC = 6.4mg/L	PNEC = 25.7mg/kg	PNEC = 40mg/L	PNEC = 20mg/L	PNEC = 1.39mg/kg
ether		sediment dw			soil dw
110-71-4 ( >95 )					

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Ethylene glycol dimethyl ether 110-71-4 ( >95 )	PNEC = 0.64mg/L	PNEC = 2.57mg/kg sediment dw		PNEC = 0.622mg/kg food	

#### 8.2. Exposure controls

# **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

**Eye Protection** Wear safety glasses with side shields (or goggles) (European standard - EN 166)

Hand Protection Protective gloves

\_\_\_\_

Revision Date 19-Oct-2023

1,2-Dimethoxyethane Revision Date 19-Oct-2023

Glove material Nitrile rubber Neoprene Natural rubber	Breakthrough time See manufacturers recommendations	Glove thickness -	<b>EU standard</b> EN 374	Glove comments (minimum requirement)
PVC				

Skin and body protection Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits Large scale/emergency use

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to

EN14387

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure Small scale/Laboratory use

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

When RPE is used a face piece Fit Test should be conducted

No information available. **Environmental exposure controls** 

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

**Physical State** Liquid

**Appearance** Colorless

Petroleum distillates Odor **Odor Threshold** No data available **Melting Point/Range** -69 °C / -92.2 °F **Softening Point** No data available

**Boiling Point/Range** 84 - 86 °C / 183.2 - 186.8 °F @ 760 mmHg Flammability (liquid) Highly flammable On basis of test data Liquid

Flammability (solid,gas) Not applicable

**Explosion Limits** Lower 1.6 vol% Upper 10.4 vol%

-6 °C / 21.2 °F Method - No information available **Flash Point** 

200 - °C / 392 - °F **Autoignition Temperature Decomposition Temperature** No data available рΗ No information available 1.1 mPa.s at 20 °C **Viscosity** 

**Water Solubility** Miscible

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

log Pow Component Ethylene glycol dimethyl ether -0.21

1,2-Dimethoxyethane Revision Date 19-Oct-2023

Vapor Pressure 64 hPa @ 20 °C

Density / Specific Gravity 0.867

Bulk DensityNot applicableLiquidVapor Density3.1 (Air = 1.0)(Air = 1.0)

Particle characteristics Not applicable (liquid)

9.2. Other information

Molecular FormulaC4 H10 O2Molecular Weight90.12

Explosive Properties Vapors may form explosive mixtures with air

**Evaporation Rate** 5.0 (Butyl Acetate = 1.0)

# **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents.

#### 10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

# SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Product Information**

(a) acute toxicity;

Oral Based on available data, the classification criteria are not met

Dermal Based on available data, the classification criteria are not met

Inhalation Category 4

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethylene glycol dimethyl ether	5370 mg/kg ( Rat )	>5 g/kg ( Rat )	>20 mg/L /6h ( Rat )

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Based on available data, the classification criteria are not met

1,2-Dimethoxyethane Revision Date 19-Oct-2023

(d) respiratory or skin sensitization;

Based on available data, the classification criteria are not met Respiratory Skin Based on available data, the classification criteria are not met

Based on available data, the classification criteria are not met (e) germ cell mutagenicity;

Based on available data, the classification criteria are not met (f) carcinogenicity;

The table below indicates whether each agency has listed any ingredient as a carcinogen

(g) reproductive toxicity; Category 1B **Reproductive Effects** May impair fertility.

**Developmental Effects** May cause harm to the unborn child.

(h) STOT-single exposure; Based on available data, the classification criteria are not met

Based on available data, the classification criteria are not met (i) STOT-repeated exposure;

**Target Organs** None known.

(j) aspiration hazard; Based on available data, the classification criteria are not met

Other Adverse Effects The toxicological properties have not been fully investigated.

delayed

Symptoms / effects,both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting.

#### 11.2. Information on other hazards

Assess endocrine disrupting properties for human health. This product does not contain any **Endocrine Disrupting Properties** 

known or suspected endocrine disruptors.

# **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

**Ecotoxicity effects** Do not empty into drains. .

Component	Freshwater Fish	Water Flea	Freshwater Algae
Ethylene glycol dimethyl ether	>5000 mg/L 96h		

12.2. Persistence and degradability Not readily biodegradable

Persistence is unlikely, based on information available. **Persistence** 

12.3. Bioaccumulative potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Ethylene glycol dimethyl ether	-0.21	No data available

The product contains volatile organic compounds (VOC) which will evaporate easily from all 12.4. Mobility in soil surfaces Will likely be mobile in the environment due to its volatility. Disperses rapidly in

1,2-Dimethoxyethane Revision Date 19-Oct-2023

air

12.5. Results of PBT and vPvB

assessment

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent

and very bioaccumulative (vPvB).

12.6. Endocrine disrupting

properties

**Endocrine Disruptor Information** 

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point. Empty containers

retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and

empty container away from heat and sources of ignition.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with

local regulations.

# **SECTION 14: TRANSPORT INFORMATION**

#### IMDG/IMO

**14.1. UN number** UN2252

1,2-DIMETHOXYETHANE

14.3. Transport hazard class(es) 3 14.4. Packing group II

<u>ADR</u>

**14.1. UN number** UN2252

**14.2. UN proper shipping name** 1,2-DIMETHOXYETHANE

14.3. Transport hazard class(es) 3 14.4. Packing group II

<u>IATA</u>

**14.1. UN number** UN2252

1,2-DIMETHOXYETHANE

14.3. Transport hazard class(es) 3 14.4. Packing group II

1,2-Dimethoxyethane Revision Date 19-Oct-2023

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk Not applicable, packaged goods

according to IMO instruments

# **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **International Inventories**

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Ethylene glycol dimethyl ether	110-71-4	203-794-9	-	-	Х	Х	X	X	Χ
Component	CAS No	TSCA	TSCA In	ventory	DSL	NDSL	AICS	NZIoC	PICCS

Active-Inactive Ethylene glycol dimethyl ether 110-71-4 **ACTIVE** 

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances	REACH (1907/2006) - Annex XVII - Restrictions	REACH Regulation (EC 1907/2006) article 59 -
		Subject to Authorization	on Certain Dangerous	Candidate List of
			Substances	Substances of Very High
				Concern (SVHC)
Ethylene glycol dimethyl ether	110-71-4	-	Use restricted. See item	SVHC Candidate list -
			30.	Toxic for reproduction
			(see	(Article 57 c)
			http://eur-lex.europa.eu/Le	
			xUriServ/LexUriServ.do?ur	
			i=CELEX:32006R1907:EN:	
			NOT for restriction details)	

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

# **REACH links**

https://echa.europa.eu/authorisation-list

https://echa.europa.eu/substances-restricted-under-reach

https://echa.europa.eu/candidate-list-table

# Seveso III Directive (2012/18/EC)

	Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Eth	ylene glycol dimethyl ether	110-71-4	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

#### Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

#### **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

#### **WGK Classification**

See table for values

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Ethylene glycol dimethyl ether	WGK 1	

Component	France - INRS (Tables of occupational diseases)
Ethylene glycol dimethyl ether	Tableaux des maladies professionnelles (TMP) - RG 84

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Ethylene glycol dimethyl ether 110-71-4 ( >95 )		Group I	

### 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

# **SECTION 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3

H225 - Highly flammable liquid and vapor

H332 - Harmful if inhaled

H315 - Causes skin irritation

H360FD - May damage fertility. May damage the unborn child

EUH019 - May form explosive peroxides

H360Fd - May damage fertility. Suspected of damaging the unborn child

#### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)

Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances Substances List

**ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

## 1,2-Dimethoxyethane Revision Date 19-Oct-2023

TWA - Time Weighted Average

EC50 - Effective Concentration 50%

LD50 - Lethal Dose 50%

Transport Association

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air

MARPOL - International Convention for the Prevention of Pollution from

Predicted No Effect Concentration (PNEC)

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment **LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration **PBT** - Persistent, Bioaccumulative, Toxic

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Training Advice** 

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Ships

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Creation Date20-Aug-2009Revision Date19-Oct-2023Revision SummaryNot applicable.

# This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**