

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 25-Jul-2018 Revision Date 30-Nov-2024 Revision Number 5

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

1.1. Product identifier

Product Description: Samarium Cobalt powder

Cat No. : 12608

Molecular Formula approx. ratio: Sm:Cu:Fe:Zr:Co; 25.5:5:14:3:52.5 wt

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company

Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

Poison Centre - Emergency information services

Ireland: National Poisons Information Centre (NPIC) -

01 809 2166 (8am-10pm, 7 days a week)

Malta: +356 2395 2000 Cyprus: +357 2240 5611

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

Flammable solids Category 2 (H228)
Substances/mixtures which, in contact with water, emit flammable gases Category 1 (H260)

Health hazards

Samarium Cobalt powder

Respiratory Sensitization Category 1 Sub-category 1B (H334)
Skin Sensitization Category 1 (H317)

Skin SensitizationCategory 1 (H317)Germ Cell MutagenicityCategory 2 (H341)CarcinogenicityCategory 1B (H350)Reproductive ToxicityCategory 1B (H360F)

Environmental hazards

Chronic aquatic toxicity Category 4 (H413)

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H228 - Flammable solid

H260 - In contact with water releases flammable gases which may ignite spontaneously

H317 - May cause an allergic skin reaction

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H341 - Suspected of causing genetic defects

H350 - May cause cancer

H360F - May damage fertility

H413 - May cause long lasting harmful effects to aquatic life

Precautionary Statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

P231 + P232 - Handle and store contents under inert gas. Protect from moisture

P302 + P335 + P334 - IF ON SKIN: Brush off loose particles from skin. Immerse in cool water

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P284 - Wear respiratory protection

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

P308 + P313 - IF exposed or concerned: Get medical advice/attention

Additional EU labelling

Restricted to professional users

2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

ALFAA12608

Samarium Cobalt powder Revision Date 30-Nov-2024

3.2. Mixtures

Component	CAS No	EC No	Weight %	GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Cobalt	7440-48-4	EEC No. 231-158-0	52.5	Resp. Sens. 1B (H334) Skin Sens. 1 (H317) Muta.2 (H341) Repr. 1B (H360F) Carc. 1B (H350) Aquatic Chronic 4 (H413)
Samarium	7440-19-9	EEC No. 231-128-7	25.5	Flam. Sol. 2 (H228) Water-react. 1 (H260) STOT RE 2 (H372)
Iron	7439-89-6	EEC No. 231-096-4	14.0	-
Copper	7440-50-8	EEC No. 231-159-6	5.0	Flam. Sol. 2 (H228) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)
Zirconium	7440-67-7	EEC No. 231-176-9	3	Pyr. Sol. 1 (H250) Water-react. 1 (H260)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Copper	-	1 (Acute)	-

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

4.3. Indication of any immediate medical attention and special treatment needed

Samarium Cobalt powder

Revision Date 30-Nov-2024

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

approved class D extinguishers. Do not use water or foam.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Copper oxides, Zirconium oxide, Iron oxides, Samarium oxide, Cobalt oxides, Hydrogen.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Should not be released into the environment. Do not allow material to contaminate ground water system.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Samarium Cobalt powder

Keep container tightly closed in a dry and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Class 4.3 **Storage Class (LGK) (Germany)**

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE -** 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

Component	The United Kingdom	European Union	Ireland
Cobalt	STEL: 0.3 mg/m ³ 15 min		TWA: 0.02 mg/m ³ 8 hr.
	TWA: 0.1 mg/m ³ 8 hr		STEL: 0.3 mg/m ³ 15 min
	Resp. Sens.		
Copper	STEL: 0.6 mg/m ³ 15 min		TWA: 0.2 mg/m ³ 8 hr. Cu
	STEL: 2 mg/m ³ 15 min		fume
	TWA: 1 mg/m ³ 8 hr		TWA: 1 mg/m ³ 8 hr. Cu
	TWA: 0.2 mg/m ³ 8 hr		dusts and mists
			STEL: 2 mg/m ³ 15 min
			STEL: 0.6 mg/m ³ 15 min
Zirconium			TWA: 5 mg/m ³ 8 hr. Zr
			STEL: 10 mg/m ³ 15 min

Biological limit values

List source(s):

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Copper		DNEL = 273mg/kg		DNEL = 137mg/kg
7440-50-8 (5.0)		bw/day		bw/day
Zirconium				DNEL = 11mg/kg
7440-67-7 (3)				bw/day

Component	Acute effects local	Acute effects	Chronic effects local	Chronic effects
	(Inhalation)	systemic (Inhalation)	(Inhalation)	systemic (Inhalation)
Cobalt			DNEL = $40\mu g/m^3$	
7440-48-4 (52.5)				
Iron			DNEL = 3mg/m ³	
7439-89-6 (14.0)			_	
Zirconium				DNEL = 5mg/m ³
7440-67-7 (3)				_

Predicted No Effect Concentration (PNEC)

See values below.

Samarium Cobalt powder

Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
		sediment		sewage treatment	
Cobalt	PNEC = $0.62\mu g/L$	PNEC = 53.8 mg/kg		PNEC = 0.37mg/L	PNEC = 10.9 mg/kg
7440-48-4 (52.5)		sediment dw			soil dw
Copper	PNEC = 7.8µg/L	PNEC = 87mg/kg		PNEC = 230µg/L	PNEC = 65mg/kg
7440-50-8 (5.0)		sediment dw			soil dw
Zirconium	PNEC = 0.074mg/L	PNEC = 74.6 mg/kg	PNEC = 0.74mg/L		PNEC = 7mg/kg soil
7440-67-7 (3)		sediment dw			dw

Component	Marine water	Marine water	Marine water	Food chain	Air
		sediment	intermittent		
Cobalt	PNEC = 2.36µg/L	PNEC = 69.8mg/kg			
7440-48-4 (52.5)		sediment dw			
Copper	PNEC = 5.2µg/L	PNEC = 676mg/kg			
7440-50-8 (5.0)		sediment dw			
Zirconium	PNEC =	PNEC = 7.5mg/kg			
7440-67-7 (3)	0.0074mg/L	sediment dw			

8.2. Exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Wear safety glasses with side shields (or goggles) (European standard - EN 166)

Hand Protection Protective gloves

Glove material		Glove thickness	EU standard	Glove comments
Natural rubber Nitrile rubber	See manufacturers recommendations	-	EN 374	(minimum requirement)
Neoprene				
PVC				

Skin and body protection Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits Large scale/emergency use

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Multi-purpose/ABEK Particulates filter conforming to EN 143

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure Small scale/Laboratory use

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

ALFAA12608

Revision Date 30-Nov-2024 Samarium Cobalt powder

Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

Solid

Solid

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Solid

Appearance

Odor No information available **Odor Threshold** No data available Melting Point/Range No data available **Softening Point** No data available **Boiling Point/Range** No information available

Flammability (liquid) Not applicable

Flammability (solid,gas) No information available

No data available **Explosion Limits**

Flash Point No information available Method - No information available

Autoignition Temperature No data available No data available

Decomposition Temperature

рΗ No information available Not applicable **Viscosity**

Water Solubility Insoluble in water

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow

Cobalt

Vapor Pressure 23 hPa @ 20 °C Density / Specific Gravity No data available **Bulk Density** No data available

Not applicable Solid **Vapor Density**

Particle characteristics No data available

9.2. Other information

Molecular Formula approx. ratio: Sm:Cu:Fe:Zr:Co; 25.5:5:14:3:52.5 wt

Burning rate or burning time = > 5 minutes and <= 10 minutes Flammable solids

Substances/mixtures which, in Emitted gas ignites spontaneously

contact with water, emit flammable

gases

Evaporation Rate Not applicable - Solid

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity Yes

10.2. Chemical stability

Air sensitive. Moisture sensitive.

10.3. Possibility of hazardous reactions

Hazardous Polymerization No information available. **Hazardous Reactions** None under normal processing.

Samarium Cobalt powder Revision Date 30-Nov-2024

10.4. Conditions to avoid

Incompatible products. Excess heat.

10.5. Incompatible materials

Acids.

10.6. Hazardous decomposition products

Copper oxides. Zirconium oxide. Iron oxides. Samarium oxide. Cobalt oxides. Hydrogen.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

Oral Based on available data, the classification criteria are not met

DermalNo data availableInhalationNo data available

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Cobalt	LD50 = 6171 mg/kg (Rat)	-	LC50 < 0.05 mg/L (Rat) 4 h
Samarium	-	LD50 > 2000 mg/kg (Rat)	-
Iron	7500 mg/kg (Rat)	-	-
Copper	-	-	LC50 > 5.11 mg/L (Rat) 4 h

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory Sub Category 1B Skin Category 1

No information available

(e) germ cell mutagenicity; Category 2

(f) carcinogenicity; Category 1B

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Cobalt	Carc Cat. 1B		Cat. 2	Group 2A

(g) reproductive toxicity; Category 1B

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Revision Date 30-Nov-2024 Samarium Cobalt powder

Target Organs None known.

(j) aspiration hazard; Not applicable

Solid

delayed

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects Contains a substance which is:. Very toxic to aquatic organisms. The product contains

following substances which are hazardous for the environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water

system.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Cobalt	LC50: > 100 mg/L, 96h static (Brachydanio rerio)		
Copper	Onchorhynchys mykiss: LC50=0.15 mg/L 96h Cuprinus carpio: LC50=0.8 mg/L 96h	(Daphnia magna)	0.0426-0.0535 mg/L EC50 72 h 0.031-0.054 mg/L EC50 96 h

Component	Microtox	M-Factor
Copper		1 (Acute)

12.2. Persistence and degradability Product contains heavy metals. Discharge into the environment must be avoided. Special

pre-treatment is necessary

Insoluble in water, May persist. **Persistence**

Degradability Not relevant for inorganic substances.

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

12.3. Bioaccumulative potential

May have some potential to bioaccumulate; Product has a high potential to bioconcentrate

Component	log Pow	Bioconcentration factor (BCF)
Cobalt	5	No data available

12.4. Mobility in soil Spillage unlikely to penetrate soil Is not likely mobile in the environment due its low water

solubility.

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

Revision Date 30-Nov-2024 Samarium Cobalt powder

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives

on waste and hazardous waste. Dispose of in accordance with local regulations.

Dispose of this container to hazardous or special waste collection point. Empty containers **Contaminated Packaging**

retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and

empty container away from heat and sources of ignition.

According to the European Waste Catalog, Waste Codes are not product specific, but **European Waste Catalogue (EWC)**

application specific.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Can be landfilled or incinerated, when in

compliance with local regulations.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

14.1. UN number UN3089

14.2. UN proper shipping name Metal powder, flammable, n.o.s. (Samarium, Cobalt powder) **Technical Shipping Name**

14.3. Transport hazard class(es) 4.1 14.4. Packing group Ш

ADR

14.1. UN number UN3089

14.2. UN proper shipping name Metal powder, flammable, n.o.s. **Technical Shipping Name** (Samarium, Cobalt powder)

14.3. Transport hazard class(es) 14.4. Packing group

4.1 Ш

IATA

UN3089 14.1. UN number

Metal powder, flammable, n.o.s. 14.2. UN proper shipping name **Technical Shipping Name** (Samarium, Cobalt powder) 4.1

14.3. Transport hazard class(es) 14.4. Packing group

Ш

No hazards identified 14.5. Environmental hazards

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk Not applicable, packaged goods

Revision Date 30-Nov-2024

according to IMO instruments

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Cobalt	7440-48-4	231-158-0	-	-	X	X	KE-06060	X	-
Samarium	7440-19-9	231-128-7	-	-	Х	Χ	KE-30854	X	-
Iron	7439-89-6	231-096-4	-	-	X	X	KE-21059	X	-
Copper	7440-50-8	231-159-6	-	-	Х	Χ	KE-08896	Х	-
Zirconium	7440-67-7	231-176-9	-	-	X	X	KE-35607	Х	-

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Cobalt	7440-48-4	X	ACTIVE	Х	-	X	Х	Х
Samarium	7440-19-9	Х	ACTIVE	Х	-	X	Х	Х
Iron	7439-89-6	X	ACTIVE	Х	-	X	Х	Х
Copper	7440-50-8	Х	ACTIVE	Х	-	X	Х	Х
Zirconium	7440-67-7	X	ACTIVE	Х	ı	X	Х	Х

Legend: X - Listed '-' - Not Listed **KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Cobalt	7440-48-4	-	Use restricted. See entry 30. (see link for restriction details) Use restricted. See entry 28. (see link for restriction details) Use restricted. See entry 75. (see link for restriction details)	-
Samarium	7440-19-9	-	-	-
Iron	7439-89-6	-	-	-
Copper	7440-50-8	-	Use restricted. See entry 75. (see link for restriction details)	-
Zirconium	7440-67-7	-	Use restricted. See entry 75. (see link for restriction details)	-

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Seveso III Directive (2012/18/EC)

Samarium Cobalt powder

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Cobalt	7440-48-4	Not applicable	Not applicable
Samarium	7440-19-9	Not applicable	Not applicable
Iron	7439-89-6	Not applicable	Not applicable
Copper	7440-50-8	Not applicable	Not applicable
Zirconium	7440-67-7	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

Take note of Dir 76/769/EEC relating to restrictions on the marketing and use of certain dangerous substances and preparations

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = 3 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Cobalt	WGK 3	Class II: 0.5 mg/m³ (Massenkonzentration)
		Krebserzeugende Stoffe - Class I: 0.05 mg/m ³
		(Massenkonzentration)
Iron	nwg	
Copper	WGK2	Class III: 1 mg/m³ (Massenkonzentration)
Zirconium	nwg WGK1	

Component	France - INRS (Tables of occupational diseases)
Cobalt	Tableaux des maladies professionnelles (TMP) - RG 65,RG 70,RG 70bis,RG 70ter
Iron	Tableaux des maladies professionnelles (TMP) - RG 44,RG 44bis,RG 94

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Copper 7440-50-8 (5.0)	Prohibited and Restricted Substances		

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

ALFAA12608

Revision Date 30-Nov-2024

Full text of H-Statements referred to under sections 2 and 3

H228 - Flammable solid

H260 - In contact with water releases flammable gases which may ignite spontaneously

H317 - May cause an allergic skin reaction

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H341 - Suspected of causing genetic defects

H350 - May cause cancer H360F - May damage fertility

H413 - May cause long lasting harmful effects to aquatic life

H250 - Catches fire spontaneously if exposed to air

H315 - Causes skin irritation

H319 - Causes serious eye irritation H335 - May cause respiratory irritation

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances Substances List

ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Shins

Page 13/14

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data **Health Hazards** Calculation method **Environmental hazards** Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Prepared By Health, Safety and Environmental Department

Creation Date 25-Jul-2018 30-Nov-2024 **Revision Date**

Revision Summary SDS sections updated, 2, 3.

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

Revision Date 30-Nov-2024

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet