

Creation Date 22-Jun-2008

Revision Date 11-Apr-2025

Revision Number 6

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: Soda lime, indicator grade
Cat No. : **A19352**
Synonyms
CAS No A precipitate solid hydrate formed from Hydroxides of Calcium and Sodium
 8006-28-8

Unique Formula Identifier (UFI) **QW0M-DUC5-RW00-QJ5H**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Absorbent. Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company
 Avocado Research Chemicals Ltd.
 (Part of Thermo Fisher Scientific)
 Shore Road, Heysham
 Lancashire, LA3 2XY,
 United Kingdom
 Office Tel: +44 (0) 1524 850506
 Office Fax: +44 (0) 1524 850608

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11
 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99
CHEMTREC Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

Poison Centre - Emergency information services
Ireland : National Poisons Information Centre (NPIC) -
01 809 2166 (8am-10pm, 7 days a week)
Malta : +356 2395 2000
Cyprus : +357 2240 5611

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

SAFETY DATA SHEET

Soda lime, indicator grade

Revision Date 11-Apr-2025

Substances/mixtures corrosive to metal

Category 1 (H290)

Health hazards

Skin Corrosion/Irritation
Serious Eye Damage/Eye Irritation
Specific target organ toxicity - (single exposure)

Category 1 B (H314)
Category 1 (H318)
Category 3 (H335)

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H290 - May be corrosive to metals
H314 - Causes severe skin burns and eye damage
H335 - May cause respiratory irritation

Precautionary Statements

P280 - Wear protective gloves/protective clothing/eye protection/face protection
P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor/physician

2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

| Component | CAS No | EC No | Weight % | GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567 |
|-------------------|-----------|-----------|----------|---|
| Calcium hydroxide | 1305-62-0 | 215-137-3 | 75 - 85 | Eye Dam. 1 (H318) Skin Irrit. 2 (H315) STOT SE 3 (H335) |
| Water | 7732-18-5 | 231-791-2 | 10 - 20 | - |
| Sodium hydroxide | 1310-73-2 | 215-185-5 | < 4 | Met. Corr. 1 (H290) Skin Corr. 1A (H314) |

ALFAAA19352

SAFETY DATA SHEET

Soda lime, indicator grade

Revision Date 11-Apr-2025

| | | | | |
|---|-----------|-------------------|----|---|
| Ethanaminium, N-[4-[bis[4-(diethylamino)phenyl]methylene]- 2,5-cyclohexadien-1-ylidene]-N-ethyl-, chloride | 2390-59-2 | EEC No. 219-231-5 | <1 | Eye Dam. 1 (H318) |
| Soda lime | 8006-28-8 | | - | Skin Corr. 1B (H314) Eye Dam. 1 (H318) |

| Component | Specific concentration limits (SCL's) | M-Factor | Component notes |
|------------------|--|----------|-----------------|
| Sodium hydroxide | Skin Corr. 1A :: C ≥ 5% Skin Corr. 1B :: 2% ≤ C < 5% Met. Corr. 1 :: C ≥ 2% Eye Irrit. 2 :: 0.5% ≤ C < 2% Skin Irrit. 2 :: 0.5% ≤ C < 2% | - | - |

Note

Soda lime CAS # 8006-28-8

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

| | |
|---|--|
| General Advice | If symptoms persist, call a physician. |
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention. |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. |
| Ingestion | Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur. |
| Inhalation | Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur. |
| Self-Protection of the First Aider | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. |

4.2. Most important symptoms and effects, both acute and delayed

Causes severe eye damage. Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

4.3. Indication of any immediate medical attention and special treatment needed

| | |
|---------------------------|------------------------|
| Notes to Physician | Treat symptomatically. |
|---------------------------|------------------------|

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

ALFAAA19352

SAFETY DATA SHEET

Soda lime, indicator grade

Revision Date 11-Apr-2025

Substance is nonflammable; use agent most appropriate to extinguish surrounding fire. CO₂, dry chemical, dry sand, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

The product causes burns of eyes, skin and mucous membranes.

Hazardous Combustion Products

Calcium oxides, Sodium oxides.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation.

6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Avoid ingestion and inhalation. Avoid dust formation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510
Storage Class (LGK) (Germany)

Class 8B

SAFETY DATA SHEET

Soda lime, indicator grade

Revision Date 11-Apr-2025

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

| Component | The United Kingdom | European Union | Ireland |
|-------------------|---|--|---|
| Calcium hydroxide | STEL: 4 mg/m ³ 15 min STEL: 15 mg/m ³ 15 min TWA: 1 mg/m ³ 8 hr TWA: 5 mg/m ³ 8 hr | TWA: 1 mg/m ³ (8h) STEL: 4 mg/m ³ (15min) | TWA: 1 mg/m ³ 8 hr. respirable dust STEL: 4 mg/m ³ 15 min |
| Sodium hydroxide | 2 mg/m ³ STEL | | STEL: 2 mg/m ³ 15 min |

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

| Component | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|--|-------------------------------------|--|---------------------------------------|--|
| Calcium hydroxide 1305-62-0 (75 - 85) | DNEL = 4mg/m ³ | | DNEL = 1mg/m ³ | |
| Sodium hydroxide 1310-73-2 (< 4) | | | DNEL = 1mg/m ³ | |

Predicted No Effect Concentration (PNEC)

See values below.

| Component | Fresh water | Fresh water sediment | Water Intermittent | Microorganisms in sewage treatment | Soil (Agriculture) |
|--|-----------------|-------------------------|--------------------|---------------------------------------|-----------------------------|
| Calcium hydroxide 1305-62-0 (75 - 85) | PNEC = 0.49mg/L | | PNEC = 0.49mg/L | PNEC = 3mg/L | PNEC = 1080mg/kg soil dw |

| Component | Marine water | Marine water sediment | Marine water intermittent | Food chain | Air |
|--|-----------------|--------------------------|------------------------------|------------|-----|
| Calcium hydroxide 1305-62-0 (75 - 85) | PNEC = 0.32mg/L | | | | |

8.2. Exposure controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

SAFETY DATA SHEET

Soda lime, indicator grade

Revision Date 11-Apr-2025

Personal protective equipment

Eye Protection

Goggles (European standard - EN 166)

Hand Protection

Protective gloves

| Glove material | Breakthrough time | Glove thickness | EU standard | Glove comments |
|----------------|-----------------------------------|-----------------|-------------|-----------------------|
| Neoprene | See manufacturers recommendations | - | EN 374 | (minimum requirement) |

Skin and body protection

Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particulates filter conforming to EN 143

Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls

No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| | | |
|---|--------------------------|-----------------------------------|
| Physical State | Solid | |
| Appearance | White - Light grey | |
| Odor | Odorless | |
| Odor Threshold | No data available | |
| Melting Point/Range | No data available | |
| Softening Point | No data available | |
| Boiling Point/Range | No information available | |
| Flammability (liquid) | Not applicable | Solid |
| Flammability (solid,gas) | No information available | |
| Explosion Limits | No data available | |
| Flash Point | Not applicable | Method - No information available |
| Autoignition Temperature | No data available | |
| Decomposition Temperature | No data available | |
| pH | 12 - 14 | Alkaline |
| Viscosity | Not applicable | Solid |
| Water Solubility | Slightly soluble | |
| Solubility in other solvents | No information available | |
| Partition Coefficient (n-octanol/water) | | |

SAFETY DATA SHEET

Soda lime, indicator grade

Revision Date 11-Apr-2025

| | | |
|----------------------------|--------------------------|-------|
| Vapor Pressure | No information available | |
| Density / Specific Gravity | 0.9 | |
| Bulk Density | No data available | |
| Vapor Density | Not applicable | Solid |
| Particle characteristics | No data available | |

9.2. Other information

Evaporation Rate Not applicable - Solid

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.
Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Exposure to air.

10.5. Incompatible materials

Halogenated solvents.

10.6. Hazardous decomposition products

Calcium oxides. Sodium oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

| | |
|------------|-------------------|
| Oral | No data available |
| Dermal | No data available |
| Inhalation | No data available |

Toxicology data for the components

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-------------------|---------------------------|---------------------------|------------------------------|
| Calcium hydroxide | LD50 > 2000 mg/kg (Rat) | LD50 > 2500 mg/kg (Rat) | LC50 > 6.04 mg/L (Rat) 4 h |
| Water | - | - | - |
| Sodium hydroxide | 140 - 340 mg/kg (Rat) | 1350 mg/kg (Rabbit) | - |

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

SAFETY DATA SHEET

Soda lime, indicator grade

Revision Date 11-Apr-2025

(d) respiratory or skin sensitization;

Respiratory No data available
Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available
There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; Category 3
Results / Target organs Respiratory system.

(i) STOT-repeated exposure; No data available
Target Organs None known.

(j) aspiration hazard; Not applicable
Solid

Symptoms / effects, both acute and delayed Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects

| Component | Freshwater Fish | Water Flea | Freshwater Algae |
|-------------------|--|------------|------------------|
| Calcium hydroxide | LC50 = 160 mg/L, 96h static (Gambusia affinis) | | |
| Sodium hydroxide | LC50 = 45.4 mg/L, 96h static (Oncorhynchus mykiss) | | |

12.2. Persistence and degradability

Persistence May persist, based on information available.
Degradability Not relevant for inorganic substances.

12.3. Bioaccumulative potential May have some potential to bioaccumulate

SAFETY DATA SHEET

Soda lime, indicator grade

Revision Date 11-Apr-2025

12.4. Mobility in soil Is not likely mobile in the environment due its low water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB assessment No data available for assessment.

12.6. Endocrine disrupting properties
Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects
Persistent Organic Pollutant This product does not contain any known or suspected substance
Ozone Depletion Potential This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not flush to sewer. Large amounts will affect pH and harm aquatic organisms.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

14.1. UN number UN3262
14.2. UN proper shipping name CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.
Technical Shipping Name Soda lime
14.3. Transport hazard class(es) 8
14.4. Packing group III

ADR

14.1. UN number UN3262
14.2. UN proper shipping name CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.
Technical Shipping Name Soda lime
14.3. Transport hazard class(es) 8
14.4. Packing group III

IATA

14.1. UN number UN3262
14.2. UN proper shipping name CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.

ALFAAA19352

SAFETY DATA SHEET

Soda lime, indicator grade

Revision Date 11-Apr-2025

Technical Shipping Name Soda lime
14.3. Transport hazard class(es) 8
14.4. Packing group III

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS), Taiwan (TCSI), Japan (ISHL), New Zealand (NZIoC), Japan (ISHL). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component | CAS No | EINECS | ELINCS | NLP | IECSC | TCSI | KECL | ENCS | ISHL |
|--|-----------|-----------|--------|-----|-------|------|----------|------|------|
| Calcium hydroxide | 1305-62-0 | 215-137-3 | - | - | X | X | KE-04518 | X | X |
| Water | 7732-18-5 | 231-791-2 | - | - | X | X | KE-35400 | X | - |
| Sodium hydroxide | 1310-73-2 | 215-185-5 | - | - | X | X | KE-31487 | X | X |
| Ethanaminium, N-[4-[bis[4-(diethylamino)phenyl]m ethylene]-2,5-cyclohexadien-1-ylid ene]-N-ethyl-, chloride | 2390-59-2 | 219-231-5 | - | - | X | X | - | - | X |
| Soda lime | 8006-28-8 | - | - | - | X | X | - | - | - |

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|--|-----------|------|---|-----|------|------|-------|-------|
| Calcium hydroxide | 1305-62-0 | X | ACTIVE | X | - | X | X | X |
| Water | 7732-18-5 | X | ACTIVE | X | - | X | X | X |
| Sodium hydroxide | 1310-73-2 | X | ACTIVE | X | - | X | X | X |
| Ethanaminium, N-[4-[bis[4-(diethylamino)phenyl]m ethylene]-2,5-cyclohexadien-1-ylid ene]-N-ethyl-, chloride | 2390-59-2 | X | ACTIVE | X | - | X | X | X |
| Soda lime | 8006-28-8 | - | - | - | - | X | X | X |

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

Authorisation/Restrictions according to EU REACH

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|--|-----------|---|--|---|
| Calcium hydroxide | 1305-62-0 | - | - | - |
| Water | 7732-18-5 | - | - | - |
| Sodium hydroxide | 1310-73-2 | - | Use restricted. See entry 75. (see link for restriction details) | - |
| Ethanaminium, N-[4-[bis[4-(diethylamino)phenyl]met hylene]-2,5-cyclohexadien-1-ylidene]-N-ethyl-, chloride | 2390-59-2 | - | Use restricted. See entry 75. (see link for restriction details) | - |

SAFETY DATA SHEET

Soda lime, indicator grade

Revision Date 11-Apr-2025

| | | | | |
|-----------|-----------|---|---|---|
| Soda lime | 8006-28-8 | - | - | - |
|-----------|-----------|---|---|---|

REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

Seveso III Directive (2012/18/EC)

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|---|-----------|---|--|
| Calcium hydroxide | 1305-62-0 | Not applicable | Not applicable |
| Water | 7732-18-5 | Not applicable | Not applicable |
| Sodium hydroxide | 1310-73-2 | Not applicable | Not applicable |
| Ethanaminium, N-[4-[bis[4-(diethylamino)ph enyl]methylene]-2,5-cyclohe xadien-1-ylidene]-N-ethyl-, chloride | 2390-59-2 | Not applicable | Not applicable |
| Soda lime | 8006-28-8 | Not applicable | Not applicable |

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = 1 (self classification)

| Component | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|-------------------|---------------------------------------|-------------------------|
| Calcium hydroxide | WGK1 | |
| Sodium hydroxide | WGK1 | |

| Component | Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81) | Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC) | Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure |
|---------------------------------------|--|---|--|
| Sodium hydroxide 1310-73-2 (< 4) | Prohibited and Restricted Substances | | |

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SAFETY DATA SHEET

Soda lime, indicator grade

Revision Date 11-Apr-2025

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H290 - May be corrosive to metals
H314 - Causes severe skin burns and eye damage
H318 - Causes serious eye damage
H335 - May cause respiratory irritation

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer
Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data

Health Hazards Calculation method

Environmental hazards Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Prepared By Health, Safety and Environmental Department

Creation Date 22-Jun-2008

Revision Date 11-Apr-2025

Revision Summary SDS sections updated.

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the

SAFETY DATA SHEET

Soda lime, indicator grade

Revision Date 11-Apr-2025

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet