

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

|                           |                              |
|---------------------------|------------------------------|
| Product Description:      | <u>Glycidyl methacrylate</u> |
| Cat No. :                 | <b>L11133</b>                |
| Synonyms                  | 2,3-Epoxypropyl methacrylate |
| Index No                  | 607-123-00-4                 |
| CAS No                    | 106-91-2                     |
| EC No                     | 203-441-9                    |
| Molecular Formula         | C7 H10 O3                    |
| REACH registration number | -                            |

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

|                                |                                                                                             |
|--------------------------------|---------------------------------------------------------------------------------------------|
| Recommended Use                | Laboratory chemicals.                                                                       |
| Sector of use                  | SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites    |
| Product category               | PC21 - Laboratory chemicals                                                                 |
| Process categories             | PROC15 - Use as a laboratory reagent                                                        |
| Environmental release category | ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates) |
| Uses advised against           | No Information available                                                                    |

### 1.3. Details of the supplier of the safety data sheet

|         |                                                                                                                                                                                                              |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Company | Avocado Research Chemicals Ltd.<br>(Part of Thermo Fisher Scientific)<br>Shore Road, Heysham<br>Lancashire, LA3 2XY,<br>United Kingdom<br>Office Tel: +44 (0) 1524 850506<br>Office Fax: +44 (0) 1524 850608 |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                |                                |
|----------------|--------------------------------|
| E-mail address | begel.sdsdesk@thermofisher.com |
|----------------|--------------------------------|

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

# SAFETY DATA SHEET

Glycidyl methacrylate

Revision Date 02-Feb-2024

Based on available data, the classification criteria are not met

## **Health hazards**

Acute oral toxicity  
Acute dermal toxicity  
Skin Corrosion/Irritation  
Serious Eye Damage/Eye Irritation  
Skin Sensitization  
Germ Cell Mutagenicity  
Carcinogenicity  
Reproductive Toxicity  
Specific target organ toxicity - (single exposure)  
Specific target organ toxicity - (repeated exposure)

Category 4 (H302)  
Category 3 (H311)  
Category 1 C (H314)  
Category 1 (H318)  
Category 1 (H317)  
Category 2 (H341)  
Category 1B (H350)  
Category 1B (H360F)  
Category 3 (H335)  
Category 1 (H372)

## **Environmental hazards**

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

## **2.2. Label elements**



Signal Word

Danger

## **Hazard Statements**

H302 - Harmful if swallowed  
H311 - Toxic in contact with skin  
H314 - Causes severe skin burns and eye damage  
H317 - May cause an allergic skin reaction  
H335 - May cause respiratory irritation  
H341 - Suspected of causing genetic defects  
H350 - May cause cancer  
H360F - May damage fertility  
H372 - Causes damage to organs through prolonged or repeated exposure  
Combustible liquid

## **Precautionary Statements**

P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor/physician  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

## **Additional EU labelling**

Restricted to professional users

## **2.3. Other hazards**

# SAFETY DATA SHEET

Glycidyl methacrylate

Revision Date 02-Feb-2024

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)  
No information available  
This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

| Component             | CAS No   | EC No             | Weight % | CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567                                                                                                                         |
|-----------------------|----------|-------------------|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Glycidyl methacrylate | 106-91-2 | EEC No. 203-441-9 | <=100    | Acute Tox. 4 (H302)<br>Acute Tox. 3 (H311)<br>Skin Corr. 1C (H314)<br>Eye Dam. 1 (H318)<br>Skin Sens. 1 (H317)<br>Muta. 2 (H341)<br>Carc. 1B (H350)<br>Repr. 1B (H360F)<br>STOT SE 3 (H335)<br>STOT RE 1 (H372) |

REACH registration number

-

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

|                                    |                                                                                                                                                                                                                                                                                                                                |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General Advice                     | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.                                                                                                                                                                                                                              |
| Eye Contact                        | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.                                                                                                                                     |
| Skin Contact                       | Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.                                                                                                                                                                                                                    |
| Ingestion                          | Do NOT induce vomiting. Call a physician or poison control center immediately.                                                                                                                                                                                                                                                 |
| Inhalation                         | If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required. |
| Self-Protection of the First Aider | Use personal protective equipment as required.                                                                                                                                                                                                                                                                                 |

### 4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. May cause allergic skin reaction. Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

### 4.3. Indication of any immediate medical attention and special treatment needed

# SAFETY DATA SHEET

Glycidyl methacrylate

Revision Date 02-Feb-2024

## Notes to Physician

Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

Water mist may be used to cool closed containers. CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

#### **Extinguishing media which must not be used for safety reasons**

No information available.

### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Combustible material. Containers may explode when heated.

#### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Thermal decomposition can lead to release of irritating gases and vapors.

### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

### 6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Corrosives area. To maintain product quality: Keep refrigerated.

# SAFETY DATA SHEET

Glycidyl methacrylate

Revision Date 02-Feb-2024

Technical Rules for Hazardous Substances (TRGS) 510  
Storage Class (LGK) (Germany)

Class 6.1C

## 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

List source(s):

#### Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

Workers; See table for values

| Component                                   | Acute effects local (Dermal)  | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|---------------------------------------------|-------------------------------|---------------------------------|--------------------------------|-----------------------------------|
| Glycidyl methacrylate<br>106-91-2 ( <=100 ) | DNEL = 6.72µg/cm <sup>2</sup> |                                 | DNEL = 2.24µg/cm <sup>2</sup>  | DMEL = 12.76µg/kg<br>bw/day       |

| Component                                   | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|---------------------------------------------|----------------------------------|-------------------------------------|------------------------------------|---------------------------------------|
| Glycidyl methacrylate<br>106-91-2 ( <=100 ) | DNEL = 0.72mg/m <sup>3</sup>     |                                     | DNEL = 0.24mg/m <sup>3</sup>       | DMEL = 45µg/m <sup>3</sup>            |

#### Predicted No Effect Concentration (PNEC)

See values below.

| Component                                   | Fresh water     | Fresh water sediment            | Water Intermittent | Microorganisms in sewage treatment | Soil (Agriculture)          |
|---------------------------------------------|-----------------|---------------------------------|--------------------|------------------------------------|-----------------------------|
| Glycidyl methacrylate<br>106-91-2 ( <=100 ) | PNEC = 0.01mg/L | PNEC = 0.09mg/kg<br>sediment dw | PNEC = 0.1mg/L     | PNEC = 10mg/L                      | PNEC = 0.09mg/kg<br>soil dw |

| Component                                   | Marine water     | Marine water sediment               | Marine water intermittent | Food chain | Air |
|---------------------------------------------|------------------|-------------------------------------|---------------------------|------------|-----|
| Glycidyl methacrylate<br>106-91-2 ( <=100 ) | PNEC = 0.001mg/L | PNEC =<br>0.009mg/kg<br>sediment dw |                           |            |     |

### 8.2. Exposure controls

#### Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

# SAFETY DATA SHEET

Glycidyl methacrylate

Revision Date 02-Feb-2024

## Personal protective equipment

### Eye Protection

Goggles (European standard - EN 166)

### Hand Protection

Protective gloves

| Glove material | Breakthrough time | Glove thickness | EU standard | Glove comments        |
|----------------|-------------------|-----------------|-------------|-----------------------|
| Natural rubber | See manufacturers | -               | EN 374      | (minimum requirement) |
| Nitrile rubber | recommendations   |                 |             |                       |
| Neoprene       |                   |                 |             |                       |
| PVC            |                   |                 |             |                       |

### Skin and body protection

Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.  
(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

### Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

### Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

**Recommended Filter type:** Organic gases and vapours filter Type A Brown conforming to EN14387

### Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Recommended half mask:-** Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141

When RPE is used a face piece Fit Test should be conducted

### Environmental exposure controls

No information available.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

#### Physical State

Liquid

#### Appearance

Clear

#### Odor

aromatic

#### Odor Threshold

No data available

#### Melting Point/Range

-90 °C / -130 °F

#### Softening Point

No data available

#### Boiling Point/Range

189 °C / 372.2 °F

@ 760 mmHg

#### Flammability (liquid)

Combustible liquid

On basis of test data

#### Flammability (solid,gas)

Not applicable

Liquid

#### Explosion Limits

No data available

#### Flash Point

76 °C / 168.8 °F

**Method -** No information available

#### Autoignition Temperature

389 °C / 732.2 °F

#### Decomposition Temperature

No data available

#### pH

No information available

#### Viscosity

2.5 mPa.s at 20 °C

#### Water Solubility

Insoluble

#### Solubility in other solvents

No information available

#### Partition Coefficient (n-octanol/water)

#### Component

**log Pow**

Glycidyl methacrylate

0.089

# SAFETY DATA SHEET

Glycidyl methacrylate

Revision Date 02-Feb-2024

|                            |                         |             |
|----------------------------|-------------------------|-------------|
| Vapor Pressure             | 4.2 mbar @ 25 °C        |             |
| Density / Specific Gravity | 1.070                   |             |
| Bulk Density               | Not applicable          | Liquid      |
| Vapor Density              | 4.90                    | (Air = 1.0) |
| Particle characteristics   | Not applicable (liquid) |             |

## 9.2. Other information

|                      |                                        |
|----------------------|----------------------------------------|
| Molecular Formula    | C7 H10 O3                              |
| Molecular Weight     | 142.15                                 |
| Explosive Properties | explosive air/vapour mixtures possible |

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

None known, based on information available

### 10.2. Chemical stability

Stable under normal conditions. Polymerization can occur.

### 10.3. Possibility of hazardous reactions

|                          |                               |
|--------------------------|-------------------------------|
| Hazardous Polymerization | Polymerization can occur.     |
| Hazardous Reactions      | None under normal processing. |

### 10.4. Conditions to avoid

Incompatible products. Excess heat. Exposure to light. Keep away from open flames, hot surfaces and sources of ignition.

### 10.5. Incompatible materials

Strong oxidizing agents. Peroxides. Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Thermal decomposition can lead to release of irritating gases and vapors.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

|                     |                                                                  |
|---------------------|------------------------------------------------------------------|
| (a) acute toxicity; |                                                                  |
| Oral                | Category 4                                                       |
| Dermal              | Category 3                                                       |
| Inhalation          | Based on available data, the classification criteria are not met |

| Component             | LD50 Oral         | LD50 Dermal          | LC50 Inhalation       |
|-----------------------|-------------------|----------------------|-----------------------|
| Glycidyl methacrylate | 597 mg/kg ( Rat ) | 480 mg/kg ( Rabbit ) | >2.4 mg/L ( Rat ) 4 h |

|                                |              |
|--------------------------------|--------------|
| (b) skin corrosion/irritation; | Category 1 C |
|--------------------------------|--------------|

|                                    |            |
|------------------------------------|------------|
| (c) serious eye damage/irritation; | Category 1 |
|------------------------------------|------------|

|                                        |                   |
|----------------------------------------|-------------------|
| (d) respiratory or skin sensitization; |                   |
| Respiratory                            | No data available |
| Skin                                   | Category 1        |

# SAFETY DATA SHEET

Glycidyl methacrylate

Revision Date 02-Feb-2024

May cause sensitization by skin contact

(e) germ cell mutagenicity;

Category 2

Possible risk of irreversible effects

(f) carcinogenicity;

Category 1B

The European Union classifies this product as a carcinogen

| Component             | EU           | UK | Germany | IARC     |
|-----------------------|--------------|----|---------|----------|
| Glycidyl methacrylate | Carc Cat. 1B |    |         | Group 2A |

(g) reproductive toxicity;  
Reproductive Effects

Category 1B  
May impair fertility.

(h) STOT-single exposure;

Category 3

Results / Target organs

Respiratory system.

(i) STOT-repeated exposure;

Category 1

Target Organs

Respiratory system.

(j) aspiration hazard;

Based on available data, the classification criteria are not met

Symptoms / effects, both acute and delayed

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

## 11.2. Information on other hazards

Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

Ecotoxicity effects

Do not empty into drains. .

| Component             | Freshwater Fish     | Water Flea           | Freshwater Algae    |
|-----------------------|---------------------|----------------------|---------------------|
| Glycidyl methacrylate | LC50 = 2.8 mg/L 96h | EC50 = 24.9 mg/L 48h | EC50 = 14. mg/L 72h |

12.2. Persistence and degradability  
Persistence

Readily biodegradable  
Persistence is unlikely.

### 12.3. Bioaccumulative potential

Bioaccumulation is unlikely

| Component             | log Pow | Bioconcentration factor (BCF) |
|-----------------------|---------|-------------------------------|
| Glycidyl methacrylate | 0.089   | No data available             |

### 12.4. Mobility in soil

The product is insoluble and sinks in water The product evaporates slowly Spillage unlikely to penetrate soil . Is not likely mobile in the environment due its low water solubility.

# SAFETY DATA SHEET

Glycidyl methacrylate

Revision Date 02-Feb-2024

Spillage unlikely to penetrate soil

## 12.5. Results of PBT and vPvB assessment

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB).

## 12.6. Endocrine disrupting properties

### Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

## 12.7. Other adverse effects

### Persistent Organic Pollutant

### Ozone Depletion Potential

This product does not contain any known or suspected substance

This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

#### Waste from Residues/Unused Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

#### Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

#### European Waste Catalogue (EWC)

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

#### Other Information

Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not flush to sewer. Large amounts will affect pH and harm aquatic organisms.

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

#### 14.1. UN number

UN2922

#### 14.2. UN proper shipping name

Corrosive liquid, toxic, n.o.s.

#### Technical Shipping Name

Glycidyl methacrylate

#### 14.3. Transport hazard class(es)

8

#### Subsidiary Hazard Class

6.1

#### 14.4. Packing group

III

### ADR

#### 14.1. UN number

UN2922

#### 14.2. UN proper shipping name

Corrosive liquid, toxic, n.o.s.

#### Technical Shipping Name

Glycidyl methacrylate

#### 14.3. Transport hazard class(es)

8

#### Subsidiary Hazard Class

6.1

#### 14.4. Packing group

III

### IATA

#### 14.1. UN number

UN2922

#### 14.2. UN proper shipping name

Corrosive liquid, toxic, n.o.s.

#### Technical Shipping Name

Glycidyl methacrylate

#### 14.3. Transport hazard class(es)

8

#### Subsidiary Hazard Class

6.1

# SAFETY DATA SHEET

Glycidyl methacrylate

Revision Date 02-Feb-2024

|                                                                      |                                  |
|----------------------------------------------------------------------|----------------------------------|
| <b>14.4. Packing group</b>                                           | III                              |
| <b>14.5. Environmental hazards</b>                                   | No hazards identified            |
| <b>14.6. Special precautions for user</b>                            | No special precautions required. |
| <b>14.7. Maritime transport in bulk according to IMO instruments</b> | Not applicable, packaged goods   |

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component             | CAS No   | EINECS    | ELINCS | NLP | IECSC | TCSI | KECL     | ENCS | ISHL |
|-----------------------|----------|-----------|--------|-----|-------|------|----------|------|------|
| Glycidyl methacrylate | 106-91-2 | 203-441-9 | -      | -   | X     | X    | KE-25148 | X    | X    |

| Component             | CAS No   | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|-----------------------|----------|------|-----------------------------------------------|-----|------|------|-------|-------|
| Glycidyl methacrylate | 106-91-2 | X    | ACTIVE                                        | X   | -    | X    | X     | X     |

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

### Authorisation/Restrictions according to EU REACH

| Component             | CAS No   | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances                                                                                                                                  | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-----------------------|----------|---------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Glycidyl methacrylate | 106-91-2 | -                                                                   | Use restricted. See item 30.<br>(see link for restriction details)<br>Use restricted. See item 28.<br>(see link for restriction details)<br>Use restricted. See item 75.<br>(see link for restriction details) | -                                                                                                     |

#### REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

### Seveso III Directive (2012/18/EC)

| Component             | CAS No   | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|-----------------------|----------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| Glycidyl methacrylate | 106-91-2 | Not applicable                                                                            | Not applicable                                                                           |

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

# SAFETY DATA SHEET

Glycidyl methacrylate

Revision Date 02-Feb-2024

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

Take note of Dir 76/769/EEC relating to restrictions on the marketing and use of certain dangerous substances and preparations

## National Regulations

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

**WGK Classification** See table for values

| Component             | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|-----------------------|---------------------------------------|-------------------------|
| Glycidyl methacrylate | WGK3                                  |                         |

| Component             | France - INRS (Tables of occupational diseases)      |
|-----------------------|------------------------------------------------------|
| Glycidyl methacrylate | Tableaux des maladies professionnelles (TMP) - RG 65 |

## 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

H341 - Suspected of causing genetic defects

H350 - May cause cancer

H360F - May damage fertility

H372 - Causes damage to organs through prolonged or repeated exposure

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer  
Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

# SAFETY DATA SHEET

Glycidyl methacrylate

Revision Date 02-Feb-2024

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

## Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

## Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

## Prepared By

Health, Safety and Environmental Department

## Creation Date

04-Mar-2010

## Revision Date

02-Feb-2024

## Revision Summary

New emergency telephone response service provider.

**This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**