

Creation Date 12-Jan-2011

Revision Date 06-Dec-2024

Revision Number 11

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product Description: **3,4-(Methylenedioxy)phenylmagnesium bromide, 1M solution in toluene/THF(50:50)**  
Cat No. : **438760000; 438761000**

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.  
Uses advised against No Information available

### 1.3. Details of the supplier of the safety data sheet

#### Company

**UK entity/business name**  
Fisher Scientific UK  
Bishop Meadow Road,  
Loughborough, Leicestershire LE11 5RG, United Kingdom

**EU entity/business name**  
Thermo Fisher Scientific  
Janssen Pharmaceuticaaan 3a, 2440 Geel, Belgium

E-mail address begel.sdsdesk@thermofisher.com

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

#### GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

##### Physical hazards

Flammable liquids Category 2 (H225)

##### Health hazards

Aspiration Toxicity Category 1 (H304)  
Acute oral toxicity Category 4 (H302)  
Skin Corrosion/Irritation Category 1 B (H314)  
Serious Eye Damage/Eye Irritation Category 1 (H318)

# SAFETY DATA SHEET

3,4-(Methylenedioxy)phenylmagnesium bromide, 1M solution in toluene/THF(50:50)

Revision Date 06-Dec-2024

Carcinogenicity  
Reproductive Toxicity  
Specific target organ toxicity - (single exposure)  
Specific target organ toxicity - (repeated exposure)

Category 2 (H351)  
Category 2 (H361d)  
Category 3 (H335) (H336)  
Category 2 (H373)

## **Environmental hazards**

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

## **2.2. Label elements**



Signal Word

**Danger**

## **Hazard Statements**

H225 - Highly flammable liquid and vapor  
H302 - Harmful if swallowed  
H304 - May be fatal if swallowed and enters airways  
H314 - Causes severe skin burns and eye damage  
H335 - May cause respiratory irritation  
H336 - May cause drowsiness or dizziness  
H351 - Suspected of causing cancer  
H361d - Suspected of damaging the unborn child  
H373 - May cause damage to organs through prolonged or repeated exposure  
EUH014 - Reacts violently with water  
EUH019 - May form explosive peroxides

## **Precautionary Statements**

P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor/physician  
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

## **2.3. Other hazards**

Reacts violently with water

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

## **3.2. Mixtures**

# SAFETY DATA SHEET

3,4-(Methylenedioxy)phenylmagnesium bromide, 1M solution in toluene/THF(50:50)

Revision Date 06-Dec-2024

| Component                                   | CAS No     | EC No     | Weight % | GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567   |
|---|------------|-----------|----------|---|
| Toluene                                     | 108-88-3   | 203-625-9 | 39-40    | Flam. Liq. 2 (H225)<br>Asp. Tox. 1 (H304)<br>Skin Irrit. 2 (H315)<br>STOT SE 3 (H336)<br>Repr. 2 (H361d)<br>STOT RE 2 (H373)            |
| 3,4-(Methylenedioxy)phenylmagnesium bromide | 17680-04-5 |           | 21-22    | Skin Corr. 1B (H314)<br>Eye Dam. 1 (H318)<br>(EUH014)   |
| Tetrahydrofuran                             | 109-99-9   | 203-726-8 | 39-40    | Flam. Liq. 2 (H225)<br>Acute Tox. 4 (H302)<br>Eye Irrit. 2 (H319)<br>STOT SE 3 (H335)<br>STOT SE 3 (H336)<br>Carc. 2 (H351)<br>(EUH019) |

| Component       | Specific concentration limits (SCL's)                                    | M-Factor | Component notes |
|-----------------|--|----------|-----------------|
| Tetrahydrofuran | Acute Tox. 4 :: C>82.5%<br>Eye Irrit. 2 :: C>=25%<br>STOT SE 3 :: C>=25% | -        | -               |

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

|   |   |
|---|---|
| <b>General Advice</b>                     | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.   |
| <b>Eye Contact</b>                        | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.   |
| <b>Skin Contact</b>                       | Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.   |
| <b>Ingestion</b>                          | Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately. Call a physician or poison control center immediately. If vomiting occurs naturally, have victim lean forward.   |
| <b>Inhalation</b>                         | If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately. Risk of serious damage to the lungs (by aspiration). |
| <b>Self-Protection of the First Aider</b> | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.  |

### 4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Symptoms of overexposure may be headache,

# SAFETY DATA SHEET

3,4-(Methylenedioxy)phenylmagnesium bromide, 1M solution in toluene/THF(50:50)

Revision Date 06-Dec-2024

dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Causes central nervous system depression

## 4.3. Indication of any immediate medical attention and special treatment needed

### Notes to Physician

Treat symptomatically. Symptoms may be delayed.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### Suitable Extinguishing Media

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.

#### Extinguishing media which must not be used for safety reasons

Water.

### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Reacts violently with water. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

#### Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>).

### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

### 6.2. Environmental precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Do not expose spill to water. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

# SAFETY DATA SHEET

3,4-(Methylenedioxy)phenylmagnesium bromide, 1M solution in toluene/THF(50:50)

Revision Date 06-Dec-2024

## 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Do not allow contact with water. If peroxide formation is suspected, do not open or move container. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

## Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Flammables area. Keep away from heat, sparks and flame. Store indoors. Store contents under argon. Shelf life 12 months. May form explosive peroxides on prolonged storage. Containers should be dated when opened and tested periodically for the presence of peroxides. Should crystals form in a peroxidizable liquid, peroxidation may have occurred and the product should be considered extremely dangerous. In this instance, the container should only be opened remotely by professionals. Keep away from water or moist air.

Technical Rules for Hazardous Substances (TRGS) 510 Class 3  
Storage Class (LGK) (Germany)

## 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

| Component       | The United Kingdom  | European Union  | Ireland   |
|-----------------|---|---|---|
| Toluene         | STEL: 100 ppm 15 min<br>STEL: 384 mg/m <sup>3</sup> 15 min<br>TWA: 50 ppm 8 hr<br>TWA: 191 mg/m <sup>3</sup> 8 hr<br>Skin | TWA: 50 ppm (8hr)<br>TWA: 192 mg/m <sup>3</sup> (8hr)<br>STEL: 100 ppm (15min)<br>STEL: 384 mg/m <sup>3</sup> (15min)<br>Skin | TWA: 192 mg/m <sup>3</sup> 8 hr.<br>TWA: 50 ppm 8 hr.<br>STEL: 384 mg/m <sup>3</sup> 15 min<br>STEL: 100 ppm 15 min<br>Skin |
| Tetrahydrofuran | STEL: 100 ppm 15 min<br>STEL: 300 mg/m <sup>3</sup> 15 min<br>TWA: 50 ppm 8 hr<br>TWA: 150 mg/m <sup>3</sup> 8 hr<br>Skin | TWA: 50 ppm (8h)<br>TWA: 150 mg/m <sup>3</sup> (8h)<br>STEL: 100 ppm (15min)<br>STEL: 300 mg/m <sup>3</sup> (15min)<br>Skin   | TWA: 50 ppm 8 hr.<br>TWA: 150 mg/m <sup>3</sup> 8 hr.<br>STEL: 100 ppm 15 min<br>STEL: 300 mg/m <sup>3</sup> 15 min<br>Skin |

#### Biological limit values

List source(s):

#### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

# SAFETY DATA SHEET

3,4-(Methylenedioxy)phenylmagnesium bromide, 1M solution in toluene/THF(50:50)

Revision Date 06-Dec-2024

| Component                             | Acute effects local (Dermal) | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|---------------------------------------|------------------------------|---------------------------------|--------------------------------|-----------------------------------|
| Toluene<br>108-88-3 ( 39-40 )         |                              |                                 |                                | DNEL = 384mg/kg<br>bw/day         |
| Tetrahydrofuran<br>109-99-9 ( 39-40 ) |                              |                                 |                                | DNEL = 12.6mg/kg<br>bw/day        |

| Component                             | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|---------------------------------------|----------------------------------|-------------------------------------|------------------------------------|---------------------------------------|
| Toluene<br>108-88-3 ( 39-40 )         | DNEL = 384mg/m <sup>3</sup>      | DNEL = 384mg/m <sup>3</sup>         | DNEL = 192mg/m <sup>3</sup>        | DNEL = 192mg/m <sup>3</sup>           |
| Tetrahydrofuran<br>109-99-9 ( 39-40 ) | DNEL = 300mg/m <sup>3</sup>      | DNEL = 96mg/m <sup>3</sup>          | DNEL = 150mg/m <sup>3</sup>        | DNEL = 72.4mg/m <sup>3</sup>          |

## Predicted No Effect Concentration (PNEC)

See values below.

| Component                             | Fresh water     | Fresh water sediment             | Water Intermittent | Microorganisms in sewage treatment | Soil (Agriculture)          |
|---------------------------------------|-----------------|----------------------------------|--------------------|------------------------------------|-----------------------------|
| Toluene<br>108-88-3 ( 39-40 )         | PNEC = 0.68mg/L | PNEC = 16.39mg/kg<br>sediment dw | PNEC = 0.68mg/L    | PNEC = 13.61mg/L                   | PNEC = 2.89mg/kg<br>soil dw |
| Tetrahydrofuran<br>109-99-9 ( 39-40 ) | PNEC = 4.32mg/L | PNEC = 23.3mg/kg<br>sediment dw  | PNEC = 21.6mg/L    | PNEC = 4.6mg/L                     | PNEC = 2.13mg/kg<br>soil dw |

| Component                             | Marine water     | Marine water sediment            | Marine water intermittent | Food chain             | Air |
|---------------------------------------|------------------|----------------------------------|---------------------------|------------------------|-----|
| Toluene<br>108-88-3 ( 39-40 )         | PNEC = 0.68mg/L  | PNEC = 16.39mg/kg<br>sediment dw |                           |                        |     |
| Tetrahydrofuran<br>109-99-9 ( 39-40 ) | PNEC = 0.432mg/L | PNEC = 2.33mg/kg<br>sediment dw  |                           | PNEC = 67mg/kg<br>food |     |

## 8.2. Exposure controls

### Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Goggles (European standard - EN 166)

#### Hand Protection

Protective gloves

| Glove material  | Breakthrough time                 | Glove thickness | EU standard | Glove comments        |
|-----------------|-----------------------------------|-----------------|-------------|-----------------------|
| Butyl rubber    | See manufacturers recommendations | -               | EN 374      | (minimum requirement) |
| Neoprene gloves |                                   |                 |             |                       |

#### Skin and body protection

Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger

# SAFETY DATA SHEET

3,4-(Methylenedioxy)phenylmagnesium bromide, 1M solution in toluene/THF(50:50)

Revision Date 06-Dec-2024

of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

## Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

## Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

**Recommended Filter type:** low boiling organic solvent Type AX Brown conforming to EN371 or Organic gases and vapours filter Type A Brown conforming to EN14387

## Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Recommended half mask:-** Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141

When RPE is used a face piece Fit Test should be conducted

## Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

|   |                             |  |
|---|-----------------------------|--|
| Physical State                          | Liquid                      |  |
| Appearance                              |                             |  |
| Odor                                    | No information available    |  |
| Odor Threshold                          | No data available           |  |
| Melting Point/Range                     | No data available           |  |
| Softening Point                         | No data available           |  |
| Boiling Point/Range                     | No information available    |  |
| Flammability (liquid)                   | Highly flammable            | On basis of test data                    |
| Flammability (solid,gas)                | Not applicable              | Liquid                                   |
| Explosion Limits                        | No data available           |  |
| Flash Point                             | -10 °C / 14 °F              | <b>Method -</b> No information available |
| Autoignition Temperature                | No data available           |  |
| Decomposition Temperature               | No data available           |  |
| pH                                      | No information available    |  |
| Viscosity                               | No data available           |  |
| Water Solubility                        | Reacts violently with water |  |
| Solubility in other solvents            | No information available    |  |
| Partition Coefficient (n-octanol/water) |                             |  |
| Component                               | <b>log Pow</b>              |  |
| Toluene                                 | 2.73                        |  |
| Tetrahydrofuran                         | 0.45                        |  |
| Vapor Pressure                          | No data available           |  |
| Density / Specific Gravity              | No data available           |  |
| Bulk Density                            | Not applicable              | Liquid                                   |
| Vapor Density                           | No data available           | (Air = 1.0)                              |
| Particle characteristics                | Not applicable (liquid)     |  |

### 9.2. Other information

**Explosive Properties** Vapors may form explosive mixtures with air

# SAFETY DATA SHEET

3,4-(Methylenedioxy)phenylmagnesium bromide, 1M solution in toluene/THF(50:50)

Revision Date 06-Dec-2024

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

Yes

### 10.2. Chemical stability

Moisture sensitive. May form explosive peroxides. Reacts violently with water. Air sensitive.

### 10.3. Possibility of hazardous reactions

#### Hazardous Polymerization Hazardous Reactions

Hazardous polymerization does not occur.  
None under normal processing. Reacts violently with water.

### 10.4. Conditions to avoid

Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition. Exposure to moist air or water. Exposure to air. Exposure to moisture.

### 10.5. Incompatible materials

Strong oxidizing agents.

### 10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

#### (a) acute toxicity;

Oral

Category 4

Dermal

Based on available data, the classification criteria are not met

Inhalation

Based on available data, the classification criteria are not met

#### Toxicology data for the components

| Component       | LD50 Oral            | LD50 Dermal                   | LC50 Inhalation                               |
|-----------------|----------------------|-------------------------------|---|
| Toluene         | > 5000 mg/kg ( Rat ) | LD50 = 12000 mg/kg ( Rabbit ) | 26700 ppm ( Rat ) 1 h                         |
| Tetrahydrofuran | 1650 mg/kg ( Rat )   | > 2000 mg/kg (Rabbit)         | 180 mg/L ( Rat ) 1 h<br>53.9 mg/L ( Rat ) 4 h |

#### (b) skin corrosion/irritation;

Category 1 B

#### (c) serious eye damage/irritation;

Category 1

#### (d) respiratory or skin sensitization;

Respiratory

No data available

Skin

No data available

| Component                             | Test method                                       | Test species | Study result    |
|---------------------------------------|---|--------------|-----------------|
| Tetrahydrofuran<br>109-99-9 ( 39-40 ) | Local Lymph Node Assay<br>OECD Test Guideline 429 | mouse        | non-sensitising |

#### (e) germ cell mutagenicity;

No data available



# SAFETY DATA SHEET

3,4-(Methylenedioxy)phenylmagnesium bromide, 1M solution in toluene/THF(50:50)

Revision Date 06-Dec-2024

| Component                             | Test method   | Test species          | Study result |
|---------------------------------------|---|-----------------------|--------------|
| Tetrahydrofuran<br>109-99-9 ( 39-40 ) | OECD Test Guideline 476<br>Gene cell mutation           | in vivo<br>Mammalian  | negative     |
|                                       | OECD Test Guideline 473<br>Chromosomal aberration assay | in vitro<br>Mammalian | negative     |

**(f) carcinogenicity;**

Category 2

The table below indicates whether each agency has listed any ingredient as a carcinogen  
Limited evidence of a carcinogenic effect

| Component       | EU | UK | Germany | IARC     |
|-----------------|----|----|---------|----------|
| Tetrahydrofuran |    |    |         | Group 2B |

**(g) reproductive toxicity;**

Category 2

| Component                             | Test method             | Test species / Duration | Study result      |
|---------------------------------------|-------------------------|-------------------------|-------------------|
| Tetrahydrofuran<br>109-99-9 ( 39-40 ) | OECD Test Guideline 416 | Rat<br>2 Generation     | NOAEL = 3,000 ppm |

**Reproductive Effects**

Possible risk of harm to the unborn child.

**(h) STOT-single exposure;**

Category 3

**Results / Target organs**

Respiratory system, Central nervous system (CNS).

**(i) STOT-repeated exposure;**

Category 2

**Target Organs**

Neuropsychological effects, Eyes, Ears.

**(j) aspiration hazard;**

Category 1

**Other Adverse Effects**

The toxicological properties have not been fully investigated.

**Symptoms / effects, both acute and delayed**

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Causes central nervous system depression.

**11.2. Information on other hazards**

**Endocrine Disrupting Properties**

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

**12.1. Toxicity**

**Ecotoxicity effects**

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. Contains a substance which is: Harmful to aquatic organisms. Toxic to aquatic organisms. Reacts with water so no ecotoxicity data for the substance is available.

| Component | Freshwater Fish                            | Water Flea                                | Freshwater Algae   |
|-----------|--|---|--|
| Toluene   | 50-70 mg/L LC50 96 h<br>5-7 mg/L LC50 96 h | EC50: = 11.5 mg/L, 48h<br>(Daphnia magna) | EC50: = 12.5 mg/L, 72h static<br>(Pseudokirchneriella subcapitata) |

# SAFETY DATA SHEET

3,4-(Methylenedioxy)phenylmagnesium bromide, 1M solution in toluene/THF(50:50)

Revision Date 06-Dec-2024

|                 |  |   |  |
|-----------------|--|---|--|
|                 | 15-19 mg/L LC50 96 h<br>28 mg/L LC50 96 h<br>12 mg/L LC50 96 h                         | EC50: 5.46 - 9.83 mg/L, 48h<br>Static (Daphnia magna) | EC50: > 433 mg/L, 96h<br>(Pseudokirchneriella subcapitata) |
| Tetrahydrofuran | 2160 mg/l LC50 = 96 h<br>Pimephales promelas<br>Leuciscus idus: LC50: 2820<br>mg/L/48h | EC50 48 h 3485 mg/l<br>EC50: >10000 mg/L/24h          |  |

| Component | Microtox                | M-Factor |
|-----------|-------------------------|----------|
| Toluene   | EC50 = 19.7 mg/L 30 min |          |

## 12.2. Persistence and degradability

No information available

### Persistence

Persistence is unlikely, based on information available.

### Degradability

Reacts with water.

| Component                     | Degradability |
|-------------------------------|---------------|
| Toluene<br>108-88-3 ( 39-40 ) | 86% (20d)     |

### Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants. Reacts violently with water.

## 12.3. Bioaccumulative potential

Product does not bioaccumulate due to reaction with water

| Component       | log Pow | Bioconcentration factor (BCF) |
|-----------------|---------|-------------------------------|
| Toluene         | 2.73    | 90                            |
| Tetrahydrofuran | 0.45    | No data available             |

## 12.4. Mobility in soil

Reacts violently with water . Is not likely mobile in the environment.

## 12.5. Results of PBT and vPvB assessment

Reacts violently with water.

## 12.6. Endocrine disrupting properties

### Endocrine Disruptor Information

| Component       | EU - Endocrine Disruptors Candidate List | EU - Endocrine Disruptors - Evaluated Substances |
|-----------------|--|--|
| Tetrahydrofuran | Group III Chemical                       |  |

## 12.7. Other adverse effects

### Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance

This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

#### Waste from Residues/Unused Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

#### Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

#### European Waste Catalogue (EWC)

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

# SAFETY DATA SHEET

3,4-(Methylenedioxy)phenylmagnesium bromide, 1M solution in toluene/THF(50:50)

Revision Date 06-Dec-2024

## Other Information

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

|   |  |
|---|--|
| <b>14.1. UN number</b>                  | UN2924   |
| <b>14.2. UN proper shipping name</b>    | Flammable liquid, corrosive, n.o.s.                          |
| <b>Technical Shipping Name</b>          | Tetrahydrofuran, 3,4-(Methylenedioxy)phenylmagnesium bromide |
| <b>14.3. Transport hazard class(es)</b> | 3  |
| <b>Subsidiary Hazard Class</b>          | 8  |
| <b>14.4. Packing group</b>              | II   |

### ADR

|   |  |
|---|--|
| <b>14.1. UN number</b>                  | UN2924   |
| <b>14.2. UN proper shipping name</b>    | Flammable liquid, corrosive, n.o.s.                          |
| <b>Technical Shipping Name</b>          | Tetrahydrofuran, 3,4-(Methylenedioxy)phenylmagnesium bromide |
| <b>14.3. Transport hazard class(es)</b> | 3  |
| <b>Subsidiary Hazard Class</b>          | 8  |
| <b>14.4. Packing group</b>              | II   |

### IATA

|   |  |
|---|--|
| <b>14.1. UN number</b>                  | UN2924   |
| <b>14.2. UN proper shipping name</b>    | Flammable liquid, corrosive, n.o.s.                          |
| <b>Technical Shipping Name</b>          | Tetrahydrofuran, 3,4-(Methylenedioxy)phenylmagnesium bromide |
| <b>14.3. Transport hazard class(es)</b> | 3  |
| <b>Subsidiary Hazard Class</b>          | 8  |
| <b>14.4. Packing group</b>              | II   |

|  |                                  |
|--|----------------------------------|
| <b>14.5. Environmental hazards</b>                                   | No hazards identified            |
| <b>14.6. Special precautions for user</b>                            | No special precautions required. |
| <b>14.7. Maritime transport in bulk according to IMO instruments</b> | Not applicable, packaged goods   |

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component                                   | CAS No     | EINECS    | ELINCS | NLP | IECSC | TCSI | KECL     | ENCS | ISHL |
|---|------------|-----------|--------|-----|-------|------|----------|------|------|
| Toluene                                     | 108-88-3   | 203-625-9 | -      | -   | X     | X    | KE-33936 | X    | X    |
| 3,4-(Methylenedioxy)phenylmagnesium bromide | 17680-04-5 | -         | -      | -   | -     | -    | -        | -    | -    |
| Tetrahydrofuran                             | 109-99-9   | 203-726-8 | -      | -   | X     | X    | KE-33454 | X    | X    |

# SAFETY DATA SHEET

3,4-(Methylenedioxy)phenylmagnesium bromide, 1M solution in toluene/THF(50:50)

Revision Date 06-Dec-2024

| Component                                   | CAS No     | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|---|------------|------|---|-----|------|------|-------|-------|
| Toluene                                     | 108-88-3   | X    | ACTIVE  | X   | -    | X    | X     | X     |
| 3,4-(Methylenedioxy)phenylmagnesium bromide | 17680-04-5 | -    | -   | -   | -    | -    | -     | -     |
| Tetrahydrofuran                             | 109-99-9   | X    | ACTIVE  | X   | -    | X    | X     | X     |

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

## Authorisation/Restrictions according to EU REACH

| Component                                   | CAS No     | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances  | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|---|------------|---|--|---|
| Toluene                                     | 108-88-3   | -   | Use restricted. See entry 48.<br>(see link for restriction details)<br>Use restricted. See entry 75.<br>(see link for restriction details) | -   |
| 3,4-(Methylenedioxy)phenylmagnesium bromide | 17680-04-5 | -   | -  | -   |
| Tetrahydrofuran                             | 109-99-9   | -   | Use restricted. See entry 75.<br>(see link for restriction details)  | -   |

## REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

## Seveso III Directive (2012/18/EC)

| Component                                   | CAS No     | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|---|------------|---|--|
| Toluene                                     | 108-88-3   | Not applicable  | Not applicable   |
| 3,4-(Methylenedioxy)phenylmagnesium bromide | 17680-04-5 | Not applicable  | Not applicable   |
| Tetrahydrofuran                             | 109-99-9   | Not applicable  | Not applicable   |

## Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

## Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

## National Regulations

# SAFETY DATA SHEET

3,4-(Methylenedioxy)phenylmagnesium bromide, 1M solution in toluene/THF(50:50)

Revision Date 06-Dec-2024

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

## WGK Classification

Water endangering class = 2 (self classification)

| Component       | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|-----------------|---------------------------------------|-------------------------|
| Toluene         | WGK3                                  |                         |
| Tetrahydrofuran | WGK1                                  |                         |

| Component       | France - INRS (Tables of occupational diseases)               |
|-----------------|---|
| Toluene         | Tableaux des maladies professionnelles (TMP) - RG 4bis, RG 84 |
| Tetrahydrofuran | Tableaux des maladies professionnelles (TMP) - RG 84          |

| Component                             | Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81) | Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC) | Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure |
|---------------------------------------|--|---|---|
| Toluene<br>108-88-3 ( 39-40 )         | Prohibited and Restricted Substances   | Group I   |   |
| Tetrahydrofuran<br>109-99-9 ( 39-40 ) |  | Group I   |   |

## 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed  
H304 - May be fatal if swallowed and enters airways  
H314 - Causes severe skin burns and eye damage  
H318 - Causes serious eye damage  
H335 - May cause respiratory irritation  
H336 - May cause drowsiness or dizziness  
H351 - Suspected of causing cancer  
H361d - Suspected of damaging the unborn child  
H373 - May cause damage to organs through prolonged or repeated exposure  
EUH014 - Reacts violently with water  
EUH019 - May form explosive peroxides  
H225 - Highly flammable liquid and vapor  
H315 - Causes skin irritation  
H319 - Causes serious eye irritation

### Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer  
Predicted No Effect Concentration (PNEC)

# SAFETY DATA SHEET

3,4-(Methylenedioxy)phenylmagnesium bromide, 1M solution in toluene/THF(50:50)

Revision Date 06-Dec-2024

**RPE** - Respiratory Protective Equipment  
**LC50** - Lethal Concentration 50%  
**NOEC** - No Observed Effect Concentration  
**PBT** - Persistent, Bioaccumulative, Toxic

**LD50** - Lethal Dose 50%  
**EC50** - Effective Concentration 50%  
**POW** - Partition coefficient Octanol:Water  
**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road  
**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code  
**OECD** - Organisation for Economic Co-operation and Development  
**BCF** - Bioconcentration factor

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association  
**MARPOL** - International Convention for the Prevention of Pollution from Ships  
**ATE** - Acute Toxicity Estimate  
**VOC** - (Volatile Organic Compound)

## Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>  
Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

## Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

|                              |                       |
|------------------------------|-----------------------|
| <b>Physical hazards</b>      | On basis of test data |
| <b>Health Hazards</b>        | Calculation method    |
| <b>Environmental hazards</b> | Calculation method    |

## Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

Chemical incident response training.

|                         |                 |
|-------------------------|-----------------|
| <b>Creation Date</b>    | 12-Jan-2011     |
| <b>Revision Date</b>    | 06-Dec-2024     |
| <b>Revision Summary</b> | Not applicable. |

**This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**