

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

**Product Description:** Laemmli SDS sample buffer with pyronin Y, reducing (4X)  
**Cat No. :** J62115

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Laboratory chemicals.  
**Uses advised against** No Information available

### 1.3. Details of the supplier of the safety data sheet

**Company**  
Avocado Research Chemicals Ltd.  
(Part of Thermo Fisher Scientific)  
Shore Road, Heysham  
Lancashire, LA3 2XY,  
United Kingdom  
Office Tel: +44 (0) 1524 850506  
Office Fax: +44 (0) 1524 850608

**E-mail address** begel.sdsdesk@thermofisher.com

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

**Poison Centre - Emergency information services**  
**Ireland** : National Poisons Information Centre (NPIC) -  
**01 809 2166** (8am-10pm, 7 days a week)  
**Malta** : +356 2395 2000  
**Cyprus** : +357 2240 5611

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

#### GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

##### Physical hazards

Based on available data, the classification criteria are not met

##### Health hazards

Acute oral toxicity

Category 4 (H302)

# SAFETY DATA SHEET

Laemmli SDS sample buffer with pyronin Y, reducing (4X)

Revision Date 24-Dec-2024

Acute dermal toxicity  
Acute Inhalation Toxicity - Dusts and Mists  
Serious Eye Damage/Eye Irritation  
Skin Sensitization  
Reproductive Toxicity

Category 4 (H312)  
Category 4 (H332)  
Category 1 (H318)  
Category 1 Sub-category 1A (H317)  
Category 2 (H361f)

## **Environmental hazards**

Chronic aquatic toxicity

Category 3 (H412)

Full text of Hazard Statements: see section 16

## **2.2. Label elements**



Signal Word

**Danger**

## **Hazard Statements**

H302 + H312 + H332 - Harmful if swallowed, in contact with skin or if inhaled  
H317 - May cause an allergic skin reaction  
H318 - Causes serious eye damage  
H361f - Suspected of damaging fertility  
H412 - Harmful to aquatic life with long lasting effects

## **Precautionary Statements**

P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting  
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor/physician

## **2.3. Other hazards**

This product does not contain any known or suspected endocrine disruptors  
Toxic to terrestrial vertebrates

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### **3.2. Mixtures**

Component	CAS No	EC No	Weight %	GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Water	7732-18-5	231-791-2	40.04	-
Glycerin	56-81-5	200-289-5	40	-
Sodium lauryl sulfate	151-21-3	205-788-1	8	Flam. Sol. 2 (H228)

# SAFETY DATA SHEET

Laemmli SDS sample buffer with pyronin Y, reducing (4X)

Revision Date 24-Dec-2024

				Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aq. Chronic 3 (H412)
2-Mercaptoethanol	60-24-2	EEC No. 200-464-6	8	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 3 (H331) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Repr. 2 (H361f) STOT RE 2 (H373) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	1185-53-1	EEC No. 214-684-5	3.94	-
Xanthylum, 3,6-bis(dimethylamino)-, chloride	92-32-0	EEC No. 202-147-8	0.02	Muta. 2 (H341)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Sodium lauryl sulfate	Eye Irrit. 1 :: C>=20% Eye Irrit. 2 :: 10%<=C<20%	-	-
2-Mercaptoethanol	-	1	-

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

<b>General Advice</b>	If symptoms persist, call a physician.
<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water.
<b>Inhalation</b>	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.
<b>Self-Protection of the First Aider</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

### 4.2. Most important symptoms and effects, both acute and delayed

Causes severe eye damage. May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes to Physician</b>	Treat symptomatically.
---------------------------	------------------------

## SECTION 5: FIREFIGHTING MEASURES

# SAFETY DATA SHEET

Laemmli SDS sample buffer with pyronin Y, reducing (4X)

Revision Date 24-Dec-2024

## 5.1. Extinguishing media

### **Suitable Extinguishing Media**

Carbon dioxide (CO<sub>2</sub>). Powder. Water spray. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

### **Extinguishing media which must not be used for safety reasons**

No information available.

## 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

### **Hazardous Combustion Products**

Nitrogen oxides (NO<sub>x</sub>), Sulfur oxides, Hydrogen chloride, Sodium oxides.

## 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required.

### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Avoid ingestion and inhalation.

### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

**Technical Rules for Hazardous Substances (TRGS) 510**  
**Storage Class (LGK) (Germany)**

Class 12

ALFAAJ62115

# SAFETY DATA SHEET

Laemmli SDS sample buffer with pyronin Y, reducing (4X)

Revision Date 24-Dec-2024

## 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

Component	The United Kingdom	European Union	Ireland
Glycerin	TWA: 10 mg/m <sup>3</sup> 8 hr (mist only)		TWA: 10 mg/m <sup>3</sup> 8 hr. (mist)

#### Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Sodium lauryl sulfate 151-21-3 ( 8 )				DNEL = 4060mg/kg bw/day
2-Mercaptoethanol 60-24-2 ( 8 )		DNEL = 0.05mg/kg bw/day		DNEL = 0.05mg/kg bw/day
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride 1185-53-1 ( 3.94 )				DNEL = 216.6mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Glycerin 56-81-5 ( 40 )			DNEL = 56mg/m <sup>3</sup>	
Sodium lauryl sulfate 151-21-3 ( 8 )				DNEL = 285mg/m <sup>3</sup>
2-Mercaptoethanol 60-24-2 ( 8 )		DNEL = 0.17mg/m <sup>3</sup>		DNEL = 0.17mg/m <sup>3</sup>
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride 1185-53-1 ( 3.94 )				DNEL = 152.8mg/m <sup>3</sup>

#### Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	Soil (Agriculture)
Glycerin	PNEC = 0.885mg/L	PNEC = 3.3mg/kg	PNEC = 8.85mg/L	PNEC = 1000mg/L	PNEC =

# SAFETY DATA SHEET

Laemmli SDS sample buffer with pyronin Y, reducing (4X)

Revision Date 24-Dec-2024

56-81-5 ( 40 )		sediment dw			0.141mg/kg soil dw
Sodium lauryl sulfate 151-21-3 ( 8 )	PNEC = 0.176mg/L	PNEC = 6.97mg/kg sediment dw	PNEC = 0.055mg/L	PNEC = 1.35mg/L	PNEC = 1.29mg/kg soil dw
2-Mercaptoethanol 60-24-2 ( 8 )	PNEC = 0.00632mg/L	PNEC = 0.024mg/kg sediment dw	PNEC = 0.004mg/L	PNEC = 60mg/L	PNEC = 0.908mg/kg soil dw

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Glycerin 56-81-5 ( 40 )	PNEC = 0.0885mg/L	PNEC = 0.33mg/kg sediment dw			
Sodium lauryl sulfate 151-21-3 ( 8 )	PNEC = 0.0176mg/L	PNEC = 0.697mg/kg sediment dw			
2-Mercaptoethanol 60-24-2 ( 8 )	PNEC = 0.000632mg/L	PNEC = 0.0024mg/kg sediment dw			

## 8.2. Exposure controls

### Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Goggles (European standard - EN 166)

#### Hand Protection

Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Natural rubber	See manufacturers	-	EN 374	(minimum requirement)
Nitrile rubber	recommendations			
Neoprene				
PVC				

#### Skin and body protection

Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.  
(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

#### Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

#### Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

**Recommended Filter type:** Particulates filter conforming to EN 143

#### Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Recommended half mask:-** Particle filtering: EN149:2001

When RPE is used a face piece Fit Test should be conducted

# SAFETY DATA SHEET

Laemmli SDS sample buffer with pyronin Y, reducing (4X)

Revision Date 24-Dec-2024

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water system.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Physical State	Liquid	
Appearance		
Odor	No information available	
Odor Threshold	No data available	
Melting Point/Range	No data available	
Softening Point	No data available	
Boiling Point/Range	No information available	
Flammability (liquid)	No data available	
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	No data available	
Flash Point	No information available	Method - No information available
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
pH	No information available	
Viscosity	No data available	
Water Solubility	Miscible	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/water)		
Component	log Pow	
Glycerin	-1.75	
Sodium lauryl sulfate	1.6	
2-Mercaptoethanol	-0.056	
1,3-Propanediol,	-3.6	
2-amino-2-(hydroxymethyl)-, hydrochloride		
Vapor Pressure	23 hPa @ 20 °C	
Density / Specific Gravity	No data available	
Bulk Density	Not applicable	Liquid
Vapor Density	No data available	(Air = 1.0)
Particle characteristics	Not applicable (liquid)	

### 9.2. Other information

## SECTION 10: STABILITY AND REACTIVITY

**10.1. Reactivity** None known, based on information available

**10.2. Chemical stability** Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous Polymerization** No information available.  
**Hazardous Reactions** None under normal processing.

**10.4. Conditions to avoid** Incompatible products. Excess heat.

# SAFETY DATA SHEET

Laemmli SDS sample buffer with pyronin Y, reducing (4X)

Revision Date 24-Dec-2024

## 10.5. Incompatible materials

None known.

## 10.6. Hazardous decomposition products

Nitrogen oxides (NOx). Sulfur oxides. Hydrogen chloride. Sodium oxides.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

##### (a) acute toxicity;

Oral Category 4  
Dermal Category 4  
Inhalation Category 4

#### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Glycerin	12600 mg/kg ( Rat )	> 10 g/kg ( Rabbit )	> 2.75 mg/L/4h ( Rat )(mist)
Sodium lauryl sulfate	LD50 = 1288 mg/kg ( Rat )	LD50 = 200 mg/kg ( Rabbit )	LC50 > 3900 mg/m <sup>3</sup> ( Rat ) 1 h
2-Mercaptoethanol	LD50 = 244 mg/kg ( Rat )	150 µL/kg ( Rabbit ) 112 - 224 mg/kg ( Rabbit )	-
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	OECD 425 (Rat) LD50 > 5000 mg/kg bw	OECD 402 (Rat) LD50 > 5000 mg/kg bw	-

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; Category 1

##### (d) respiratory or skin sensitization;

Respiratory No data available  
Skin Sub-category 1A

Component	Test method	Test species	Study result
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride 1185-53-1 ( 3.94 )	OECD Test Guideline 406	guinea pig	non-sensitising

May cause sensitization by skin contact

(e) germ cell mutagenicity; No data available

Component	Test method	Test species	Study result
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride 1185-53-1 ( 3.94 )	OECD Test Guideline 471 Bacterial Reverse Mutation Test	Mammalian in vitro	negative

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product



# SAFETY DATA SHEET

Laemmli SDS sample buffer with pyronin Y, reducing (4X)

Revision Date 24-Dec-2024

(g) reproductive toxicity; Category 2

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs None known.

(j) aspiration hazard; No data available

**Symptoms / effects, both acute and delayed** Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

## 11.2. Information on other hazards

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

#### Ecotoxicity effects

The product contains following substances which are hazardous for the environment. Contains a substance which is: Toxic to aquatic organisms.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Glycerin	LC50: 51 - 57 mL/L, 96h static (Oncorhynchus mykiss)		
Sodium lauryl sulfate	1.31 mg/L LC50 96 h 9.9-20.1 mg/L LC50 96 h 4.5 mg/L LC50 96 h 4.62 mg/L LC50 96 h 7.97 mg/L LC50 96 h 10.2-22.5 mg/L LC50 96 h 10.8-16.6 mg/L LC50 96 h 13.5-18.3 mg/L LC50 96 h 15-18.9 mg/L LC50 96 h 22.1-22.8 mg/L LC50 96 h 4.06-5.75 mg/L LC50 96 h 4.2-4.8 mg/L LC50 96 h 4.3-8.5 mg/L LC50 96 h 5.8-7.5 mg/L LC50 96 h 6.2-9.6 mg/L LC50 96 h 8-12.5 mg/L LC50 96 h 4.2 mg/L LC50 96 h	EC50: = 1.8 mg/L, 48h (Daphnia magna)	EC50: 3.59 - 15.6 mg/L, 96h static (Pseudokirchneriella subcapitata) EC50: = 117 mg/L, 96h (Pseudokirchneriella subcapitata) EC50: 30 - 100 mg/L, 96h (Desmodesmus subspicatus) EC50: = 53 mg/L, 72h (Desmodesmus subspicatus)
2-Mercaptoethanol		EC50: = 1.52 mg/L, 48h (Daphnia magna)	EC50: = 12 mg/L, 72h (Desmodesmus subspicatus)
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride		Daphnia Magna EC50 >100 mg/L (48h)	

Component	Microtox	M-Factor
Sodium lauryl sulfate	= 0.46 mg/L EC50 Photobacterium phosphoreum 30 min = 0.72 mg/L EC50 Photobacterium phosphoreum 15 min = 1.19 mg/L EC50 Photobacterium phosphoreum 5 min	
2-Mercaptoethanol	= 125 mg/L EC50 Pseudomonas putida 17 h	1

# SAFETY DATA SHEET

Laemmli SDS sample buffer with pyronin Y, reducing (4X)

Revision Date 24-Dec-2024

1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	OECD 209 EC50 > 1000 mg/L (3h)	
---	-----------------------------------	--

## 12.2. Persistence and degradability

### Persistence

Miscible with water, Persistence is unlikely, based on information available.

### Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

## 12.3. Bioaccumulative potential

Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Glycerin	-1.75	No data available
Sodium lauryl sulfate	1.6	No data available
2-Mercaptoethanol	-0.056	No data available
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	-3.6	No data available

## 12.4. Mobility in soil

The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

## 12.5. Results of PBT and vPvB assessment

No data available for assessment.

## 12.6. Endocrine disrupting properties

### Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

## 12.7. Other adverse effects

### Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance  
This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

#### Waste from Residues/Unused Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

#### Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

#### European Waste Catalogue (EWC)

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

#### Other Information

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not let this chemical enter the environment.

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

Not regulated

# SAFETY DATA SHEET

Laemmli SDS sample buffer with pyronin Y, reducing (4X)

Revision Date 24-Dec-2024

## 14.1. UN number

## 14.2. UN proper shipping name

## 14.3. Transport hazard class(es)

## 14.4. Packing group

### ADR

Not regulated

## 14.1. UN number

## 14.2. UN proper shipping name

## 14.3. Transport hazard class(es)

## 14.4. Packing group

### IATA

Not regulated

## 14.1. UN number

## 14.2. UN proper shipping name

## 14.3. Transport hazard class(es)

## 14.4. Packing group

## 14.5. Environmental hazards

Dangerous for the environment

Product is a marine pollutant according to the criteria set by IMDG/IMO

## 14.6. Special precautions for user

No special precautions required.

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS), Taiwan (TCSI), Japan (ISHL), New Zealand (NZIoC), Japan (ISHL). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Water	7732-18-5	231-791-2	-	-	X	X	KE-35400	X	-
Glycerin	56-81-5	200-289-5	-	-	X	X	KE-29297	X	X
Sodium lauryl sulfate	151-21-3	205-788-1	-	-	X	X	KE-21884	X	X
2-Mercaptoethanol	60-24-2	200-464-6	-	-	X	X	KE-23095	X	X
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	1185-53-1	214-684-5	-	-	X	X	KE-34819	X	-
Xanthylum, 3,6-bis(dimethylamino)-, chloride	92-32-0	202-147-8	-	-	-	X	KE-03052	-	-

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Water	7732-18-5	X	ACTIVE	X	-	X	X	X
Glycerin	56-81-5	X	ACTIVE	X	-	X	X	X
Sodium lauryl sulfate	151-21-3	X	ACTIVE	X	-	X	X	X
2-Mercaptoethanol	60-24-2	X	ACTIVE	X	-	X	X	X
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	1185-53-1	X	ACTIVE	X	-	X	X	X
Xanthylum, 3,6-bis(dimethylamino)-, chloride	92-32-0	X	ACTIVE	X	-	X	X	-

# SAFETY DATA SHEET

Laemmli SDS sample buffer with pyronin Y, reducing (4X)

Revision Date 24-Dec-2024

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

Authorisation/Restrictions according to EU REACH

Not applicable

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Water	7732-18-5	-	-	-
Glycerin	56-81-5	-	-	-
Sodium lauryl sulfate	151-21-3	-	-	-
2-Mercaptoethanol	60-24-2	-	-	-
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	1185-53-1	-	-	-
Xanthylum, 3,6-bis(dimethylamino)-, chloride	92-32-0	-	-	-

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Water	7732-18-5	Not applicable	Not applicable
Glycerin	56-81-5	Not applicable	Not applicable
Sodium lauryl sulfate	151-21-3	Not applicable	Not applicable
2-Mercaptoethanol	60-24-2	Not applicable	Not applicable
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	1185-53-1	Not applicable	Not applicable
Xanthylum, 3,6-bis(dimethylamino)-, chloride	92-32-0	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

## National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

## WGK Classification

Water endangering class = 3 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Glycerin	WGK1	
Sodium lauryl sulfate	WGK2	
2-Mercaptoethanol	WGK3	
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-,	WGK1	

# SAFETY DATA SHEET

Laemmli SDS sample buffer with pyronin Y, reducing (4X)

Revision Date 24-Dec-2024

hydrochloride		
---------------	--	--

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Sodium lauryl sulfate 151-21-3 ( 8 )	Prohibited and Restricted Substances		

## 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed  
H312 - Harmful in contact with skin  
H332 - Harmful if inhaled  
H317 - May cause an allergic skin reaction  
H318 - Causes serious eye damage  
H361f - Suspected of damaging fertility  
H412 - Harmful to aquatic life with long lasting effects  
H228 - Flammable solid  
H301 - Toxic if swallowed  
H310 - Fatal in contact with skin  
H315 - Causes skin irritation  
H331 - Toxic if inhaled  
H341 - Suspected of causing genetic defects  
H400 - Very toxic to aquatic life  
H411 - Toxic to aquatic life with long lasting effects

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer  
Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

# SAFETY DATA SHEET

Laemmli SDS sample buffer with pyronin Y, reducing (4X)

Revision Date 24-Dec-2024

BCF - Bioconcentration factor

VOC - (Volatile Organic Compound)

## Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

## Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

**Physical hazards** On basis of test data

**Health Hazards** Calculation method

**Environmental hazards** Calculation method

## Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

**Prepared By** Health, Safety and Environmental Department

**Revision Date** 24-Dec-2024

**Revision Summary** SDS sections updated, 2, 3, 4, 11.

**This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**