

Creation Date 04-Feb-2011

Revision Date 09-Feb-2024

Revision Number 10

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product Description: Nickel standard solution, 1 mg/ml Ni in 2-5% HNO<sub>3</sub>  
Cat No. : 196150000; 196151000; 196155000

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.  
Uses advised against No Information available

### 1.3. Details of the supplier of the safety data sheet

#### Company

**UK entity/business name**  
Fisher Scientific UK  
Bishop Meadow Road,  
Loughborough, Leicestershire LE11 5RG, United Kingdom

**EU entity/business name**  
Thermo Fisher Scientific  
Janssen Pharmaceuticaaan 3a, 2440 Geel, Belgium

E-mail address begel.sdsdesk@thermofisher.com

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

#### CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

##### Physical hazards

Substances/mixtures corrosive to metal

Category 1 (H290)

##### Health hazards

Skin Corrosion/Irritation

Category 1 B (H314)

Serious Eye Damage/Eye Irritation

Category 1 (H318)

# SAFETY DATA SHEET

Nickel standard solution, 1 mg/ml Ni in 2-5% HNO<sub>3</sub>

Revision Date 09-Feb-2024

Carcinogenicity  
Reproductive Toxicity

Category 1A (H350i)  
Category 1B (H360D)

## Environmental hazards

Chronic aquatic toxicity

Category 3 (H412)

Full text of Hazard Statements: see section 16

## 2.2. Label elements



Signal Word

Danger

## Hazard Statements

H290 - May be corrosive to metals  
H314 - Causes severe skin burns and eye damage  
H350i - May cause cancer by inhalation  
H360D - May damage the unborn child  
H412 - Harmful to aquatic life with long lasting effects  
EUH208 - Contains Nickel. May produce an allergic reaction

## Precautionary Statements

P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor/physician  
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

## Additional EU labelling

Restricted to professional users

## 2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

| Component                               | CAS No     | EC No | Weight % | CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567  |
|---|------------|-------|----------|--|
| Nickel(II) nitrate, hexahydrate (1:2:6) | 13478-00-7 |       | 0.5      | Ox. Sol. 2 (H272)<br>Carc. 1A (H350i)<br>Muta. 2 (H341)<br>Repr. 1B (H360D)<br>STOT RE 1 (H372)<br>Acute Tox. 4 (H332)<br>Acute Tox. 4 (H302)<br>Skin Irrit. 2 (H315)<br>Eye Dam. 1 (H318) |

# SAFETY DATA SHEET

Nickel standard solution, 1 mg/ml Ni in 2-5% HNO<sub>3</sub>

Revision Date 09-Feb-2024

|                             |           |           |     |  |
|-----------------------------|-----------|-----------|-----|--|
|                             |           |           |     | Resp. Sens. 1 (H334)<br>Skin Sens. 1 (H317)<br>Aquatic Acute 1 (H400)<br>Aquatic Chronic 1 (H410)                        |
| Nitric acid ...% [C ≤ 70 %] | 7697-37-2 | 231-714-2 | 2-5 | Ox. Liq. 3 (H272)<br>Met. Corr. 1 (H290)<br>Acute Tox. 3 (H331)<br>Skin Corr. 1A (H314)<br>Eye Dam. 1 (H318)<br>(EUH071) |
| Water                       | 7732-18-5 | 231-791-2 | <98 | -  |

| Component                               | Specific concentration limits (SCL's)   | M-Factor | Component notes |
|---|---|----------|-----------------|
| Nickel(II) nitrate, hexahydrate (1:2:6) | -   | 1        | -               |
| Nitric acid ...% [C ≤ 70 %]             | Ox. Liq. 2 :: C>=99%<br>Ox. Liq. 3 :: 65%<=C<99%<br>Acute Tox. 1 (inhal) :: C>=70%<br>Acute Tox. 3 (inhal) ::<br>70%>C>=26.5%<br>Acute Tox. 4 (inhal) ::<br>26.5%>C>=13.25%<br>Skin Corr. 1A :: C>=20%<br>Skin Corr. 1B :: 5%<=C<20%<br>Met. Corr. 1 :: C>=2%<br>EUH071 :: C>=20% | -        | -               |

| Component                   | ECHA (RAC) ATE (Oral) | ECHA (RAC) ATE (Dermal) | ECHA (RAC) ATE (Inhalation) |
|-----------------------------|-----------------------|-------------------------|-----------------------------|
| Nitric acid ...% [C ≤ 70 %] | -                     | -                       | ATE = 2.65 mg/L (vapours)   |

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

|   |  |
|---|--|
| <b>Eye Contact</b>                        | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.  |
| <b>Skin Contact</b>                       | Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.  |
| <b>Ingestion</b>                          | Do NOT induce vomiting. Call a physician or poison control center immediately.   |
| <b>Inhalation</b>                         | Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. If not breathing, give artificial respiration. |
| <b>Self-Protection of the First Aider</b> | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.   |

### 4.2. Most important symptoms and effects, both acute and delayed

Causes eye burns. May cause allergic skin reaction. Causes burns by all exposure routes. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

### 4.3. Indication of any immediate medical attention and special treatment needed

# SAFETY DATA SHEET

Nickel standard solution, 1 mg/ml Ni in 2-5% HNO<sub>3</sub>

Revision Date 09-Feb-2024

Notes to Physician

Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam.

#### **Extinguishing media which must not be used for safety reasons**

No information available.

### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

#### **Hazardous Combustion Products**

Nitrogen oxides (NO<sub>x</sub>).

### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

### 6.2. Environmental precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information. Avoid release to the environment. Collect spillage.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

# SAFETY DATA SHEET

Nickel standard solution, 1 mg/ml Ni in 2-5% HNO<sub>3</sub>

Revision Date 09-Feb-2024

Technical Rules for Hazardous Substances (TRGS) 510  
Storage Class (LGK) (Germany)

Class 6.1D

## 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

| Component                               | The United Kingdom  | European Union   | Ireland  |
|---|---|--|--|
| Nickel(II) nitrate, hexahydrate (1:2:6) | STEL: 0.3 mg/m <sup>3</sup> 15 min<br>TWA: 0.1 mg/m <sup>3</sup> 8 hr<br>Skin |  |  |
| Nitric acid ...% [C ≤ 70 %]             | STEL: 1 ppm 15 min<br>STEL: 2.6 mg/m <sup>3</sup> 15 min                      | STEL: 1 ppm (15min)<br>STEL: 2.6 mg/m <sup>3</sup> (15min) | STEL: 1 ppm 15 min<br>STEL: 2.6 mg/m <sup>3</sup> 15 min |

#### Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

No information available

#### Predicted No Effect Concentration (PNEC)

No information available.

### 8.2. Exposure controls

#### Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

##### Eye Protection

Goggles (European standard - EN 166)

##### Hand Protection

Protective gloves

| Glove material | Breakthrough time                 | Glove thickness | EU standard | Glove comments        |
|----------------|-----------------------------------|-----------------|-------------|-----------------------|
| Butyl rubber   | See manufacturers recommendations | -               | EN 374      | (minimum requirement) |

##### Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Inspect gloves before use.

# SAFETY DATA SHEET

Nickel standard solution, 1 mg/ml Ni in 2-5% HNO<sub>3</sub>

Revision Date 09-Feb-2024

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.  
(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

## Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

## Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

**Recommended Filter type:** Particulates filter conforming to EN 143 Acid gases filter Type E Yellow conforming to EN14387

## Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Recommended half mask:-** Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141

When RPE is used a face piece Fit Test should be conducted

## Environmental exposure controls

Prevent product from entering drains.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

|   |                          |                                   |
|---|--------------------------|-----------------------------------|
| Physical State                          | Liquid                   |                                   |
| Appearance                              | Blue green               |                                   |
| Odor                                    | Odorless                 |                                   |
| Odor Threshold                          | No data available        |                                   |
| Melting Point/Range                     | No data available        |                                   |
| Softening Point                         | No data available        |                                   |
| Boiling Point/Range                     | 101 °C / 213.8 °F        |                                   |
| Flammability (liquid)                   | No data available        |                                   |
| Flammability (solid,gas)                | Not applicable           | Liquid                            |
| Explosion Limits                        | No data available        |                                   |
| Flash Point                             | No information available | Method - No information available |
| Autoignition Temperature                | No data available        |                                   |
| Decomposition Temperature               | No data available        |                                   |
| pH                                      | < 1                      |                                   |
| Viscosity                               | No data available        |                                   |
| Water Solubility                        | Miscible                 |                                   |
| Solubility in other solvents            | No information available |                                   |
| Partition Coefficient (n-octanol/water) |                          |                                   |
| Component                               | log Pow                  |                                   |
| Nitric acid ...% [C ≤ 70 %]             | -2.3                     |                                   |
| Vapor Pressure                          | No data available        |                                   |
| Density / Specific Gravity              | 1.032                    |                                   |
| Bulk Density                            | Not applicable           | Liquid                            |
| Vapor Density                           | No data available        | (Air = 1.0)                       |
| Particle characteristics                | Not applicable (liquid)  |                                   |

### 9.2. Other information

## SECTION 10: STABILITY AND REACTIVITY

# SAFETY DATA SHEET

Nickel standard solution, 1 mg/ml Ni in 2-5% HNO<sub>3</sub>

Revision Date 09-Feb-2024

## 10.1. Reactivity

None known, based on information available

## 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

### Hazardous Polymerization Hazardous Reactions

Hazardous polymerization does not occur.  
Corrosive to metals.

## 10.4. Conditions to avoid

Incompatible products. Excess heat.

## 10.5. Incompatible materials

Strong bases. Strong reducing agents.

## 10.6. Hazardous decomposition products

Nitrogen oxides (NO<sub>x</sub>).

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

##### (a) acute toxicity;

Oral

Based on available data, the classification criteria are not met

Dermal

No data available

Inhalation

No data available

#### Toxicology data for the components

| Component                               | LD50 Oral                 | LD50 Dermal | LC50 Inhalation           |
|---|---------------------------|-------------|---------------------------|
| Nickel(II) nitrate, hexahydrate (1:2:6) | LD50 = 1620 mg/kg ( Rat ) | -           | -                         |
| Nitric acid ...% [C ≤ 70 %]             | -                         | -           | LC50 = 2500 ppm. (Rat) 1h |
| Water                                   | -                         | -           | -                         |

| Component                   | ECHA (RAC) ATE (Oral) | ECHA (RAC) ATE (Dermal) | ECHA (RAC) ATE (Inhalation) |
|-----------------------------|-----------------------|-------------------------|-----------------------------|
| Nitric acid ...% [C ≤ 70 %] | -                     | -                       | ATE = 2.65 mg/L (vapours)   |

##### (b) skin corrosion/irritation;

Category 1 B

##### (c) serious eye damage/irritation;

Category 1

##### (d) respiratory or skin sensitization;

Respiratory

No data available

Skin

No data available

No information available

##### (e) germ cell mutagenicity;

No data available

##### (f) carcinogenicity;

Category 1A

This product contains one or more substances which are classified by IARC as carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly carcinogenic to humans (Group 2B) The table below indicates whether each agency has listed any ingredient as a carcinogen

# SAFETY DATA SHEET

Nickel standard solution, 1 mg/ml Ni in 2-5% HNO<sub>3</sub>

Revision Date 09-Feb-2024

| Component                               | EU | UK | Germany | IARC    |
|---|----|----|---------|---------|
| Nickel(II) nitrate, hexahydrate (1:2:6) |    |    |         | Group 1 |

(g) reproductive toxicity;  
Reproductive Effects Category 1B  
Product is or contains a chemical which is a known or suspected reproductive hazard.

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

Other Adverse Effects The toxicological properties have not been fully investigated.

Symptoms / effects, both acute and delayed Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

## 11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

Ecotoxicity effects Do not empty into drains. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

| Component                               | Microtox | M-Factor |
|---|----------|----------|
| Nickel(II) nitrate, hexahydrate (1:2:6) |          | 1        |

### 12.2. Persistence and degradability

Persistence Not applicable for mixtures  
Soluble in water, Persistence is unlikely, based on information available, Miscible with water.

Degradation in sewage treatment plant Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

### 12.3. Bioaccumulative potential

Bioaccumulation is unlikely

| Component                   | log Pow | Bioconcentration factor (BCF) |
|-----------------------------|---------|-------------------------------|
| Nitric acid ...% [C ≤ 70 %] | -2.3    | No data available             |

12.4. Mobility in soil The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB No data available for assessment.



# SAFETY DATA SHEET

Nickel standard solution, 1 mg/ml Ni in 2-5% HNO<sub>3</sub>

Revision Date 09-Feb-2024

## assessment

### 12.6. Endocrine disrupting properties

#### **Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors

### 12.7. Other adverse effects

#### **Persistent Organic Pollutant**

This product does not contain any known or suspected substance

#### **Ozone Depletion Potential**

This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

#### **Waste from Residues/Unused Products**

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

#### **Contaminated Packaging**

Dispose of this container to hazardous or special waste collection point.

#### **European Waste Catalogue (EWC)**

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

#### **Other Information**

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Do not let this chemical enter the environment. Solutions with low pH-value must be neutralized before discharge.

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

#### 14.1. UN number

UN2031

#### 14.2. UN proper shipping name

NITRIC ACID

#### 14.3. Transport hazard class(es)

8

#### 14.4. Packing group

II

### ADR

#### 14.1. UN number

UN2031

#### 14.2. UN proper shipping name

NITRIC ACID

#### 14.3. Transport hazard class(es)

8

#### 14.4. Packing group

II

### IATA

#### 14.1. UN number

UN2031

#### 14.2. UN proper shipping name

NITRIC ACID

#### 14.3. Transport hazard class(es)

8

#### 14.4. Packing group

II

#### 14.5. Environmental hazards

No hazards identified

#### 14.6. Special precautions for user

No special precautions required.

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

# SAFETY DATA SHEET

Nickel standard solution, 1 mg/ml Ni in 2-5% HNO<sub>3</sub>

Revision Date 09-Feb-2024

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component                               | CAS No     | EINECS    | ELINCS | NLP | IECSC | TCSI | KECL     | ENCS | ISHL |
|---|------------|-----------|--------|-----|-------|------|----------|------|------|
| Nickel(II) nitrate, hexahydrate (1:2:6) | 13478-00-7 | -         | -      | -   | X     | X    | -        | -    | -    |
| Nitric acid ...% [C ≤ 70 %]             | 7697-37-2  | 231-714-2 | -      | -   | X     | X    | KE-25911 | X    | X    |
| Water                                   | 7732-18-5  | 231-791-2 | -      | -   | X     | X    | KE-35400 | X    | -    |

| Component                               | CAS No     | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|---|------------|------|---|-----|------|------|-------|-------|
| Nickel(II) nitrate, hexahydrate (1:2:6) | 13478-00-7 | -    | -   | -   | -    | X    | X     | X     |
| Nitric acid ...% [C ≤ 70 %]             | 7697-37-2  | X    | ACTIVE  | X   | -    | X    | X     | X     |
| Water                                   | 7732-18-5  | X    | ACTIVE  | X   | -    | X    | X     | X     |

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

#### Authorisation/Restrictions according to EU REACH

| Component                               | CAS No     | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|---|------------|---|---|---|
| Nickel(II) nitrate, hexahydrate (1:2:6) | 13478-00-7 | -   | Use restricted. See item 27. (see link for restriction details)               | -   |
| Nitric acid ...% [C ≤ 70 %]             | 7697-37-2  | -   | Use restricted. See item 75. (see link for restriction details)               | -   |
| Water                                   | 7732-18-5  | -   | -   | -   |

#### REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

#### Seveso III Directive (2012/18/EC)

| Component                               | CAS No     | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|---|------------|---|--|
| Nickel(II) nitrate, hexahydrate (1:2:6) | 13478-00-7 | Not applicable  | Not applicable   |
| Nitric acid ...% [C ≤ 70 %]             | 7697-37-2  | Not applicable  | Not applicable   |
| Water                                   | 7732-18-5  | Not applicable  | Not applicable   |

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

# SAFETY DATA SHEET

Nickel standard solution, 1 mg/ml Ni in 2-5% HNO<sub>3</sub>

Revision Date 09-Feb-2024

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

Take note of Dir 76/769/EEC relating to restrictions on the marketing and use of certain dangerous substances and preparations

## National Regulations

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

**WGK Classification** Water endangering class = 1 (self classification)

| Component                   | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|-----------------------------|---------------------------------------|-------------------------|
| Nitric acid ...% [C ≤ 70 %] | WGK1                                  |                         |

| Component  | Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81) | Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC) | Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure |
|--|--|---|---|
| Nitric acid ...% [C ≤ 70 %]<br>7697-37-2 ( 2-5 ) | Prohibited and Restricted Substances   |   |   |

## 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H350 - May cause cancer

H350i - May cause cancer by inhalation

H360D - May damage the unborn child

H412 - Harmful to aquatic life with long lasting effects

H272 - May intensify fire; oxidizer

H302 - Harmful if swallowed

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H332 - Harmful if inhaled

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H341 - Suspected of causing genetic defects

H372 - Causes damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

EUH071 - Corrosive to the respiratory tract

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

# SAFETY DATA SHEET

Nickel standard solution, 1 mg/ml Ni in 2-5% HNO<sub>3</sub>

Revision Date 09-Feb-2024

KECL - Korean Existing and Evaluated Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

**Key literature references and sources for data**

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadviser - LOLI, Merck index, RTECS

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

**Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:**

**Physical hazards** On basis of test data

**Health Hazards** Calculation method

**Environmental hazards** Calculation method

## Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

**Creation Date** 04-Feb-2011

**Revision Date** 09-Feb-2024

**Revision Summary** Not applicable.

**This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**