

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 08-Nov-2010

Revision Date 22-Sep-2023

Revision Number 10

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: Cat No. : Synonyms Index No CAS No EC No Molecular Formula REACH registration number	<u>Hydroxylamine sulfate</u> 198530000; 198530010; 198530050; 198530051; 198531000 Hydroxylammonium sulfate 612-123-00-2 10039-54-0 233-118-8 H6 N2 O2 . H2 S O4 01-2119485971-25
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Recommended Use Uses advised against	Laboratory chemicals. No Information available
1.3. Details of the supplier of the sa	fety data sheet
Company	UK entity/business name Fisher Scientific UK Bishop Meadow Road, Loughborough, Leicestershire LE11 5RG, United Kingdom EU entity/business name Thermo Fisher Scientific Janssen Pharmaceuticalaan 3a, 2440 Geel, Belgium
E-mail address	begel.sdsdesk@thermofisher.com
1.4. Emergency telephone number	For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11 Emergency Number US :001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No. US :001-800-424-9300 / Europe: 001-703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

Substances/mixtures corrosive to metal

Category 1 (H290)

Hydroxylamine sulfate

Health hazards

Acute oral toxicity Acute dermal toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Skin Sensitization Carcinogenicity Specific target organ toxicity - (repeated exposure)

Environmental hazards

Acute aquatic toxicity

Category 4 (H302) Category 4 (H312) Category 2 (H315) Category 2 (H319) Category 1 (H317) Category 2 (H351) Category 2 (H373)

Category 1 (H400)

Full text of Hazard Statements: see section 16



Signal Word

Warning

Hazard Statements

- H290 May be corrosive to metals
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation
- H351 Suspected of causing cancer
- H373 May cause damage to organs through prolonged or repeated exposure
- H400 Very toxic to aquatic life
- H302 + H312 Harmful if swallowed or in contact with skin
- EUH044 Risk of explosion if heated under confinement

Precautionary Statements

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P312 - Call a POISON CENTER or doctor if you feel unwell

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P337 + P313 - If eye irritation persists: Get medical advice/attention

P201 - Obtain special instructions before use

P280 - Wear protective gloves/protective clothing/eye protection/face protection

2.3. Other hazards

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Hydroxylamine sulfate	10039-54-0	EEC No. 233-118-8	>95	Met. Corr. 1 (H290) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) Carc. 2 (H351) STOT RE 2 (H373) Aquatic Acute 1 (H400) (EUH044)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Hydroxylamine sulfate	-	1	-

REACH registration number	01-2119485971-25

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice	If symptoms persist, call a physician.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.
4.2. Most important symptoms and	effects, both acute and delayed
	None reasonably foreseeable. May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing
4.3. Indication of any immediate me	edical attention and special treatment needed
Notes to Physician	Treat symptomatically.
	SECTION 5: FIREFIGHTING MEASURES

Hydroxylamine sulfate

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Containers may explode when heated. Risk of explosion by shock, friction, fire or other sources of ignition. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition. Do not allow run-off from fire-fighting to enter drains or water courses. Dust can form an explosive mixture with air.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO₂), Nitrogen oxides (NOx), Sulfur oxides.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from oxidizing agents. Keep away from heat, sparks and flame. Corrosives area.

Technical Rules for Hazardous Substances (TRGS) 510 C Storage Class (LGK) (Germany)

Class 13

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Hydroxylamine sulfate 10039-54-0(>95)		DNEL = 0.032mg/m ³		DNEL = 0.008mg/m ³

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment		Microorganisms in sewage treatment	,
Hydroxylamine sulfate 10039-54-0 (>95)	PNEC = 0.031mg/L	PNEC = 0.112mg/kg sediment dw	PNEC = 0.0072mg/L	PNEC = 0.07mg/L	PNEC = 0.00422mg/kg soil dw

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Hydroxylamine sulfate	PNEC =	PNEC =			
10039-54-0 (>95)	0.0031mg/L	0.0112mg/kg			
		sediment dw			

8.2. Exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Hydroxylamine sulfate			Revision Date 22-Sep-20
Personal protective equipment Eye Protection	Goggles (European standa	ard - EN 166)	
Hand Protection	Protective gloves		
Glove material Natural rubber Nitrile rubber Neoprene PVC		EU standard EN 374	Glove comments (minimum requirement)
Skin and body protection	Long sleeved clothing.		
Please observe the instructions regar Refer to manufacturer/supplier for inf Ensure gloves are suitable for the tas sensitisation effects, also take into co of cuts, abrasion. Remove gloves with care avoiding ski	ormation) k: Chemical compatability, De nsideration the specific local	exterity, Operational conc	
Respiratory Protection	ctionWhen workers are facing concentrations above the exposure limit they must appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct and maintained properly		
.arge scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposu are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particulates filter conforming to EN 143		experienced
Small scale/Laboratory use	ry use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if ex limits are exceeded or if irritation or other symptoms are experienced. Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus fi 141 When RPE is used a face piece Fit Test should be conducted		are experienced. ; or; Half mask: EN140; plus filter, EN
Environmental exposure controls	rols Prevent product from entering drains. Do not allow material to contaminate ground system. Local authorities should be advised if significant spillages cannot be contain		
SECTIC	N 9: PHYSICAL AND	CHEMICAL PRO	PERTIES
0.1. Information on basic physical a	and chemical properties		
Physical State	Solid		
Appearance	White		

Appearance	White	
Odor	Odorless	
Odor Threshold	No data available	
Melting Point/Range	170 °C / 338 °F	
Softening Point	No data available	
Boiling Point/Range	No information available	
Flammability (liquid)	Not applicable	Solid
Flammability (solid,gas)	No information available	
Explosion Limits	No data available	
Flash Point	No information available	Method - No information available
Autoignition Temperature	No data available	
Autoignition Temperature Decomposition Temperature	No data available > 170°C	
• •		10 g/L aq.sol
Decomposition Temperature	> 170°C	10 g/L aq.sol Solid
Decomposition Temperature pH	> 170°C 3.6 @ 20°C	č
Decomposition Temperature pH Viscosity	> 170°C 3.6 @ 20°C Not applicable	č

Hydroxylamine sulfate

Partition Coefficient (n-octanol/wa	ater)	
Component	log Pow	
Hydroxylamine sulfate	-2.7	
Vapor Pressure	negligible	
Density / Specific Gravity	No data available	
Bulk Density	No data available	
Vapor Density	Not applicable	Solid
Particle characteristics	No data available	
9.2. Other information		
Molecular Formula Molecular Weight Evaporation Rate	H6 N2 O2 . H2 S O4 164.14 Not applicable -Solid	

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity	None known, based on information available
10.2. Chemical stability	Hygroscopic.
10.3. Possibility of hazardous react	ions
Hazardous Polymerization Hazardous Reactions	Hazardous polymerization does not occur. None under normal processing.
10.4. Conditions to avoid	Incompatible products. Excess heat. Avoid dust formation. Keep away from open flames, hot surfaces and sources of ignition. Exposure to moist air or water.
10.5. Incompatible materials	Strong oxidizing agents. Heavy metals.

10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO₂). Nitrogen oxides (NOx). Sulfur oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity; Oral Dermal

Inhalation

Category 4 Category 4 Based on available data, the classification criteria are not met

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Hydroxylamine sulfate	LD50 = 842 mg/kg (Rat)	LD50 = 1500-2000 mg/kg(Rabbit)		

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation;	Category 2
(d) respiratory or skin sensitization; Respiratory Skin	No data available Category 1 May cause sensitization by skin contact
(e) germ cell mutagenicity;	No data available
(f) carcinogenicity;	Category 2 Limited evidence of a carcinogenic effect
(g) reproductive toxicity;	No data available
(h) STOT-single exposure;	No data available
(i) STOT-repeated exposure;	Category 2
Target Organs	Eyes, Skin.
(j) aspiration hazard;	Not applicable Solid
Symptoms / effects,both acute and delayed	Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.
11.2. Information on other hazards	
Endocrine Disrupting Properties	Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.
SE	CTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecotoxicity effects

Hydroxylamine sulfate

Very toxic to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Hydroxylamine sulfate	LC50 = 3.2-7.3 mg/L/96h (Fathead minnow)	EC50: = 1.62 mg/L, 48h (Daphnia magna)	EC50: = 0.86 mg/L, 96h (Desmodesmus subspicatus) EC50: = 0.72 mg/L, 72h (Desmodesmus subspicatus)

Component	Microtox	M-Factor
Hydroxylamine sulfate		1

12.2. Persistence and degradability

Persistence Degradation in sewage Soluble in water, Persistence is unlikely, based on information available. Contains substances known to be hazardous to the environment or not degradable in waste

Revision Date 22-Sep-2023

Hydroxylamine sulfate

treatment plant

water treatment plants.

12.3. Bioaccumulative potential	Bioaccumulation is unlikely
---------------------------------	-----------------------------

Component	log Pow	Bioconcentration factor (BCF)			
Hydroxylamine sulfate	-2.7	No data available			
12.4. Mobility in soil	The product is water soluble, and may spread environment due to its water solubility. Highly	in water systems . Will likely be mobile in the mobile in soils			
12.5. Results of PBT and vPvB assessment	In accordance with Annex XIII of the REACH I require assessment.	Regulation, inorganic substances do not			
<u>12.6. Endocrine disrupting</u> properties Endocrine Disruptor Information	This product does not contain any known or su	uspected endocrine disruptors			
<u>12.7. Other adverse effects</u> Persistent Organic Pollutant Ozone Depletion Potential	This product does not contain any known or so This product does not contain any known or so				
SE	CTION 13: DISPOSAL CONSIDER	ATIONS			

13.1. Waste treatment methods

Waste from Residues/Unused Products	Should not be released into the environment. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point.
European Waste Catalogue (EWC)	According to the European Waste Catalog, Waste Codes are not product specific, but application specific.
Other Information	Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not let this chemical enter the environment.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

14.1. UN number	UN2865
14.2. UN proper shipping name	HYDROXYLAMINE SULPHATE
14.3. Transport hazard class(es)	8
14.4. Packing group	III

<u>ADR</u>

14.1. UN number	UN2865
14.2. UN proper shipping name	HYDROXYLAMINE SULPHATE
14.3. Transport hazard class(es)	8

Revision Date 22-Sep-2023

Hydroxylamine sulfate

14.4. Packing group

IATA

<u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> <u>14.4. Packing group</u>	UN2865 HYDROXYLAMINE SULPHATE 8 III
14.5. Environmental hazards	Dangerous for the environment Product is a marine pollutant according to the criteria set by IMDG/IMO
14.6. Special precautions for user	No special precautions required.
14.7. Maritime transport in bulk according to IMO instruments	Not applicable, packaged goods

Ш

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Hydroxylamine sulfate	10039-54-0	233-118-8	-	-	Х	Х	KE-03210	Х	Х
Component	CAS No	TSCA	TSCA In	ventory	DSL	NDSL	AICS	NZIoC	PICCS

component		100/1	notification - Active-Inactive	501	11202	,	112100	
Hydroxylamine sulfate	10039-54-0	Х	ACTIVE	Х	-	Х	Х	Х

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Hydroxylamine sulfate	10039-54-0	-	Use restricted. See item 75. (see link for restriction details)	-

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -	
-		Qualifying Quantities for Major Accident	Qualifying Quantities for Safety Report	
		Notification	Requirements	
Hydroxylamine sulfate	10039-54-0	Not applicable	Not applicable	

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Hydroxylamine sulfate

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

See table for values

Component Germany - Water Classification (AwSV)		Germany - TA-Luft Class	
Hydroxylamine sulfate	WGK3		

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H290 - May be corrosive to metals

- H302 Harmful if swallowed
- H312 Harmful in contact with skin
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation
- H351 Suspected of causing cancer

NOEC - No Observed Effect Concentration

- H373 May cause damage to organs through prolonged or repeated exposure
- H400 Very toxic to aquatic life
- EUH044 Risk of explosion if heated under confinement

Legend

POW - Partition coefficient Octanol:Water

CAS - Chemical Abstracts Service	TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
EINECS/ELINCS - European Inventory of Existing Commercial Chemica Substances/EU List of Notified Chemical Substances	Substances List
PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances	ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances	NZIOC - New Zealand Inventory of Chemicals
WEL - Workplace Exposure Limit	TWA - Time Weighted Average
ACGIH - American Conference of Governmental Industrial Hygienists DNEL - Derived No Effect Level	IARC - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC)
RPE - Respiratory Protective Equipment	LD50 - Lethal Dose 50%
LC50 - Lethal Concentration 50%	EC50 - Effective Concentration 50%

ACR19853

Hydroxylamine sulfate

Revision Date 22-Sep-2023

PBT - Persistent, Bioaccumulative, Toxic

vPvB - very Persistent, very Bioaccumulative

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

ADR - European Agreement Concerning the International Carriage of
Dangerous Goods by RoadICAO/IATA - International Civil Aviation Organization/International Air
Transport AssociationIMO/IMDG - International Maritime Organization/International Maritime
Dangerous Goods CodeMARPOL - International Convention for the Prevention of Pollution from
Ships

OECD - Organisation for Economic Co-operation and Development **BCF** - Bioconcentration factor

Key literature references and sources for data https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice Chemical incident response training.

Creation Date	08-Nov-2010
Revision Date	22-Sep-2023
Revision Summary	Not applicable.

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet