

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 10-Sep-2009 Revision Date 21-Sep-2023 Revision Number 13

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product Description: <u>Chlorobenzene</u>

Cat No. : 146410000; 146410010; 146410025; 146410250

**Synonyms** Monochlorobenzene; Benzene chloride

 Index No
 602-033-00-1

 CAS No
 108-90-7

 EC No
 203-628-5

 Molecular Formula
 C6 H5 Cl

REACH registration number 01-2119432722-45

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use**Laboratory chemicals.

Sector of use SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

Product category PC21 - Laboratory chemicals

**Process categories** PROC15 - Use as a laboratory reagent

**Environmental release category** ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)

Uses advised against No Information available

### 1.3. Details of the supplier of the safety data sheet

Company

UK entity/business name

Fisher Scientific UK Bishop Meadow Road,

Loughborough, Leicestershire LE11 5RG, United Kingdom

EU entity/business name

Thermo Fisher Scientific

Janssen Pharmaceuticalaan 3a, 2440 Geel, Belgium

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

# **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

Chlorobenzene Revision Date 21-Sep-2023

Flammable liquids Category 3 (H226)

**Health hazards** 

Acute Inhalation Toxicity - Vapors Category 4 (H332) Skin Corrosion/Irritation Category 2 (H315)

**Environmental hazards** 

Chronic aquatic toxicity Category 2 (H411)

Full text of Hazard Statements: see section 16

#### 2.2. Label elements



Signal Word

Warning

#### **Hazard Statements**

H226 - Flammable liquid and vapor

H332 - Harmful if inhaled

H315 - Causes skin irritation

H411 - Toxic to aquatic life with long lasting effects

#### **Precautionary Statements**

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

P280 - Wear protective gloves/protective clothing

P264 - Wash face, hands and any exposed skin thoroughly after handling

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

#### 2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and
				UK SI 2020/1567

# Chlorobenzene SAFEIT DATA SHEET

Chlorobenzene	108-90-7	EEC No. 203-628-5	>95	Flam. Liq. 3 (H226)
				Skin Irrit. 2 (H315)
				Acute Tox. 4 (H332)
				Aquatic Chronic 2 (H411)

REACH registration number 01-2119432722-45

Full text of Hazard Statements: see section 16

# **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

#### 4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable. Causes central nervous system depression: Symptoms of

overexposure may be headache, dizziness, tiredness, nausea and vomiting

# 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically. Symptoms may be delayed.

# **SECTION 5: FIREFIGHTING MEASURES**

### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

#### Extinguishing media which must not be used for safety reasons

No information available.

#### 5.2. Special hazards arising from the substance or mixture

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated.

#### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO2), Phosgene, Hydrogen chloride gas.

Revision Date 21-Sep-2023

Chlorobenzene Revision Date 21-Sep-2023

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation.

#### 6.2. Environmental precautions

Should not be released into the environment.

#### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Ensure adequate ventilation.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

# 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

Technical Rules for Hazardous Substances (TRGS) 510 Class 3 Storage Class (LGK) (Germany)

# 7.3. Specific end use(s)

Use in laboratories

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

#### **Exposure limits**

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

#### Chlorobenzene

Revision Date 21-Sep-2023

Component	The United Kingdom	European Union	Ireland	
Chlorobenzene	STEL: 3 ppm 15 min	TWA: 5 ppm (8hr)	TWA: 5 ppm 8 hr.	
	STEL: 14 mg/m <sup>3</sup> 15 min	TWA: 23 mg/m³ (8hr)	TWA: 23 mg/m <sup>3</sup> 8 hr.	
	TWA: 1 ppm 8 hr	STEL: 15 ppm (15min)	STEL: 15 ppm 15 min	
	TWA: 4.7 mg/m <sup>3</sup> 8 hr	STEL: 70 mg/m <sup>3</sup> (15min)	STEL: 70 mg/m <sup>3</sup> 15 min	
	Skin			

#### **Biological limit values**

List source(s):

Component	United Kingdom	European Union
Chlorobenzene	4-Chlorocatechol: 5 mmol/mol creatinine	
	urine post-shift	

#### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Oral)	Acute effects systemic (Oral)	Chronic effects local (Oral)	Chronic effects systemic (Oral)		
Chlorobenzene 108-90-7 ( >95 )		3 mg/kg bw/day		3 mg/kg bw/day		

#### **Predicted No Effect Concentration (PNEC)**

See values below.

#### 8.2. Exposure controls

#### **Engineering Measures**

Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

**Eye Protection** Wear safety glasses with side shields (or goggles) (European standard - EN 166)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Viton (R)	> 480 minutes	0.7 mm	Level 6	As tested under EN374-3 Determination of
			EN 374	Resistance to Permeation by Chemicals

Skin and body protection Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection**No protective equipment is needed under normal use conditions.

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

Chlorobenzene Revision Date 21-Sep-2023

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to

EN14387

Small scale/Laboratory use Maintain adequate ventilation Use a NIOSH/MSHA or European Standard EN 149:2001

approved respirator if exposure limits are exceeded or if irritation or other symptoms are

experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

141

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

Physical State Liquid

Appearance Clear

Odor bitter almonds
Odor Threshold No data available
Melting Point/Range -45 °C / -49 °F
Softening Point No data available
Boiling Point/Range 131 °C / 267.8 °F

Flammability (liquid) Flammable On basis of test data

Flammability (solid,gas) Not applicable Liquid

Explosion Limits Lower 1.3 Vol%

**Upper** 11 Vol%

Flash Point 23 °C / 73.4 °F Method - No information available

**Autoignition Temperature** 590 °C / 1094 °F

Decomposition Temperature > 132°C

pH No information available Viscosity 0.8 mPa.s @ 20°C Water Solubility 0.4 g/l (20°C)

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Componentlog PowChlorobenzene3.79

Vapor Pressure 12 mbar @ 20°C

Density / Specific Gravity 1.108

Bulk DensityNot applicableLiquidVapor Density3.9(Air = 1.0)

Particle characteristics Not applicable (liquid)

#### 9.2. Other information

Molecular Formula C6 H5 Cl Molecular Weight 112.56

**Explosive Properties** explosive air/vapour mixtures possible

**Evaporation Rate** 1 (Butyl Acetate = 1.0)

# **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity

None known, based on information available

Chlorobenzene Revision Date 21-Sep-2023

10.2. Chemical stability

Stable under recommended storage conditions.

#### 10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

**Hazardous Reactions**None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents. Bases. Strong reducing agents. Metals.

### 10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO2). Phosgene. Hydrogen chloride gas.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Product Information**

(a) acute toxicity;

Oral Based on available data, the classification criteria are not met Dermal Based on available data, the classification criteria are not met

Inhalation Category 4

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Chlorobenzene	LD50 2000 - 4000 mg/kg (Rat)	LD50 > 7940 mg/kg (Rabbit)	LC50 = 13.5 mg/L (Rat) 7 h		

## (b) skin corrosion/irritation;

Test method OECD 404
Test species rabbit

**Observational endpoint** Erythema/Eschar = 2.7

Oedema = 1

#### (c) serious eye damage/irritation;

Test method OECD 405 Test species rabbit

**Observation end point** Redness of the conjunctivae = 0.9

Iris lesion = 0

Oedema of the conjunctivae = 0.4

Cornea opacity = 0.1

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

Chlorobenzene Revision Date 21-Sep-2023

No data available (f) carcinogenicity;

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Test method **Chronic Toxicity** 

**Test species / Duration** Rat / 90 days Rat / 90 days Study result NOAEL = 125 mg/kgNOAEC =  $234 \text{ mg/m}^3$ Inhalation Route of exposure Oral

**Target Organs** No information available.

(j) aspiration hazard; Based on available data, the classification criteria are not met

**Other Adverse Effects** Tumorigenic effects have been reported in experimental animals.

delayed

Symptoms / effects,both acute and Causes central nervous system depression. Symptoms of overexposure may be headache,

dizziness, tiredness, nausea and vomiting.

#### 11.2. Information on other hazards

**Endocrine Disrupting Properties** 

Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

# **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity **Ecotoxicity effects** 

The product contains following substances which are hazardous for the environment.

Contains a substance which is:. Very toxic to aquatic organisms.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Chlorobenzene	LC50: = 91 mg/L, 96h static (Brachydanio rerio) LC50: 4.1 - 5.3 mg/L, 96h flow-through (Oncorhynchus mykiss) LC50: 4.1 - 4.9 mg/L, 96h static (Lepomis macrochirus) LC50: 6.9 - 7.9 mg/L, 96h flow-through (Lepomis macrochirus) LC50: 36.35 - 58.19 mg/L, 96h static (Poecilia reticulata) LC50: = 4.5 mg/L, 96h static (Pimephales promelas) LC50: 7 - 8.5 mg/L, 96h flow-through (Pimephales promelas)		EC50: = 12.5 mg/L, 96h static (Pseudokirchneriella subcapitata) EC50: 2.55 - 420 mg/L, 96h (Pseudokirchneriella subcapitata)

Component	Microtox	M-Factor
Chlorobenzene	EC50 = 11.26 mg/L 30 min	
	EC50 = 11.3 mg/L 30 min	

Chlorobenzene Revision Date 21-Sep-2023

EC50 = 11.5 mg/L 15 min	
EC50 = 20 mg/L 10 min	
EC50 = 9.36 mg/L 5 min	

12.2. Persistence and degradability Not readily biodegradable

Persistence is unlikely.

Degradation in sewage treatment plant

**Persistence** 

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

12.3. Bioaccumulative potential

Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Chlorobenzene	3.79	4.3 - 39.6 dimensionless

12.4. Mobility in soil

The product contains volatile organic compounds (VOC) which will evaporate easily from all

surfaces The product is water soluble, and may spread in water systems . Will likely be

mobile in the environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB

assessment

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent

and very bioaccumulative (vPvB).

12.6. Endocrine disrupting

properties

**Endocrine Disruptor Information** 

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** 

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

**European Waste Catalogue (EWC)** 

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

Other Information

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not let this chemical enter the environment. Do not empty into drains.

# **SECTION 14: TRANSPORT INFORMATION**

## IMDG/IMO

Chlorobenzene Revision Date 21-Sep-2023

UN1134 14.1. UN number

14.2. UN proper shipping name **CHLOROBENZENE** 

14.3. Transport hazard class(es) 14.4. Packing group

Ш

**ADR** 

14.1. UN number UN1134

14.2. UN proper shipping name CHLOROBENZENE

14.3. Transport hazard class(es) Ш 14.4. Packing group

**IATA** 

UN1134 14.1. UN number

**CHLOROBENZENE** 14.2. UN proper shipping name

14.3. Transport hazard class(es) 14.4. Packing group Ш

14.5. Environmental hazards Dangerous for the environment

Product is a marine pollutant according to the criteria set by IMDG/IMO

No special precautions required. 14.6. Special precautions for user

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

# **SECTION 15: REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **International Inventories**

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Chlorobenzene	108-90-7	203-628-5	-	-	Х	Х	KE-25489	Χ	Х

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Chlorobenzene	108-90-7	Х	ACTIVE	Х	-	X	Х	Х

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

# Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) -	REACH (1907/2006) -	REACH Regulation (EC
		Annex XIV - Substances	Annex XVII - Restrictions	1907/2006) article 59 -
		Subject to Authorization	on Certain Dangerous	Candidate List of
			Substances	Substances of Very High
				Concern (SVHC)
Chlorobenzene	108-90-7	-	Use restricted. See item	-
			75.	
			(see link for restriction	
			details)	

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

### Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident	, ,	
		Notification	Requirements	
Chlorobenzene	108-90-7	Not applicable	Not applicable	

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

#### **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification See table for values

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Chlorobenzene	WGK2	

Component	France - INRS (Tables of occupational diseases)		
Chlorobenzene	Tableaux des maladies professionnelles (TMP) - RG 9		

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Chlorobenzene Prohibited and Restricted 108-90-7 (>95) Substances			

#### 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has been conducted by the manufacturer/importer

# **SECTION 16: OTHER INFORMATION**

Full text of H-Statements referred to under sections 2 and 3

H332 - Harmful if inhaled

H315 - Causes skin irritation

H411 - Toxic to aquatic life with long lasting effects

Legend

Chlorobenzene Revision Date 21-Sep-2023

CAS - Chemical Abstracts Service

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

Substances List

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances
IECSC - Chinese Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances

ances ENC

Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent. Bioaccumulative. Toxic TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%
POW - Partition coefficient Octanol:Water
vPvB - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate
VOC - (Volatile Organic Compound)

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### **Training Advice**

Chemical incident response training.

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Creation Date10-Sep-2009Revision Date21-Sep-2023Revision SummaryNot applicable.

# This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**