

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 30-Nov-2009

Revision Date 25-Sep-2023

Revision Number 7

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: Cat No. : Synonyms Index No CAS No EC No Molecular Formula	<u>Methyltrichlorosilane</u> 127930000; 127930100; 127935000; 127930025 Trichloromethylsilane 014-004-00-5 75-79-6 200-902-6 C H3 Cl3 Si
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Recommended Use Uses advised against	Laboratory chemicals. No Information available
1.3. Details of the supplier of the sa	afety data sheet
Company	UK entity/business name Fisher Scientific UK Bishop Meadow Road, Loughborough, Leicestershire LE11 5RG, United Kingdom EU entity/business name Thermo Fisher Scientific Janssen Pharmaceuticalaan 3a, 2440 Geel, Belgium
E-mail address	begel.sdsdesk@thermofisher.com
1.4. Emergency telephone number	For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11 Emergency Number US :001-201-796-7100 / Europe : +32 14 57 52 99 CHEMTREC Tel. No. US :001-800-424-9300 / Europe :001-703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

Flammable liquids

Category 2 (H225)

Health hazards

Methyltrichlorosilane

Acute oral toxicity Acute dermal toxicity Acute Inhalation Toxicity - Vapors Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H225 - Highly flammable liquid and vapor

H331 - Toxic if inhaled

H314 - Causes severe skin burns and eye damage

H302 + H312 - Harmful if swallowed or in contact with skin

EUH014 - Reacts violently with water

EUH071 - Corrosive to the respiratory tract

Precautionary Statements

P302 + P350 - IF ON SKIN: Gently wash with plenty of soap and water

P310 - Immediately call a POISON CENTER or doctor/physician

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P310 - Immediately call a POISON CENTER or doctor/physician

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

2.3. Other hazards

Reacts violently with water Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

Toxic to terrestrial vertebrates This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Category 4 (H302) Category 4 (H312) Category 3 (H331) Category 1 A (H314) Category 1 (H318)

Methyltrichlorosilane

Revision Date 25-Sep-2023

Methyltrichlorosilane	75-79-6	EEC No. 200-902-6	>95	Flam. Liq. 2 (H225) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Skin Corr. 1A (H314) Eye Dam. 1 (H318) Acute Tox. 3 (H331) [EUH014]
		l		[EUH071]

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Methyltrichlorosilane	STOT SE 3 :: C>=1%	-	-
	Skin Irrit. 2 :: C>=1%		
	Eye Irrit. 2 :: C>=1%		

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately.
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.
4.2. Most important symptoms and	effects, both acute and delayed
	Difficulty in breathing Causes burns by all exposure routes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of

4.3. Indication of any immediate medical attention and special treatment needed

perforation

Notes to Physician

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Powder. Water mist may be used to cool closed containers. CO₂, dry chemical, dry sand, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

Methyltrichlorosilane

Water.

5.2. Special hazards arising from the substance or mixture

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Reacts violently with water. Risk of ignition. Corrosive material. Causes burns by all exposure routes.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO₂), Silicon dioxide, Hydrogen chloride gas.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges. Do not get in eyes, on skin, or on clothing. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Do not expose spill to water. Take precautionary measures against static discharges.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges. Do not allow contact with water. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Use only under a chemical fume hood. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Flammables area. Keep away from heat, sparks and flame. Keep away from water or moist air. Store under an inert atmosphere. Keep away from open flames, hot surfaces and sources of ignition. Corrosives area.

Technical Rules for Hazardous Substances (TRGS) 510Class 3Storage Class (LGK) (Germany)Class 3

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits List source(s):

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Methyltrichlorosilane 75-79-6 (>95)		DNEL = 6.6mg/kg bw/day		DNEL = 6.6mg/kg bw/day
				DNEL = 1.2mg/kg bw/day

Component	Acute effects local	Acute effects	Chronic effects local	Chronic effects
	(Inhalation)	systemic (Inhalation)	(Inhalation)	systemic (Inhalation)
Methyltrichlorosilane 75-79-6 (>95)	DNEL = 10.9mg/m ³	DNEL = 46.6mg/m ³	DNEL = 10.9mg/m ³ DNEL = 9.3mg/m ³	DNEL = 46.6 mg/m ³ DNEL = 4.1 mg/m ³

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Microorganisms in sewage treatment	
Methyltrichlorosilane	PNEC = 0.2mg/L	PNEC = 0.54mg/kg	PNEC = 66.7mg/L	PNEC = 0.34mg/kg
75-79-6 (>95)		sediment dw		soil dw

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Methyltrichlorosilane 75-79-6 (>95)	PNEC = 0.02mg/L	PNEC = 0.054mg/kg		PNEC = 16.7mg/kg food	
13-13-0 (285)		sediment dw		1000	

8.2. Exposure controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in

Methyltrichlorosilane

confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Use only under a chemical fume hood. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equ Eye Protection		(European standard	I - EN 166)		
Hand Protection	Protectiv	e gloves			
Glove material Nitrile rubber Neoprene Natural rubber PVC	Breakthrough time See manufacturers recommendations	Glove thickness -	EU standard EN 374	Glove comments (minimum requirement)	
Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.					

Inspect aloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to EN14387
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141 When RPE is used a face piece Fit Test should be conducted

No information available. **Environmental exposure controls**

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State	Liquid
Appearance Odor	Colorless pungent
Odor Threshold	No data available
Melting Point/Range	-77 °C / -106.6 °F
Softening Point	No data available
Boiling Point/Range	66 °C / 150.8 °F
Flammability (liquid)	Highly flammable
Flammability (solid,gas)	Not applicable
Explosion Limits	Lower 5.5 Vol%
	Upper 10.4 Vol%
Flash Point	-15 °C / 5 °F

@ 760 mmHg On basis of test data Liquid

Method - No information available

Methyltrichlorosilane

Autoignition Temperature	404 - °C / 759.2 - °F		
Decomposition Temperature	No data available		
pH	No information available		
Viscosity	0.48 mPa.s		
Water Solubility	Reacts violently with water		
Solubility in other solvents No information available			
Partition Coefficient (n-octanol/v	vater)		
Vapor Pressure	180 mbar @ 20°C		
Density / Specific Gravity	1.270		
Bulk Density	Not applicable	Liquid	
Vapor Density	No data available	(Air = 1.0)	
Particle characteristics	Not applicable (liquid)	· · · · ·	
	,		

9.2. Other information

Molecular Formula	C H3 Cl3 Si
Molecular Weight	149.48
Explosive Properties	Vapors may form explosive mixtures with air

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity	Yes
10.2. Chemical stability	Moisture sensitive. Reacts violently with water.
10.3. Possibility of hazardous react	ions_
Hazardous Polymerization Hazardous Reactions	Hazardous polymerization does not occur. Reacts violently with water.
10.4. Conditions to avoid	Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition. Exposure to moist air or water. Heat, flames and sparks.
10.5. Incompatible materials	Strong oxidizing agents. Water. Strong acids. Strong bases. Amines. Alcohols. Metals.

10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO₂). Silicon dioxide. Hydrogen chloride gas.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity; Oral

Inhalation

Dermal

Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Methyltrichlorosilane	<1280 mg/kg (Rat)	1067 mg/kg (Rabbit)	4.17 mg/L/4h (Rat)	

(b) skin corrosion/irritation;	Category 1 A
(c) serious eye damage/irritation;	Category 1
d) respiratory or skin sensitization; Respiratory Skin	No data available No data available
e) germ cell mutagenicity;	No data available
	Not mutagenic in AMES Test
i) carcinogenicity;	No data available
	There are no known carcinogenic chemicals in this product
g) reproductive toxicity;	No data available
h) STOT-single exposure;	Category 3
i) STOT-repeated exposure;	No data available
Target Organs	No information available.
) aspiration hazard;	No data available
Other Adverse Effects	See actual entry in RTECS for complete information The toxicological properties have not been fully investigated.
ymptoms / effects,both acute and lelayed	Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.
1.2. Information on other hazards	
Endocrine Disrupting Properties	Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.
SE	CTION 12: ECOLOGICAL INFORMATION
<u>12.1. Toxicity</u> Ecotoxicity effects	Do not empty into drains. Reacts with water so no ecotoxicity data for the substance is available.
12.2. Persistence and degradability Persistence Degradability	Readily biodegradable Persistence is unlikely, based on information available. Reacts with water.
ACR12793	

Methyltrichlorosilane

Methyltrichlorosilane	Revision Date 25-Sep-2023
Degradation in sewage treatment plant	Reacts violently with water.
12.3. Bioaccumulative potential	Bioaccumulation is unlikely
<u>12.4. Mobility in soil</u>	The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces Will likely be mobile in the environment due to its volatility. Disperses rapidly in air
<u>12.5. Results of PBT and vPvB</u> assessment	Reacts violently with water. Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB).
<u>12.6. Endocrine disrupting</u> properties Endocrine Disruptor Information	This product does not contain any known or suspected endocrine disruptors
<u>12.7. Other adverse effects</u> Persistent Organic Pollutant Ozone Depletion Potential	This product does not contain any known or suspected substance This product does not contain any known or suspected substance
SI	ECTION 13: DISPOSAL CONSIDERATIONS
13.1. Waste treatment methods	
Waste from Residues/Unused Products	Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

According to the European Waste Catalog, Waste Codes are not product specific, but application specific. European Waste Catalogue (EWC)

Other Information	Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

14.1. UN number	UN1250
14.2. UN proper shipping name	METHYLTRICHLOROSILANE
14.3. Transport hazard class(es)	3
Subsidiary Hazard Class	8
14.4. Packing group	II

<u>ADR</u>

Methy	/ltrich	lorosilane

14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class(es) Subsidiary Hazard Class 14.4. Packing group	UN1250 METHYLTRICHLOROSILANE 3 8 II
IATA	
<u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> Subsidiary Hazard Class <u>14.4. Packing group</u>	UN1250 METHYLTRICHLOROSILANE 3 8 II
14.5. Environmental hazards	No hazards identified
14.6. Special precautions for user	No special precautions required.
14.7. Maritime transport in bulk according to IMO instruments	Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Methyltrichlorosilane	75-79-6	200-902-6	-	-	X	Х	Х	Х	Х
Component	CAS No	TSCA	TSCA TSCA Inventory notification - Active-Inactive		DSL	NDSL	AICS	NZIoC	PICCS

Methyltrichlorosilane	75-79-6	Х	ACTIVE	Х	-	Х	Х

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	0	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Methyltrichlorosilane	75-79-6	-	Use restricted. See item 75. (see link for restriction details)	-

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -
-		Qualifying Quantities for Major Accident	Qualifying Quantities for Safety Report
		Notification	Requirements

Х

Revision Date 25-Sep-2023

Methyltrichlorosilane	75-79-6	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Methyltrichlorosilane

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

See table for values

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Methyltrichlorosilane	WGK 1	

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16	: OTHER IN	VFORMATION

Full text of H-Statements referred to under sections 2 and 3

H225 - Highly flammable liquid and vapor

- H302 Harmful if swallowed
- H312 Harmful in contact with skin
- H314 Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H331 - Toxic if inhaled

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

EUH014 - Reacts violently with water

EUH071 - Corrosive to the respiratory tract

Legend

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

CAS - Chemical Abstracts Service	TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances	,
WEL - Workplace Exposure Limit ACGIH - American Conference of Governmental Industrial Hygienists	TWA - Time Weighted Average IARC - International Agency for Research on Cancer

Revision Date 25-Sep-2023

LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

Methyltrichlorosilane

ADR - European Agreement Concerning the International Carriage of
Dangerous Goods by RoadICAO/
TransgIMO/IMDG - International Maritime Organization/International Maritime
Dangerous Goods CodeMARP
ShipsOECD - Organisation for Economic Co-operation and Development
BCF - Bioconcentration factorATE -
VOC -Key literature references and sources for data
https://echa.europa.eu/information-on-chemicals
Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association MARPOL - International Convention for the Prevention of Pollution from Ships ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Creation Date	30-Nov-2009
Revision Date	25-Sep-2023
Revision Summary	Not applicable.

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet