

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

**Product Description:** Dibenzoyl peroxide, 75%, remainder water  
**Cat No. :** 211780000; 211780010; 211780050; 211781000  
**Synonyms** Benzoyl peroxide; BPO; Cadet®; Lucidol®; Perkadox® L-W75

**Index No** 617-008-00-0  
**CAS No** 94-36-0  
**EC No** 202-327-6  
**Molecular Formula** C14 H10 O4  
**REACH registration number** 01-2119511472-50

**Unique Formula Identifier (UFI)** MFPM-4TDA-0W0X-S2NN

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Laboratory chemicals.  
**Sector of use** SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites  
**Product category** PC21 - Laboratory chemicals  
**Process categories** PROC15 - Use as a laboratory reagent  
**Environmental release category** ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)  
**Uses advised against** No Information available

### 1.3. Details of the supplier of the safety data sheet

#### Company

**UK entity/business name**  
 Fisher Scientific UK  
 Bishop Meadow Road,  
 Loughborough, Leicestershire LE11 5RG, United Kingdom

**EU entity/business name**  
 Thermo Fisher Scientific  
 Janssen Pharmaceuticaaan 3a, 2440 Geel, Belgium

**E-mail address** [begele.sdsdesk@thermofisher.com](mailto:begele.sdsdesk@thermofisher.com)

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

#### Poison Centre - Emergency information services

**Ireland** : National Poisons Information Centre (NPIC) -  
**01 809 2166** (8am-10pm, 7 days a week)  
**Malta** : +356 2395 2000  
**Cyprus** : +357 2240 5611

## SECTION 2: HAZARDS IDENTIFICATION

# SAFETY DATA SHEET

Dibenzoyl peroxide, 75%, remainder water

Revision Date 27-Sep-2023

## 2.1. Classification of the substance or mixture

### CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

#### Physical hazards

Organic peroxides Type C (H242)

#### Health hazards

Serious Eye Damage/Eye Irritation Category 2 (H319)  
Skin Sensitization Category 1 (H317)

#### Environmental hazards

Acute aquatic toxicity Category 1 (H400)  
Chronic aquatic toxicity Category 1 (H410)

Full text of Hazard Statements: see section 16

## 2.2. Label elements



Signal Word

Danger

### Hazard Statements

- H242 - Heating may cause a fire
- H317 - May cause an allergic skin reaction
- H319 - Causes serious eye irritation
- H410 - Very toxic to aquatic life with long lasting effects

### Precautionary Statements

- P280 - Wear protective gloves/protective clothing/eye protection/face protection
- P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
- P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
- P337 + P313 - If eye irritation persists: Get medical advice/attention
- P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

## 2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

# SAFETY DATA SHEET

Dibenzoyl peroxide, 75%, remainder water

Revision Date 27-Sep-2023

## 3.1. Substances

| Component          | CAS No    | EC No             | Weight % | CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567                                  |
|--------------------|-----------|-------------------|----------|--|
| Water              | 7732-18-5 | 231-791-2         | 25       | -  |
| Dibenzoyl peroxide | 94-36-0   | EEC No. 202-327-6 | 75       | Org. Perox. B (H241)<br>Skin Sens. 1 (H317)<br>Eye Irrit. 2 (H319)<br>Aquatic Acute 1 (H400)<br>Aquatic Chronic 1 (H410) |

| Component          | Specific concentration limits (SCL's) | M-Factor | Component notes |
|--------------------|---------------------------------------|----------|-----------------|
| Dibenzoyl peroxide | -                                     | 10       | -               |

|                                  |                  |
|----------------------------------|------------------|
| <b>REACH registration number</b> | 01-2119511472-50 |
|----------------------------------|------------------|

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

|   |   |
|---|---|
| <b>General Advice</b>                     | If symptoms persist, call a physician.  |
| <b>Eye Contact</b>                        | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.   |
| <b>Skin Contact</b>                       | Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. |
| <b>Ingestion</b>                          | Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.             |
| <b>Inhalation</b>                         | Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.      |
| <b>Self-Protection of the First Aider</b> | Use personal protective equipment as required.  |

### 4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable. May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

### 4.3. Indication of any immediate medical attention and special treatment needed

|                           |   |
|---------------------------|---|
| <b>Notes to Physician</b> | May cause sensitization of susceptible persons. Use of epinephrine may be indicated. Treat symptomatically. |
|---------------------------|---|

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam.

# SAFETY DATA SHEET

Dibenzoyl peroxide, 75%, remainder water

Revision Date 27-Sep-2023

## **Extinguishing media which must not be used for safety reasons**

Do not use halon type extinguisher.

## **5.2. Special hazards arising from the substance or mixture**

In the event of fire, cool tanks with water spray. Dry residue is explosive. Thermal decomposition can lead to release of irritating gases and vapors. Contact with metals may evolve flammable gas. Organic peroxide. May undergo hazardous decomposition. May ignite combustibles (wood paper, oil, clothing, etc.). Do not allow run-off from fire-fighting to enter drains or water courses. These substances will accelerate burning when involved in a fire.

## **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>).

## **5.3. Advice for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation.

### **6.2. Environmental precautions**

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

### **6.3. Methods and material for containment and cleaning up**

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

### **6.4. Reference to other sections**

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

### **7.1. Precautions for safe handling**

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation. Keep away from clothing and other combustible materials.

## **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

### **7.2. Conditions for safe storage, including any incompatibilities**

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near combustible materials. Keep at temperatures below 40°C.

**Technical Rules for Hazardous Substances (TRGS) 510**  
**Storage Class (LGK) (Germany)**

Class 5.2

# SAFETY DATA SHEET

Dibenzoyl peroxide, 75%, remainder water

Revision Date 27-Sep-2023

## 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

| Component          | The United Kingdom   | European Union | Ireland   |
|--------------------|--|----------------|---|
| Dibenzoyl peroxide | STEL: 15 mg/m <sup>3</sup> 15 min<br>TWA: 5 mg/m <sup>3</sup> 8 hr |                | TWA: 5 mg/m <sup>3</sup> 8 hr.<br>STEL: 15 mg/m <sup>3</sup> 15 min |

#### Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

Workers; See table for values

| Component                            | Acute effects local (Dermal) | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|--------------------------------------|------------------------------|---------------------------------|--------------------------------|-----------------------------------|
| Dibenzoyl peroxide<br>94-36-0 ( 75 ) |                              |                                 | DNEL = 34µg/cm <sup>2</sup>    | DNEL = 13.3mg/kg<br>bw/day        |

| Component                            | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|--------------------------------------|----------------------------------|-------------------------------------|------------------------------------|---------------------------------------|
| Dibenzoyl peroxide<br>94-36-0 ( 75 ) |                                  |                                     |                                    | DNEL = 39mg/m <sup>3</sup>            |

#### Predicted No Effect Concentration (PNEC)

See values below.

| Component                            | Fresh water     | Fresh water sediment                 | Water Intermittent | Microorganisms in sewage treatment | Soil (Agriculture)               |
|--------------------------------------|-----------------|--------------------------------------|--------------------|------------------------------------|----------------------------------|
| Dibenzoyl peroxide<br>94-36-0 ( 75 ) | PNEC = 0.02µg/L | PNEC =<br>0.0127mg/kg<br>sediment dw | PNEC = 0.602µg/L   | PNEC = 0.35mg/L                    | PNEC =<br>0.0025mg/kg soil<br>dw |

| Component                            | Marine water     | Marine water sediment                 | Marine water intermittent | Food chain | Air |
|--------------------------------------|------------------|---------------------------------------|---------------------------|------------|-----|
| Dibenzoyl peroxide<br>94-36-0 ( 75 ) | PNEC = 0.002µg/L | PNEC =<br>0.00127mg/kg<br>sediment dw |                           |            |     |

### 8.2. Exposure controls

#### Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Wash hands before breaks and immediately after handling the product.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to

# SAFETY DATA SHEET

Dibenzoyl peroxide, 75%, remainder water

Revision Date 27-Sep-2023

control hazardous materials at source

## Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

**Hand Protection** Protective gloves

| Glove material | Breakthrough time                 | Glove thickness | EU standard | Glove comments        |
|----------------|-----------------------------------|-----------------|-------------|-----------------------|
| Nitrile rubber | See manufacturers recommendations | -               | EN 374      | (minimum requirement) |
| Neoprene       |                                   |                 |             |                       |
| Natural rubber |                                   |                 |             |                       |
| PVC            |                                   |                 |             |                       |

**Skin and body protection** Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

**Large scale/emergency use** Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced  
**Recommended Filter type:** Particulates filter conforming to EN 143

**Small scale/Laboratory use** Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.  
**Recommended half mask:-** Particle filtering: EN149:2001  
When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls** Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

|   |                             |  |
|---|-----------------------------|--|
| <b>Physical State</b>                                     | Solid                       |  |
| <b>Appearance</b>   | White                       |  |
| <b>Odor</b>   | Slight                      |  |
| <b>Odor Threshold</b>                                     | No data available           |  |
| <b>Melting Point/Range</b>                                | 104 - 106 °C / 219 - 223 °F |  |
| <b>Softening Point</b>                                    | No data available           |  |
| <b>Boiling Point/Range</b>                                | No information available    |  |
| <b>Flammability (liquid)</b>                              | Not applicable              | Solid                                    |
| <b>Flammability (solid,gas)</b>                           | No information available    |  |
| <b>Explosion Limits</b>                                   | No data available           |  |
| <b>Flash Point</b>  | No information available    | <b>Method -</b> No information available |
| <b>Autoignition Temperature</b>                           | >380 °C / >716 °F           |  |
| <b>Decomposition Temperature</b>                          | No data available           |  |
| <b>Self-Accelerating Decomposition Temperature (SADT)</b> | 80                          |  |

# SAFETY DATA SHEET

Dibenzoyl peroxide, 75%, remainder water

Revision Date 27-Sep-2023

|   |                          |       |
|---|--------------------------|-------|
| pH                                      | No information available |       |
| Viscosity                               | Not applicable           | Solid |
| Water Solubility                        | Insoluble                |       |
| Solubility in other solvents            | No information available |       |
| Partition Coefficient (n-octanol/water) |                          |       |
| Component                               | <b>log Pow</b>           |       |
| Dibenzoyl peroxide                      | 3.2                      |       |
| Vapor Pressure                          | No data available        |       |
| Density / Specific Gravity              | No data available        |       |
| Bulk Density                            | No data available        |       |
| Vapor Density                           | Not applicable           | Solid |
| Particle characteristics                | No data available        |       |

## 9.2. Other information

|                      |                        |
|----------------------|------------------------|
| Molecular Formula    | C14 H10 O4             |
| Molecular Weight     | 242.23                 |
| Oxidizing Properties | Oxidizer               |
| Evaporation Rate     | Not applicable - Solid |

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

Yes

### 10.2. Chemical stability

Organic peroxide. Hazardous decomposition may occur. This material poses an explosion hazard when dry. Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

|                          |  |
|--------------------------|--|
| Hazardous Polymerization | Hazardous polymerization does not occur. |
| Hazardous Reactions      | None under normal processing.            |

### 10.4. Conditions to avoid

Incompatible products. Excess heat. Avoid dust formation. Combustible material. Dry residue is explosive.

### 10.5. Incompatible materials

Strong oxidizing agents. Strong reducing agents. Combustible material.

### 10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

#### (a) acute toxicity;

|            |  |
|------------|--|
| Oral       | Based on available data, the classification criteria are not met |
| Dermal     | Based on available data, the classification criteria are not met |
| Inhalation | Based on available data, the classification criteria are not met |

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-----------|-----------|-------------|-----------------|
|-----------|-----------|-------------|-----------------|

# SAFETY DATA SHEET

Dibenzoyl peroxide, 75%, remainder water

Revision Date 27-Sep-2023

|                    |                           |   |   |
|--------------------|---------------------------|---|---|
| Water              | -                         | - | - |
| Dibenzoyl peroxide | LD50 = 7710 mg/kg ( Rat ) | - | - |

(b) skin corrosion/irritation; Based on available data, the classification criteria are not met

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

Respiratory

Skin

Based on available data, the classification criteria are not met

Category 1

May cause sensitization by skin contact

(e) germ cell mutagenicity;

Based on available data, the classification criteria are not met

Not mutagenic in AMES Test

(f) carcinogenicity;

Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity;

Based on available data, the classification criteria are not met

(h) STOT-single exposure;

Based on available data, the classification criteria are not met

(i) STOT-repeated exposure;

Based on available data, the classification criteria are not met

Target Organs

None known.

(j) aspiration hazard;

Not applicable

Solid

Symptoms / effects, both acute and delayed

Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

## 11.2. Information on other hazards

### Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

#### Ecotoxicity effects

The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

| Component          | Freshwater Fish      | Water Flea           | Freshwater Algae     |
|--------------------|----------------------|----------------------|----------------------|
| Dibenzoyl peroxide | LC50 = 0.06 mg/L 96h | EC50 = 0.11 mg/L 48h | EC50 = 0.06 mg/L 72h |

| Component          | Microtox | M-Factor |
|--------------------|----------|----------|
| Dibenzoyl peroxide |          | 10       |



# SAFETY DATA SHEET

Dibenzoyl peroxide, 75%, remainder water

Revision Date 27-Sep-2023

**12.2. Persistence and degradability** Expected to be biodegradable  
**Persistence** Insoluble in water.  
**Degradation in sewage treatment plant** Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

**12.3. Bioaccumulative potential** May have some potential to bioaccumulate

| Component          | log Pow | Bioconcentration factor (BCF) |
|--------------------|---------|-------------------------------|
| Dibenzoyl peroxide | 3.2     | No data available             |

**12.4. Mobility in soil** Spillage unlikely to penetrate soil . Is not likely mobile in the environment due its low water solubility.

**12.5. Results of PBT and vPvB assessment** No data available for assessment.

**12.6. Endocrine disrupting properties**  
**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

**12.7. Other adverse effects**  
**Persistent Organic Pollutant** This product does not contain any known or suspected substance  
**Ozone Depletion Potential** This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Waste from Residues/Unused Products** Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

**European Waste Catalogue (EWC)** According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

**Other Information** Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not let this chemical enter the environment. Do not empty into drains.

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

**14.1. UN number** UN3104  
**14.2. UN proper shipping name** ORGANIC PEROXIDE TYPE C, SOLID (DIBENZOYL PEROXIDE)  
**Technical Shipping Name** DIBENZOYL PEROXIDE  
**14.3. Transport hazard class(es)** 5.2

# SAFETY DATA SHEET

Dibenzoyl peroxide, 75%, remainder water

Revision Date 27-Sep-2023

## 14.4. Packing group

### ADR

**14.1. UN number** UN3104  
**14.2. UN proper shipping name** ORGANIC PEROXIDE TYPE C, SOLID (DIBENZOYL PEROXIDE)  
**Technical Shipping Name** DIBENZOYL PEROXIDE  
**14.3. Transport hazard class(es)** 5.2  
**14.4. Packing group**

### IATA

**14.1. UN number** UN3104  
**14.2. UN proper shipping name** ORGANIC PEROXIDE TYPE C, SOLID (Dibenzoyl peroxide)  
**Technical Shipping Name** DIBENZOYL PEROXIDE  
**14.3. Transport hazard class(es)** 5.2  
**14.4. Packing group**

**14.5. Environmental hazards** Dangerous for the environment  
 Product is a marine pollutant according to the criteria set by IMDG/IMO

**14.6. Special precautions for user** No special precautions required.

**14.7. Maritime transport in bulk according to IMO instruments** Not applicable, packaged goods

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component          | CAS No    | EINECS    | ELINCS | NLP | IECSC | TCSI | KECL     | ENCS | ISHL |
|--------------------|-----------|-----------|--------|-----|-------|------|----------|------|------|
| Water              | 7732-18-5 | 231-791-2 | -      | -   | X     | X    | KE-35400 | X    | -    |
| Dibenzoyl peroxide | 94-36-0   | 202-327-6 | -      | -   | X     | X    | KE-09889 | X    | X    |

| Component          | CAS No    | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|--------------------|-----------|------|---|-----|------|------|-------|-------|
| Water              | 7732-18-5 | X    | ACTIVE  | X   | -    | X    | X     | X     |
| Dibenzoyl peroxide | 94-36-0   | X    | ACTIVE  | X   | -    | X    | X     | X     |

**Legend:** X - Listed '-' - Not Listed

**KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

#### Authorisation/Restrictions according to EU REACH

| Component          | CAS No    | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|--------------------|-----------|---|---|---|
| Water              | 7732-18-5 | -   | -   | -   |
| Dibenzoyl peroxide | 94-36-0   | -   | Use restricted. See item 75. (see link for restriction details)               | -   |

# SAFETY DATA SHEET

Dibenzoyl peroxide, 75%, remainder water

Revision Date 27-Sep-2023

## REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

## Seveso III Directive (2012/18/EC)

| Component          | CAS No    | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|--------------------|-----------|---|--|
| Water              | 7732-18-5 | Not applicable  | Not applicable   |
| Dibenzoyl peroxide | 94-36-0   | Not applicable  | Not applicable   |

## Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

## Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

## National Regulations

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

## WGK Classification

Water endangering class = 1 (self classification)

| Component          | Germany - Water Classification (AwSV) | Germany - TA-Luft Class                              |
|--------------------|---------------------------------------|--|
| Dibenzoyl peroxide | WGK2                                  | Class I : 20 mg/m <sup>3</sup> (Massenkonzentration) |

| Component                            | Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81) | Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC) | Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure |
|--------------------------------------|--|---|---|
| Dibenzoyl peroxide<br>94-36-0 ( 75 ) | Prohibited and Restricted Substances   |   |   |

## 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

H242 - Heating may cause a fire  
H317 - May cause an allergic skin reaction  
H319 - Causes serious eye irritation  
H400 - Very toxic to aquatic life  
H410 - Very toxic to aquatic life with long lasting effects  
H241 - Heating may cause a fire or explosion

# SAFETY DATA SHEET

Dibenzoyl peroxide, 75%, remainder water

Revision Date 27-Sep-2023

## Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/MDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

### **Key literature references and sources for data**

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

### **Training Advice**

Chemical incident response training.

**Creation Date** 25-Oct-2010

**Revision Date** 27-Sep-2023

**Revision Summary** Not applicable.

**This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.**

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**