

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 12-Nov-2009 Revision Date 20-Oct-2023 Revision Number 14

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: N-Methyl-2-pyrrolidone

Cat No. : M/5120/05, M/5120/08, M/5120/25

Synonyms 1-Methyl-2-pyrrolidone; N-Methylpyrrolidone; NMP

 Index No
 606-021-00-7

 CAS No
 872-50-4

 EC No
 212-828-1

 Molecular Formula
 C5 H9 N O

REACH registration number 01-2119472430-46

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended UseLaboratory chemicals.

Sector of use SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

Product category PC21 - Laboratory chemicals

Process categories PROC15 - Use as a laboratory reagent

Environmental release category ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)

Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company

UK entity/business name

Fisher Scientific UK

Bishop Meadow Road, Loughborough, Leicestershire LE11 5RG, United Kingdom

EU entity/business name Thermo Fisher Scientific

Janssen Pharmaceuticalaan 3a

2440 Geel, Belgium

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

Tel: 01509 231166

Chemtrec US: (800) 424-9300 Chemtrec EU: 001-703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

N-Methyl-2-pyrrolidone Revision Date 20-Oct-2023

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

Skin Corrosion/Irritation
Serious Eye Damage/Eye Irritation
Reproductive Toxicity
Specific target organ toxicity - (single exposure)

Category 2 (H315) Category 2 (H319) Category 1B (H360D) Category 3 (H335)

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

H360D - May damage the unborn child

Combustible liquid

Precautionary Statements

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

P337 + P313 - If eye irritation persists: Get medical advice/attention

Additional EU labelling

Restricted to professional users

2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
1-Methyl-2-pyrrolidone	872-50-4	EEC No. 212-828-1	99	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Repr. 1B (H360D) STOT SE 3 (H335)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
1-Methyl-2-pyrrolidone	STOT SE 3 (H335) :: C>=10%	-	-

REACH registration number	01-2119472430-46
NEACH registration number	01 21104/2400 40

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

N-Methyl-2-pyrrolidone

General Advice May damage the unborn child. Immediate medical attention is required. Show this safety

data sheet to the doctor in attendance.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting, Central nervous system disorders

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically. Symptoms may be delayed.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

No information available.

FSUM5120

Revision Date 20-Oct-2023

N-Methyl-2-pyrrolidone Revision Date 20-Oct-2023

5.2. Special hazards arising from the substance or mixture

Combustible material. Containers may explode when heated. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO₂), Nitrogen oxides (NOx), peroxides.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Not to be used by pregnant workers and workers who have recently given birth or who are breastfeeding. Ensure adequate ventilation. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Remove all sources of ignition. Take precautionary measures against static discharges.

6.2. Environmental precautions

Should not be released into the environment.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Not to be used by pregnant workers and workers who have recently given birth or who are breastfeeding. Wear personal protective equipment/face protection. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Protect from light.

Technical Rules for Hazardous Substances (TRGS) 510 Class 6.1C Storage Class (LGK) (Germany)

N-Methyl-2-pyrrolidone Revision Date 20-Oct-2023

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

Component	The United Kingdom	European Union	Ireland
1-Methyl-2-pyrrolidone	STEL: 20 ppm 15 min	TWA: 40 mg/m ³ (8h)	TWA: 10 ppm 8 hr.
	STEL: 80 mg/m ³ 15 min	TWA: 10 ppm (8h)	TWA: 40 mg/m ³ 8 hr.
	TWA: 10 ppm 8 hr	Skin	STEL: 20 ppm 15 min
	TWA: 40 mg/m ³ 8 hr		STEL: 80 mg/m ³ 15 min
	Skin		Skin
		STEL: 20 ppm (15min)	
		STEL: 80 mg/m³ (15min)	
		STEL: 80 mg/m³ (8h)	
		STEL: 20 ppm (8h)	

Biological limit values

List source(s):

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
1-Methyl-2-pyrrolidone 872-50-4 (99)				DNEL = 4.8mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
1-Methyl-2-pyrrolidone 872-50-4 (99)			DNEL = 40mg/m ³	DNEL = 14.4mg/m ³

Predicted No Effect Concentration (PNEC)

See values below.

ſ	Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
			sediment		sewage treatment	
	1-Methyl-2-pyrrolidone 872-50-4 (99)	PNEC = 0.25mg/L	PNEC = 1.09mg/kg sediment dw	PNEC = 5mg/L	PNEC = 10mg/L	PNEC = 0.0701mg/kg soil dw

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
1-Methyl-2-pyrrolidone	PNEC = 0.025mg/L	PNEC =			
872-50-4 (99)		0.109mg/kg			
		sediment dw			

N-Methyl-2-pyrrolidone Revision Date 20-Oct-2023

8.2. Exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Nitrile rubber	< 30 minutes	0.38 mm	Level 2	Permeation rate 43 µg/cm2/min
Neoprene	< 140 minutes	0.66 mm	Level 4	Permeation rate 19 µg/cm2/min
·			EN 374	As tested under EN374-3 Determination of
				Resistance to Permeation by Chemicals
Butvl rubber	> 480 minutes	0.50 mm		,

Skin and body protection Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to

EN14387

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

141

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Liquid

Appearance Colorless
Odor Mild amine
Odor Threshold No data available
Melting Point/Range -24 °C / -11.2 °F

Melting Point/Range -24 °C / -11.2 °F
Softening Point No data available

Boiling Point/Range 202 °C / 395.6 °F @ 760 mmHg

N-Methyl-2-pyrrolidone Revision Date 20-Oct-2023

Flammability (liquid) Combustible liquid On basis of test data

Flammability (solid,gas) Not applicable Liquid

Explosion Limits Lower 1.3 vol %

Upper 9.5 vol %

Flash Point 91 °C / 195.8 °F Method - No information available

Autoignition Temperature 346 °C / 654.8 °F **Decomposition Temperature** No data available

pH 7.7-8.0 100 g/L aq.sol

Viscosity 1.67 mPa s at 20 °C

Water Solubility Miscible

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow 1-Methyl-2-pyrrolidone -0.46

Vapor Pressure 0.7 mbar @ 25 °C

Density / Specific Gravity 1.030

Bulk DensityNot applicableLiquidVapor Density3.4(Air = 1.0)

Particle characteristics Not applicable (liquid)

9.2. Other information

Molecular FormulaC5 H9 N OMolecular Weight99.13

Explosive Properties explosive air/vapour mixtures possible

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Hygroscopic. Air sensitive. Light sensitive.

10.3. Possibility of hazardous reactions

Hazardous PolymerizationNo information available.Hazardous ReactionsNone under normal processing.

10.4. Conditions to avoid

Incompatible products. Heat, flames and sparks. Exposure to air. Exposure to moist air or water. Exposure to light. Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO₂). Nitrogen oxides (NOx). peroxides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

N-Methyl-2-pyrrolidone Revision Date 20-Oct-2023

Based on available data, the classification criteria are not met Oral Dermal Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Inhalation

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
1-Methyl-2-pyrrolidone	LD50 = 3914 mg/kg (Rat)	LD50 = 8 g/kg (Rabbit)	LC50 > 5.1 mg/L (Rat) 4 h

Category 2 (b) skin corrosion/irritation;

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

Respiratory Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Skin

(e) germ cell mutagenicity;

Mutagenic effects have occured in microorganisms

(f) carcinogenicity; Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

Category 1B (g) reproductive toxicity;

Reproductive Effects Experiments have shown reproductive toxicity effects on laboratory animals.

Developmental Effects Substances known to cause developmental toxicity in humans. May cause harm to the

unborn child.

Teratogenicity Teratogenic effects have occurred in experimental animals.

(h) STOT-single exposure; Category 3

Respiratory system. Results / Target organs

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

None known. **Target Organs**

(i) aspiration hazard; Based on available data, the classification criteria are not met

Other Adverse Effects Tumorigenic effects have been reported in experimental animals.

delayed

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting,

Central nervous system disorders.

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity **Ecotoxicity effects**

N-Methyl-2-pyrrolidone

Component	Freshwater Fish	Water Flea	Freshwater Algae
1-Methyl-2-pyrrolidone	LC50: = 1400 mg/L, 96h static (Poecilia reticulata) LC50: = 1072 mg/L, 96h static (Pimephales promelas) LC50: = 832 mg/L, 96h static (Lepomis macrochirus)	EC50: = 4897 mg/L, 48h (Daphnia magna)	EC50: > 500 mg/L, 72h (Desmodesmus subspicatus)

12.2. Persistence and degradability

Persistence	Persistence is unlikely.	
	Component	Degradability
	1-Methyl-2-pyrrolidone	water: 73% 28 days OECD 301C
	872-50-4 (00)	soil: >=90% 21 days

12.3. Bioaccumulative potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
1-Methyl-2-pyrrolidone	-0.46	No data available

12.4. Mobility in soil The product is water soluble, and may spread in water systems . Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB

assessment

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent

and very bioaccumulative (vPvB).

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives

on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not empty into drains.

SECTION 14: TRANSPORT INFORMATION

FSUM5120

Revision Date 20-Oct-2023

N-Methyl-2-pyrrolidone Revision Date 20-Oct-2023

IMDG/IMO Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

ADR Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

IATA Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk

according to IMO instruments

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Not applicable, packaged goods

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

	Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
	1-Methyl-2-pyrrolidone	872-50-4	212-828-1	-	-	Х	Х	KE-25324	X	X
•										

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
1-Methyl-2-pyrrolidone	872-50-4	Х	ACTIVE	X	-	Х	Х	Х

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
1-Methyl-2-pyrrolidone	872-50-4	-	Use restricted. See item 72. (see link for restriction details) Use restricted. See item	SVHC Candidate list - 212-828-1 - Toxic for reproduction, Article 57c

N-Methyl-2-pyrrolidone

	30.	
	(see link for restriction	
	details)	
	Use restricted. See item	
	71.	
	(see link for restriction	
	details)	
	Use restricted. See item	
	75.	
	(see link for restriction	
	details)	

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

REACH links

https://echa.europa.eu/authorisation-list https://echa.europa.eu/substances-restricted-under-reach https://echa.europa.eu/candidate-list-table

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -
		Qualifying Quantities for Major Accident	Qualifying Quantities for Safety Report
		Notification	Requirements
1-Methyl-2-pyrrolidone	872-50-4	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification See table for values

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
1-Methyl-2-pyrrolidone	WGK1	

Component	France - INRS (Tables of occupational diseases)
1-Methyl-2-pyrrolidone	Tableaux des maladies professionnelles (TMP) - RG 84

_				
I	Component	Switzerland - Ordinance on the	Switzerland - Ordinance on	Switzerland - Ordinance of the
١		Reduction of Risk from	Incentive Taxes on Volatile	Rotterdam Convention on the
١		handling of hazardous	Organic Compounds (OVOC)	Prior Informed Consent
1		substances preparation (SR		Procedure

FSUM5120

Revision Date 20-Oct-2023

N-Methyl-2-pyrrolidone

Revision Date 20-Oct-2023

	814.81)		
1-Methyl-2-pyrrolidone		Group I	
872-50-4 (99)			

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has been conducted

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H315 - Causes skin irritation

H319 - Causes serious eye irritation H335 - May cause respiratory irritation H360D - May damage the unborn child

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

Substances List **ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level **RPE** - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent. Bioaccumulative. Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

Creation Date 12-Nov-2009 20-Oct-2023 **Revision Date** Not applicable. **Revision Summary**

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

Revision Date 20-Oct-2023

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet