

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Revision Date 21-Mar-2024 Revision Number 3

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: Triton® X-100 lysis buffer-2, pH 8.0

Cat No. : J62526

Unique Formula Identifier (UFI) MKUP-66E2-KX0R-5YG2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company

Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

Poison Centre - Emergency

information services

Ireland: National Poisons Information Centre (NPIC) -

01 809 2166 (8am-10pm, 7 days a week)

Malta: +356 2395 2000 Cyprus: +357 2240 5611

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

Triton® X-100 lysis buffer-2, pH 8.0

Revision Date 21-Mar-2024

Serious Eye Damage/Eye Irritation

Category 2 (H319)

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Warning

Hazard Statements

H319 - Causes serious eye irritation

Precautionary Statements

P280 - Wear eye protection/ face protection

P264 - Wash face, hands and any exposed skin thoroughly after handling

P337 + P313 - If eye irritation persists: Get medical advice/attention

2.3. Other hazards

Contains a known or suspected endocrine disruptor Included in the list established in accordance with Article 59(1) for having endocrine disrupting properties Contains a substance on the National Authorities Endocrine Disruptor Lists

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Water	7732-18-5	231-791-2	97.3	-
Poly(oxy-1,2-ethanediyl), .alpha[4-(1,1,3,3-tetramethylbutyl)phenyl]- .omegahydroxy-	9002-93-1		1	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Aquatic Chronic 2 (H411)
Sodium chloride	7647-14-5	231-598-3	0.9	-
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	1185-53-1	EEC No. 214-684-5	0.8	-

Full text of Hazard Statements: see section 16

Triton® X-100 lysis buffer-2, pH 8.0

Revision Date 21-Mar-2024

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Carbon dioxide (CO 2). Powder. Water spray. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Nitrogen oxides (NOx), Hydrogen chloride, Sodium oxides.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required.

Triton® X-100 lysis buffer-2, pH 8.0

Revision Date 21-Mar-2024

6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep refrigerated.

Technical Rules for Hazardous Substances (TRGS) 510 Class 12 Storage Class (LGK) (Germany)

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s):

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Sodium chloride		DNEL = 295.52mg/kg		DNEL = 295.52mg/kg
7647-14-5 (0.9)		bw/day		bw/day

Triton® X-100 lysis buffer-2, pH 8.0

1,3-Propanediol, 2-amino-2-(hydroxymethyl)-,		DNEL = 216.6mg/kg bw/dav
hydrochloride		bw/day
1185-53-1 (0.8)		

Component	Acute effects local	Acute effects	Chronic effects local	Chronic effects
	(Inhalation)	systemic (Inhalation)	(Inhalation)	systemic (Inhalation)
Sodium chloride		$DNEL = 2068.62 \text{mg/m}^3$		$DNEL = 2068.62 \text{mg/m}^3$
7647-14-5 (0.9)		_		-
1,3-Propanediol,				DNEL = 152.8mg/m ³
2-amino-2-(hydroxymethyl)-,				
hydrochloride				
1185-53-1 (0.8)				

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Microorganisms in sewage treatment	` ` ` '
Sodium chloride	PNEC = 5mg/L		PNEC = 500mg/L	PNEC = 4.86mg/kg
7647-14-5 (0.9)				soil dw

8.2. Exposure controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material Breakthrough time Glove thickness EU standard Glove comments Natural rubber See manufacturers - EN 374 (minimum requirement) Nitrile rubber recommendations Neoprene PVC
--

Skin and body protection Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced **Recommended Filter type:** Particulates filter conforming to EN 143

Revision Date 21-Mar-2024

Triton® X-100 lysis buffer-2, pH 8.0

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Liquid

Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Liquid Viscous liquid

Appearance Colorless

Odor
Odor
No information available
No data available
Melting Point/Range
No data available
No data available
No data available
No information available
Flammability (liquid)
No data available

Flammability (solid,gas) Not applicable

Explosion Limits No data available

Flash Point No information available Method - No information available

Autoignition Temperature No data available Decomposition Temperature No data available

PH 8

Viscosity No data available

Water Solubility Miscible

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow Poly(oxy-1,2-ethanediyl), 2.7 .alpha.-[4-(1,1,3,3-tetramethylbutyl)phe

nyl]-.omega.-hydroxy-

1,3-Propanediol, -3.6

2-amino-2-(hydroxymethyl)-,

hydrochloride

Vapor PressureNo data availableDensity / Specific GravityNo data available

Bulk DensityNot applicableLiquidVapor DensityNo data available(Air = 1.0)

Particle characteristics Not applicable (liquid)

9.2. Other information

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

ALFAAJ62526

Revision Date 21-Mar-2024

Triton® X-100 lysis buffer-2, pH 8.0

Hazardous PolymerizationNo information available.Hazardous ReactionsNone under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Nitrogen oxides (NOx). Hydrogen chloride. Sodium oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Poly(oxy-1,2-ethanediyl),	1800 mg/kg (Rat)	-	-
.alpha[4-(1,1,3,3-tetramethylbutyl)phenyl]-			
.omegahydroxy-			
Sodium chloride	LD50 = 3 g/kg (Rat)	LD50 > 10000 mg/kg (Rabbit)	LC50 > 42 mg/L (Rat) 1 h
1,3-Propanediol,	OECD 425 (Rat)	OECD 402 (Rat)	-
2-amino-2-(hydroxymethyl)-, hydrochloride	LD50 > 5000 mg/kg bw	LD50 > 5000 mg/kg bw	

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

Component	Test method	Test species	Study result
1,3-Propanediol,	OECD Test Guideline 406	guinea pig	non-sensitising
2-amino-2-(hydroxymethyl)-, hydrochloride			_
1185-53-1 (0.8)			

(e) germ cell mutagenicity; No data available

Component	Test method	Test species	Study result
1,3-Propanediol,	OECD Test Guideline 471	Mammalian	negative
2-amino-2-(hydroxymethyl)-, hydrochloride	Bacterial Reverse Mutation Test	in vitro	_
1185-53-1 (0.8)			

(f) carcinogenicity; No data available

ALFAAJ62526

Revision Date 21-Mar-2024

Triton® X-100 lysis buffer-2, pH 8.0

Revision Date 21-Mar-2024

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

Symptoms / effects,both acute and No information available.

delayed

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecotoxicity effects

Component Freshwater Fish Water Flea Freshwater Algae Poly(oxy-1,2-ethanediyl), LC50 = 8.9 mg/L 96H EC50 = 26 mg/L 48h.alpha.-[4-(1,1,3,3-tetramethylbutyl)phenyl]-LC50 = 4.0 mg/l 96H(Pimephales promelus) .omega.-hydroxy-Sodium chloride Pimephals prome: LC50: 7650 EC50: 1000 mg/L/48h mg/L/96h 1,3-Propanediol, Daphnia Magna 2-amino-2-(hydroxymethyl)-, hydrochloride EC50 >100 mg/L (48h)

Component	Microtox	M-Factor
Poly(oxy-1,2-ethanediyl),	-	
.alpha[4-(1,1,3,3-tetramethylbutyl)phenyl]-		
.omegahydroxy-		
1,3-Propanediol,	OECD 209	
2-amino-2-(hydroxymethyl)-, hydrochloride	EC50 > 1000 mg/L (3h)	

12.2. Persistence and degradability

Persistence Immiscible with water.

Component	Degradability
Poly(oxy-1,2-ethanediyl),	60% >28 days
.alpha[4-(1,1,3,3-tetramethylbutyl)phenyl]omegahydroxy-	
9002-93-1 (1)	

12.3. Bioaccumulative potential May have some potential to bioaccumulate

Component	log Pow	Bioconcentration factor (BCF)
Poly(oxy-1,2-ethanediyl),	2.7	No data available
.alpha[4-(1,1,3,3-tetramethylbutyl)phenyl]-		
.omegahydroxy-		

Triton® X-100 lysis buffer-2, pH 8.0

Revision Date 21-Mar-2024

1,3-Propanediol,	-3.6	No data available
2-amino-2-(hydroxymethyl)-, hydrochloride		

12.4. Mobility in soil Spillage unlikely to penetrate soil Is not likely mobile in the environment due its low water

solubility.

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information Assess endocrine disrupting properties for the environment

Substance identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Contains a substance on the National Authorities Endocrine

Disruptor Lists.

2.0.4510.		
Component	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disruptors - Evaluated Substances
Poly(oxy-1,2-ethanediyl),	Group III Chemical	-
.alpha[4-(1,1,3,3-tetramethylbutyl)phenyl]omegahy	·	
droxy-		

Component	EU National Authorities Endocrine Disruptor Lists - Environment	Japan - Endocrine Disruptor Information
Poly(oxy-1,2-ethanediyl),	List I	-
.alpha[4-(1,1,3,3-tetramethylbutyl)phenyl]omegahy		
droxy-		
9002-93-1 (1)		

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives

on waste and hazardous waste. Dispose of in accordance with local regulations.

Dispose of this container to hazardous or special waste collection point. **Contaminated Packaging**

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not empty into drains.

SECTION 14: TRANSPORT INFORMATION

Not regulated IMDG/IMO

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

Triton® X-100 lysis buffer-2, pH 8.0

Revision Date 21-Mar-2024

14.4. Packing group

ADR Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

IATA Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk

Not applicable, packaged goods

according to IMO instruments

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Water	7732-18-5	231-791-2	-	-	Х	X	KE-35400	X	-
Poly(oxy-1,2-ethanediyl),	9002-93-1	-	-	-	Х	Х	KE-33568	X	X
.alpha[4-(1,1,3,3-tetramethylbutyl									
)phenyl]omegahydroxy-									
Sodium chloride	7647-14-5	231-598-3	-	-	Х	X	KE-31387	X	X
1,3-Propanediol,	1185-53-1	214-684-5	-	-	Х	Х	KE-34819	X	-
2-amino-2-(hydroxymethyl)-,									
hydrochloride									

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Water	7732-18-5	X	ACTIVE	X	-	X	X	Х
Poly(oxy-1,2-ethanediyl), .alpha[4-(1,1,3,3-tetramethylbutyl)phenyl]omegahydroxy-	9002-93-1	X	ACTIVE	X	-	X	X	X
Sodium chloride	7647-14-5	X	ACTIVE	X	-	X	X	X
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	1185-53-1	X	ACTIVE	Х	-	Х	Х	Х

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) -	REACH (1907/2006) -	REACH Regulation (EC
		Annex XIV - Substances	Annex XVII - Restrictions	1907/2006) article 59 -

Triton® X-100 lysis buffer-2, pH 8.0

Revision Date 21-Mar-2024

		Subject to Authorization	on Certain Dangerous Substances	Candidate List of Substances of Very High Concern (SVHC)
Water	7732-18-5	-	-	-
Poly(oxy-1,2-ethanediyl), .alpha[4-(1,1,3,3-tetramethylbutyl) phenyl]omegahydroxy-	9002-93-1	Endocrine disrupting properties (Article 57(f) - environment) Application date: July 4, 2019 Sunset date: January 4, 2021 Exemption - extended latest application and sunset date for the research, development and production of medicinal products or medical devices in view of their use for the diagnosis, treatment or prevention of the coronavirus disease (COVID-19)		SVHC Candidate list - Equivalent level of concern having probable serious effects to the environment (Article 57f - environment)
Sodium chloride	7647-14-5	- '	-	-
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	1185-53-1	-	-	-

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

REACH links

https://echa.europa.eu/authorisation-list https://echa.europa.eu/candidate-list-table

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Water	7732-18-5	Not applicable	Not applicable
Poly(oxy-1,2-ethanediyl), .alpha[4-(1,1,3,3-tetrameth ylbutyl)phenyl]omegahydr oxy-	9002-93-1	Not applicable	Not applicable
Sodium chloride	7647-14-5	Not applicable	Not applicable
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	1185-53-1	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

Triton® X-100 lysis buffer-2, pH 8.0

WGK Classification

Water endangering class = 1 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Poly(oxy-1,2-ethanediyl),	WGK2	
.alpha[4-(1,1,3,3-tetramethylbut		
yl)phenyl]omegahydroxy-		
Sodium chloride	WGK1	
1,3-Propanediol,	WGK1	
2-amino-2-(hydroxymethyl)-,		
hydrochloride		

Component	France - INRS (Tables of occupational diseases)
Sodium chloride	Tableaux des maladies professionnelles (TMP) - RG 78

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Poly(oxy-1,2-ethanediyl), .alpha[4-(1,1,3,3-tetramethylbutyl)phenyl]- .omegahydroxy- 9002-93-1 (1)	Prohibited and Restricted Substances		
Sodium chloride 7647-14-5 (0.9)	Prohibited and Restricted Substances		

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H319 - Causes serious eye irritation

H302 - Harmful if swallowed

H318 - Causes serious eye damage

H411 - Toxic to aquatic life with long lasting effects

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Revision Date 21-Mar-2024

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances **IECSC** - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

Triton® X-100 lysis buffer-2, pH 8.0

Revision Date 21-Mar-2024

ADR - European Agreement Concerning the International Carriage of Transport Association

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data **Health Hazards** Calculation method **Environmental hazards** Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Prepared By Health, Safety and Environmental Department

Revision Date 21-Mar-2024

Revision Summary New emergency telephone response service provider.

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet